

Caretray Trolley - Phlebotomy

Product Images



Description

FEATURES

- Trolleys designed for use with Phlebotomy
- Quick & easy disassembly, assists thorough & deep cleaning
- Available in mild or stainless steel
 - Fully welded mild steel frame
 - Seamlessly welded, one piece 304 grade stainless steel frame
- Ergonomic push handle fitted to one side of the trolley ensures correct posture & keeps feet away from the frame, ideal for mobile phlebotomy or in cases where the trolley is wheeled for long periods of time
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an

- integral rim at the front contains spillages (max load 30kg)
- Side panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Carerails fitted to either side support a wide range of accessories
- Available with solid grade laminate door & back panel providing security for the contents of the trays
- Two locking options...
 - CAM Lock with Wing Handle - Supplied with two keys
 - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
 - Alcohol Gel Holder
 - Debris Bin & Bracket
 - Glove / Mask Box Holder, One Box
 - Sharps Box Holder
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

DIMENSIONS (W X D X H)

- Overall Dimensions - 610 x 550 x 993mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
 - Shallow Tray - 355 x 405 x 100mm (internal)
 - Deep Tray - 355 x 405 x 150mm (internal)

STANDARD COLOURS

- Paint - Spearmint

Code	Description	Overall Dimensions (W x D x H)	Weight
CTPHLEM1/10/4S1D	Mild Steel, 4 x 100mm, 1 x 150mm Trays, No Door	610 x 550 x 993mm	38kg
CTPHLEM1/10/6S	Mild Steel, 6 x 100mm Trays, No Door	610 x 550 x 993mm	39.1kg
CTPHLEM1/10/3S2D	Mild Steel, 3 x 100mm, 2 x 150mm Trays, No Door	610 x 550 x 993mm	38.3kg
CTPHLEM1/10/4S1D/CA	Mild Steel, 4 x 100mm, 1 x 150mm Trays, CAM Lock	610 x 550 x 993mm	38kg
CTPHLEM1/10/6S/CA	Mild Steel, 6 x 100mm Trays, CAM Lock	610 x 550 x 993mm	39.1kg
CTPHLEM1/10/4S1D/EPB	Mild Steel, 4 x 100mm, 1 x 150mm Trays, Electronic Push Button Lock	610 x 550 x 993mm	38kg
CTPHLEM1/10/6S/EPB	Mild Steel, 6 x 100mm Trays, Electronic Push Button Lock	610 x 550 x 993mm	39.1kg
CTPHLES1/10/3S2D	Stainless Steel, 3 x 100mm, 2 x 150mm Trays, No Door	610 x 550 x 993mm	38.3kg

CTPHLEM1/10/3S2D/CA	Mild Steel, 3 x 100mm, 2 x 150mm Trays, CAM Lock	610 x 550 x 993mm	38.3kg
CTPHLEM1/10/3S2D/EPB	Mild Steel, 3 x 100mm, 2 x 150mm Trays, Electronic Push Button Lock	610 x 550 x 993mm	38.3kg
CTPHLES1/10/3S2D/EPB	Stainless Steel, 3 x 100mm, 2 x 150mm Trays, Electronic Push Button Lock	610 x 550 x 993mm	38.3kg
CTPHLES1/10/3S2D/CA	Stainless Steel, 3 x 100mm, 2 x 150mm Trays, CAM Lock	610 x 550 x 993mm	38.3kg
CTPHLES1/10/4S1D	Stainless Steel, 4 x 100mm, 1 x 150mm Trays, No Door	610 x 550 x 993mm	38kg
CTPHLES1/10/4S1D/CA	Stainless Steel, 4 x 100mm, 1 x 150mm Trays, CAM Lock	610 x 550 x 993mm	38kg
CTPHLES1/10/4S1D/EPB	Stainless Steel, 4 x 100mm, 1 x 150mm Trays, Electronic Push Button Lock	610 x 550 x 993mm	38kg
CTPHLES1/10/6S	Stainless Steel, 6 x 100mm Trays, No Door	610 x 550 x 993mm	39.1kg
CTPHLES1/10/6S/CA	Stainless Steel, 6 x 100mm Trays, CAM Lock	610 x 550 x 993mm	39.1kg
CTPHLES1/10/6S/EPB	Stainless Steel, 6 x 100mm Trays, Electronic Push Button Lock	610 x 550 x 993mm	39.1kg