

Mobile Infusion Stands - Polyurethane, Easy Clean

Product Images







FEATURES

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Five leg base with low centre of gravity to assist stability
- 25mm diameter 304 grade stainless steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - o Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - o Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (1,260 2,100mm)
- Available with two or four pigtail hooks
- Maximum recommended load...
 - o Hooks 4kg per stand plus
 - Fixed Upright 4kg per stand
- Optional handle keeps feet clear of the base, assists manoeuvrability & improves patient safety
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)

DIMENSIONS (W X D X H)

- Overall 620 x 620 x 1,260 2,100mm
- Vertical Clamping Area
 - o IS/P/2H & IS/P/4H 970mm
 - o IS/P/2H/H & IS/P/4H/H 840mm

STANDARD COLOURS

- Base Grev
- Upright & Support Bows Stainless Steel
- Coloured Indicator Cap Spearmint

Code	Description	Overall Dimensions (W x D x H)	Weight
IS/P/2H/RD	Two Hook, Red Cap	620 x 620 x 1260-2100mm	7.8kg
IS/P/2H/YE	Two Hook, Yellow Cap	620 x 620 x 1260-2100mm	7.8kg
IS/P/4H/SP	Four Hook, Spearmint Cap	620 x 620 x 1260-2100mm	7.9kg
IS/P/4H/BL	Four Hook, Blue Cap	620 x 620 x 1260-2100mm	7.9kg
IS/P/4H/GR	Four Hook, Green Cap	620 x 620 x 1260-2100mm	7.9kg
IS/P/4H/RD	Four Hook, Red Cap	620 x 620 x 1260-2100mm	7.9kg
IS/P/4H/YE	Four Hook, Yellow Cap	620 x 620 x 1260-2100mm	7.9kg
IS/P/2H/H/SP	Two Hook, Handle, Spearmint Cap	620 x 620 x 1260-2100mm	8.2kg
IS/P/2H/H/BL	Two Hook, Handle, Blue Cap	620 x 620 x 1260-2100mm	8.2kg
IS/P/2H/H/GR	Two Hook, Handle, Green Cap	620 x 620 x 1260-2100mm	8.2kg
IS/P/2H/H/RD	Two Hook, Handle, Red Cap	620 x 620 x 1260-2100mm	8.2kg
IS/P/2H/H/YE	Two Hook, Handle, Yellow Cap	620 x 620 x 1260-2100mm	8.2kg

IS/P/4H/H/SP	Four Hook, Handle, Spearmint Cap	620 x 620 x 1260-2100mm	8.3kg
IS/P/4H/H/BL	Four Hook, Handle, Blue Cap	620 x 620 x 1260-2100mm	8.3kg
IS/P/4H/H/GR	Four Hook, Handle, Green Cap	620 x 620 x 1260-2100mm	8.3kg
IS/P/4H/H/RD	Four Hook, Handle, Red Cap	620 x 620 x 1260-2100mm	8.3kg
IS/P/4H/H/YE	Four Hook, Handle, Yellow Cap	620 x 620 x 1260-2100mm	8.3kg
IS/P/2H/GR	Two Hook, Green Cap	620 x 620 x 1260-2100mm	7.8kg
IS/P/2H/BL	Two Hook, Blue Cap	620 x 620 x 1260-2100mm	7.8kg
IS/P/2H/SP	Two Hook, Spearmint Cap	620 x 620 x 1260-2100mm	7.8kg