Infusion & Pump Stands

Mobile Infusion Stands	222
Clamping Infusion Stands	227
Wall Mounted Infusion Holders	227
Mobile Pump Stands	228

Mobile Infusion Stands - Polyurethane, Easy Clean

Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Five leg base with low centre of gravity to assist stability
- 25mm diameter 304 grade stainless steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (1260 2100mm)
- Available with two or four pigtail hooks
- Maximum recommended load...
 - Hooks 4kg per stand
 - Fixed Upright 4kg per stand
- Optional handle keeps feet clear of the base, assists manoeuvrability & improves patient safety
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)

Dimensions (w x d x h)

- Overall 620 x 620 x 1260 2100mm
- Vertical Clamping Area
 - IS/P/2H & IS/P/4H 970mm
 - IS/P/2H/H & IS/P/4H/H 840mm

Standard Colours

- Base Grey
- Upright & Handle Stainless Steel
- Coloured Indicator Cap Spearmint


Options

• Coloured Indicator Cap - Blue / Green / Red / Yellow






-					
SP Spearmint	BL Blue	GR Green	RD Red	YE Yellow	
Spearmint			Red	Yellow	Description
IS/P/2H/SP	IS/P/2H/BI	IS/P/2H/GR	IS/P/2H/RD	IS/P/2H/YE	Two Hook





Pump

Mobile Infusion Stands - Polyurethane, Easy Clean





Infusion & Pump Stands

Mobile Infusion Stands - Mild Steel

Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Welded mild steel construction
- Height adjustable upright using a handwheel (1270 2000mm)
- Available with two or four pigtail hooks
- 9kg plastic coated weighted base available for additional stability
- Maximum recommended load...
- Hooks 4kg per stand
- Fixed Upright
 - Non-Weighted Base 2kg per stand
 - Weighted Base 4kg per stand
- 50mm polypropylene / thermoplastic rubber twin wheel castors (1 x anti-static)

Dimensions (w x d x h)

• 650 x 650 x 1270 - 2000mm

Standard Colours

- Base / Upright Paint White
- Weighted Base Grey



4 hook pole supplied with models with '4H' product code suffix

Item	Description	Weight
DPWM/1	Two Hook	3.8kg
DPWM/1/4H	Four Hook	3.9kg
DPWM/1/W9	Two Hook, Weighted Base	12.8kg
DPWM/1/W9/4H	Four Hook, Weighted Base	12.9kg



t. +44 (0)1258 484455

Mobile Infusion Stands - Knockdown

Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- 304 grade stainless steel legs & upright with a plastic centre boss
- Unique design allows for assembly using an Allen key to locate & hold the legs & upright in position
- Supplied boxed for self-assembly
- Height adjustable upright using a handwheel (1270 2000mm)
- Available with two or four pigtail hooks
- Maximum recommended load on hooks 4kg (attachment of blood warmers, pumps & syringe drivers is not recommended)
- 50mm polypropylene twin-wheel castors (1 x anti-static)

Dimensions (w x d x h)

• 650 x 650 x 1270 - 2000mm

Standard Colours

- Legs / Upright Stainless Steel
- Centre Boss Grey

Infusion Poles - Replacement

Features

CE


- Two & four pigtail hook stainless steel infusion poles
- Compatible with our drip stands (19mm diameter upright)

CE

• Pole length 1200mm

Standard Colours

Stainless Steel



e. sales@bristolmaid.com

Clamping Infusion Stands - Trolley

Features

- Clamp secures to 25mm vertical round tube (designed to fit our range of dressing trolleys)
- When fitting to other trolleys, we strongly recommend that a risk assessment is carried out to assess stability

(1

- When fitted protrudes 45mm
- Supplied with a two pigtail hook infusion pole
- Maximum load on hooks 2kg

Dimensions (w x d x h)

• 55 x 220 x 1200mm



Wall Mounted Infusion Holders

Features

- Wall mounted infusion bag holder
 Available with one/two U shaped hooks
- 25mm diameter "D" shaped tube to accept pumps (max load 10kg)
- Maximum load per hook 2kg
- Fixings not included

Dimensions (w x d x h)

- IV001 344 x 75 x 500mm
- IV002 344 x 75 x 570mm



CE

|--|

Maid

6

Item	Description	Weight
DP/C	Clamping Infusion Stands - Trolley	1.8kg

Item	Description	Weight
IV001	One Hook, Wall Mounted Infusion Holder	1.2kg
IV002	Two Hook, Wall Mounted Infusion Holder	1.6kg

Mobile Pump Stands - Polyurethane, Easy Clean

Features

- Range of stands designed specifically to hold blood warmers, pumps & syringe drivers
- Five leg base with low centre of gravity to assist stability
- 32mm diameter 304 grade stainless steel upright & 25mm diameter pump support bows
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Height adjustable upright using a handwheel (1300 2000mm)
- Four U shaped hooks
- Maximum recommended load...
 - Hooks 12kg per stand
 - Fixed Upright/s 22kg per stand
- 75mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)

Dimensions (w x d x h)

- Overall 620 x 620 x 1300 2000mm
- Vertical Clamping Area
 - PS/P/SC/4H 975mm
 - PS/P/HC/4H 771mm (upright) 2 x 646mm (support bows)

Standard Colours

- Base Grey
- Upright & Support Bows Stainless Steel

Vertical Clamping Area

- PS/P/SC/4H 975mm
- PS/P/HC/4H 771mm (upright) 2 x 646mm (support bows)



Smooth edges & contours, allows easy & effective cleaning

Item	Description	Weight
PS/P/SC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, Standard Capacity, Four Hook	11.0kg
PS/P/HC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, High Capacity, Four Hook	13.0kg




e. sales@bristolmaid.com

t. +44 (0)1258 484455

Pump Stands

nfusion

eClean™





Height adjustable upright using a heavy duty handwheel

Mobile Pump Stands - Mild Steel, Four Leg

Features

- Range of stands designed specifically to hold blood warmers, pumps & syringe drivers
- Fully welded four leg base
- 32mm diameter 304 grade stainless steel upright & 25mm diameter pump support bows
- Height adjustable upright using a handwheel (1270 2000mm)
- Four U-shaped hooks
- Maximum recommended load...
 - Hooks 12kg per stand
 - Fixed Upright/s 22kg per stand
- 75mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)

Dimensions (w x d x h)

- Overall 560 x 621 x 1270 2000mm
- Vertical Clamping Area
 - PS/M/SC/4H 975mm
 - PS/M/HC/4H 771mm (upright) 2 x 646mm (support bows)

Standard Colours

- Base Grey
- Upright & Support Bows Stainless Steel

Item	Description	Weight
PS/M/SC/4H	Mobile Pump Stand - Mild Steel, Four Leg, Standard Capacity, Four Hook	14.7kg
PS/M/HC/4H	Mobile Pump Stand - Mild Steel, Four Leg, High Capacity, Four Hook	16.7kg



CE



Four U shaped hooks



Height adjustable upright using a heavy duty handwheel



5 w. www.bristolmaid.com

e. sales@bristolmaid.com t. +44 (0)1258 484455