




Passive Lifts	352
Active Standing Aids	358
Accessories & Slings	362



## Passive Lift - Oxford® Advance

### Features

- Exceptionally versatile & easy to manoeuvre
- Ergonomic design considerations & interaction points
- Compact triangular folding design for easy transport & storage
- Smart™ Monitor diagnostic & service controls as standard
- Interchangeable spreader bar / cradle options
- Safe working load 155kg

### Dimensions (w x d x h)

- Overall Dimensions (Max) - 1080 x 1300 x 1860mm
- Overall Dimensions (Min) - 670 x 1250 x 1360mm

### Standard Colours

- Grey / Periwinkle

### Options / Accessories

- 5OX/AC/SPC/4 - Oxford® 4-Point Positioning Cradle, Shallow, Manual



Optional shallow 4-point cradle providing the carer with a greater choice of sling systems



Item	Description	Weight
5OX/PL/AD	Passive Lift - Oxford® Advance	31.7kg

# Passive Lift - Oxford® Presence

## Features

- Outstanding lifting range (430mm - 1910mm)
- Ergonomic design considerations & interaction points
- Powered leg positioning
- Smart™ Monitor diagnostic & service controls as standard
- Interchangeable spreader bar / cradle & weigh-scale options
- Safe working load 227kg

## Dimensions (w x d x h)

- Overall Dimensions (Max) - 1150 x 1460 x 2065mm
- Overall Dimensions (Min) - 670 x 1400 x 1460mm

## Standard Colours

- Grey / Periwinkle

## Options / Accessories

- 5OX/SBC/4 - Oxford® 4-Point Positioning Cradle, Manual
- 5OX/AC/PPC/4 - Oxford® 4-Point Positioning Cradle, Powered
- 5OX/AC/SAC - Oxford® Stretcher Adjustment Cradle
- 5OX/AS/CS - Oxford® Canvas Stretcher
- 5OX/WS/100 - Oxford® Digital Weigh Scale, 4-Point Cradle, Manual
- 5OX/WS/101 - Oxford® Digital Weigh Scale, 6-Point Spreader Bar, Manual
- 5OX/WS/102 - Oxford® Digital Weigh Scale, 4-Point Cradle, Powered



Shown with 4-point positioning cradle



Item	Description	Weight
5OX/PL/AD/PR	Passive Lift - Oxford® Presence	40.0kg

## Passive Lift - Oxford® Presence, Low Leg

### Features

- Outstanding lifting range (430mm - 1910mm)
- Ergonomic design considerations & interaction points
- Powered leg positioning
- Smart™ Monitor diagnostic & service controls as standard
- Interchangeable spreader bar / cradle options & weigh-scale options
- Safe working load 227kg

### Dimensions (w x d x h)

- Overall Dimensions (Max) - 1150 x 1460 x 2065mm
- Overall Dimensions (Min) - 670 x 1400 x 1460mm

### Standard Colours

- Grey / Periwinkle

### Options / Accessories

- 50X/SBC/4 - Oxford® 4-Point Positioning Cradle, Manual
- 50X/AC/PPC/4 - Oxford® 4-Point Positioning Cradle, Powered
- 50X/AC/SAC - Oxford® Stretcher Adjustment Cradle
- 50X/AS/CS - Oxford® Canvas Stretcher
- 50X/WS/100 - Oxford® Digital Weigh Scale, 4-Point Cradle, Manual
- 50X/WS/101 - Oxford® Digital Weigh Scale, 6-Point Spreader Bar, Manual
- 50X/WS/102 - Oxford® Digital Weigh Scale, 4-Point Cradle, Powered



50X/PL/AD/PR/LL

Item	Description	Weight
50X/PL/AD/PR/LL	Passive Lift - Oxford® Presence, Low Leg	40.0kg

# Passive Lift - Oxford® Stature

## Features

- Outstanding lifting range (390mm - 1550mm)
- Ergonomic design considerations & interaction points
- Powered leg positioning
- Smart™ Monitor diagnostic & service controls as standard
- Interchangeable spreader bar / cradle & weigh-scale options
- Safe working load 227kg

## Dimensions (w x d x h)

- Overall Dimensions (Max) - 1360 x 1390 x 2130mm
- Overall Dimensions (Min) - 760 x 1290 x 1945mm

## Standard Colours

- Grey / Periwinkle

## Options / Accessories

- 50X/SBC/6 - Oxford® 6-Point Positioning Cradle, Manual (Stature Only)
- 50X/AC/SAC - Oxford® Stretcher Adjustment Cradle
- 50X/AS/CS - Oxford® Canvas Stretcher
- 50X/WS/100 - Oxford® Digital Weigh Scale, 4-Point Cradle, Manual
- 50X/WS/101 - Oxford® Digital Weigh Scale, 6-Point Spreader Bar, Manual
- 50X/WS/102 - Oxford® Digital Weigh Scale, 4-Point Cradle, Powered



50X/PL/ST

Item	Description	Weight
50X/PL/ST	Passive Lift - Oxford® Stature	73.5kg

## Passive Lift - Oxford® Calibre

### Features

- Integrated Class III digital weigh-scale for patient monitoring
- Ergonomic design considerations & interaction points
- Large 6-point cradle provides improved comfort for larger clients
- Powered leg positioning
- Twin pivoted front castors offer good manoeuvrability
- Smart™ Monitor diagnostic & service controls as standard
- Safe working load 385kg

### Dimensions (w x d x h)

- Overall Dimensions (Max) - 1420 x 1805 x 2210mm
- Overall Dimensions (Min) - 885 x 1740 x 1575mm

### Standard Colours

- Grey / Periwinkle



50X/PL/CA



6-point cradle provides improved comfort and support



Item	Description	Weight
50X/PL/CA	Passive Lift - Oxford® Calibre	112.0kg



50X/PL/ST



50X/PL/AD



50X/PL/AD/PR/LL



50X/PL/AD/PR



## Active Stand Aid - Oxford® Switch

### Features

- Versatile & easy to manoeuvre
- Easy to transport & store
- Ergonomic design considerations & interaction points
- Adjustable knee pads & optional padded knee covers
- Optional belts for additional support
- Safe working load 180kg

### Dimensions (w x d x h)

- Overall Dimensions - 550 x 670 x 1170mm

### Standard Colours

- Grey / Periwinkle

### Options / Accessories

- 5OX/SL3151 - Oxford® Patient Handling Belt - Small (Red)
- 5OX/SL3152 - Oxford® Patient Handling Belt - Medium (Yellow)
- 5OX/SL3153 - Oxford® Patient Handling Belt - Large (Green)
- 5OX/AC/PKC - Oxford® Padded Knee Covers



5OX/AS/SW

Even weight distribution ensures excellent stability and manoeuvrability



5OX/AC/PKC - Optional Padded Knee Covers



Item	Description	Weight
5OX/AS/SW	Active Stand Aid - Oxford® Switch	16.0kg

# Active Stand Aid - Oxford® Up

## Features

- Disassembles for easy storage & transportation
- Adjustable leg opening for access around furniture
- Contoured swing-away seat pads
- Ergonomic design considerations & interaction points
- Compatible sling offers additional support
- Safe working load 200kg

## Dimensions (w x d x h)

- Overall Dimensions (Max) - 845 x 950 x 1100mm
- Overall Dimensions (Min) - 630 x 950 x 1100mm

## Standard Colours

- Grey / Periwinkle



50X/AS/UP

Disassembles for easy storage



Item	Description	Weight
50X/AS/UP	Active Stand Aid - Oxford® Up	33.0kg

## Active Stand Aid - Oxford® Journey

### Features

- Compact folding design which offers easy storage & transportation
- Unique adjustable cow horn function accommodates a range of patients
- Ergonomic design considerations & interaction points
- Smart™ Monitor diagnostic & service controls as standard
- Contoured, height adjustable knee pad
- Retractable safety belt
- Removable foot tray for rehabilitation activity
- Safe working load 155kg

### Dimensions (w x d x h)

- Overall Dimensions (Max) - 970 x 1000 x 1600mm
- Overall Dimensions (Min) - 685 x 935 x 1130mm

### Standard Colours

- Grey / Periwinkle



50X/AS/JO

Folds down for easy storage



Item	Description	Weight
50X/AS/JO	Active Stand Aid - Oxford® Journey	40.2kg

# Active Stand Aid - Oxford® Ascend

## Features

- Powered leg positioning for excellent access around furniture
- Ergonomic design considerations & interaction points
- Smart™ Monitor diagnostic & service controls as standard
- Height adjustable knee pad
- Removable foot tray for rehabilitation activity
- Safe working load 200kg

## Dimensions (w x d x h)

- Overall Dimensions (Max) - 995 x 1100 x 1710mm
- Overall Dimensions (Min) - 630 x 1000 x 1070mm

## Standard Colours

- Grey / Periwinkle



Item	Description	Weight
50X/AS/AS	Active Stand Aid - Oxford® Ascend	47.0kg

# Oxford® Patient Handling Belts

## Features

- Offers carers a means of providing standing assistance to the patient
- Side handles for standing assistance & support
- Non-slip inner layer ensures secure fit
- Elasticated top band for increased comfort
- Available in small, medium & large, colour coded binding indicates belt size
- Safe working load 200kg



50X/SL3152

Item	Description
50X/SL3151	Oxford® Patient Handling Belt - Small (Red)
50X/SL3152	Oxford® Patient Handling Belt - Medium (Yellow)
50X/SL3153	Oxford® Patient Handling Belt - Large (Green)

Quickfit Colour Coding



# Oxford® Padded Knee Covers

## Features

- Padded covers provide additional comfort



50X/AC/PKC

Item	Description
50X/AC/PKC	Oxford® Padded Knee Covers

# Oxford® 4-Point Positioning Cradles & 6-Point Spreader Bar

## Features

- Uses the Securi3 safety clip system
- Adjustments made using the cradle handle to achieve an upright or reclined position for the patient
- Allows the carer to position the patient for optimum recline & comfort
- 4-Point Cradles available as either manual or powered (lift dependant)

## Standard Colours

- Periwinkle



50X/AC/PPC/4



50X/SBC/6



Hoist not included

Item	Description	Weight
50X/AC/SPC/4	Oxford® 4-Point Positioning Cradle, Shallow, Manual (Advance Only)	5.0kg
50X/SBC/4	Oxford® 4-Point Positioning Cradle, Manual (Presence Only)	6.5kg
50X/AC/PPC/4	Oxford® 4-Point Positioning Cradle, Powered (Presence and Stature Only)	9.0kg
50X/SBC/6	Oxford® 6-Point Spreader Bar, Manual (Stature Only)	2.2kg

## Oxford® Stretcher Adjustment Cradle

### Features

- Adjustment can be made by operating either the left or right-hand levelling handles
- Balance can be adjusted using one hand
- Safe working load 227kg (when used with the Oxford® Canvas Stretcher)

### Standard Colours

- Grey / Periwinkle



Shown with optional Oxford® Canvas Stretcher

Item	Description
50X/AC/SAC	Oxford® Stretcher Adjustment Cradle


## Oxford® Canvas Stretcher

### Features

- Takes up relatively little space during use & when in storage
- Canvas element can be laundered in a washing machine at up to 85°C
- Safe working load 227kg (when used with the Oxford® stretcher adjustment cradle)

### Standard Colours

- Blue



Item	Description
50X/AS/CS	Oxford® Canvas Stretcher



# Oxford® Digital Weigh-Scale

## Features

- Compact, low-profile design ensures lift height is not compromised
- Integrated dual-screen display, allows the read-out to be viewed from either side of the boom
- Provides an accurate measurement of weight for on-going patient observation
- Available in 3 different attachment versions...
- 4-Point Cradle, Manual
- 6-Point Spreader Bar, Manual
- 4-Point Cradle, Powered
- Safe working load 400kg (dependant on the hoist / accessory being used)

## Standard Colours

- Grey



Item	Description	Weight
50X/WS/100	Oxford® Digital Weigh Scale, 4-Point Cradle, Manual	7.2kg
50X/WS/101	Oxford® Digital Weigh Scale, 6-Point Spreader Bar, Manual	2.6kg
50X/WS/102	Oxford® Digital Weigh Scale, 4-Point Cradle, Powered	9.5kg

# Oxford® Comfort Disposable Slings

## Features

- Patented Securi3 clip attachment points
- Modesty loop helps protect patient dignity during transfer
- Available in extra small, small, medium, large & extra-large, colour coded binding indicates sling size
- Safe working load 227kg



50X/PH/CD/ME

Item	Description
50X/PH/CD/XS	Oxford® Comfort Disposable Sling - Extra Small (Brown)
50X/PH/CD/SM	Oxford® Comfort Disposable Sling - Small (Red)
50X/PH/CD/ME	Oxford® Comfort Disposable Sling - Medium (Yellow)
50X/PH/CD/LG	Oxford® Comfort Disposable Sling - Large (Green)
50X/PH/CD/XL	Oxford® Comfort Disposable Sling - Extra Large (Blue)

# Oxford® Full Back Disposable Slings

## Features

- Integrated, boned head support & leg padding as standard
- Coloured attachment loops promote correct / safe positioning
- Modesty loop helps protect patient dignity during transfer
- Available in extra small, small, medium, large & extra-large, colour coded binding indicates sling size
- Safe working load 227kg



50X/PH/FBD/ME

Item	Description
50X/PH/FBD/XS	Oxford® Full Back Disposable Sling - Extra Small (Brown)
50X/PH/FBD/SM	Oxford® Full Back Disposable Sling - Small (Red)
50X/PH/FBD/ME	Oxford® Full Back Disposable Sling - Medium (Yellow)
50X/PH/FBD/LG	Oxford® Full Back Disposable Sling - Large (Green)
50X/PH/FBD/XL	Oxford® Full Back Disposable Sling - Extra Large (Blue)

# Oxford® Quickfit Deluxe Disposable Slings

## Features

- Padded leg sections for increased comfort
- Coloured attachment loops promote correct / safe positioning
- Available in small, medium & large, colour coded binding indicates sling size
- Safe working load 227kg



50X/PH/QDD/ME

Item	Description
50X/PH/QDD/SM	Oxford® Quickfit Deluxe Disposable Sling - Small (Red)
50X/PH/QDD/ME	Oxford® Quickfit Deluxe Disposable Sling - Medium (Yellow)
50X/PH/QDD/LG	Oxford® Quickfit Deluxe Disposable Sling - Large (Green)

# Oxford® Deluxe Standing Disposable Slings

## Features

- Fully padded design offers excellent comfort
- Coloured attachment loops promote correct / safe positioning
- Non-slip back section ensures the sling does not 'ride up'
- Adjustable waist strap for added support & security
- Available in small, medium & large, colour coded binding indicates sling size
- Safe working load 200kg



Item	Description
5OX/PH/DSD/SM	Oxford® Deluxe Standing Disposable Sling - Small (Red)
5OX/PH/DSD/ME	Oxford® Deluxe Standing Disposable Sling - Medium (Yellow)
5OX/PH/DSD/LG	Oxford® Deluxe Standing Disposable Sling - Large (Green)

## Sling Compatibility & Task Selection

This chart will help guide you with the compatibility of a sling & hoist and the appropriate use of each combination for a given task. There may be exceptions to this.

We recommend a full patient risk assessment is carried out prior to any transfer to determine individual requirements.

### Oxford® Advance & Oxford Presence

- Supplied as Standard - 6-Point Spreader Bar
- Optional Accessory - 4-Point Cradle

### Oxford® Stature

- Supplied as Standard - 4-Point Cradle
- Optional Accessory - 6-Point Spreader Bar



Sling Type	Sling Sizes	Sling Attachment Type	Oxford Advance	Oxford Presence	Oxford Stature	Oxford Ascend	Oxford Journey	Chair to Chair	Bed to Chair	Chair to Commode / Toilet	Commode to Bath	Floor to Bed / Chair	Rehab / Assisted Standing
Comfort Disposable	XS / S / M / L / XL	Clip	√**	√**	√**			√	√	√	√	√	
Full Back Disposable	XS / S / M / L / XL	Loop	√*	√*	√*			√	√	√	√	√	
Quickfit Deluxe Disposable	S / M / L	Loop	√*	√*	√*			√	√	√	√	√	
Deluxe Standing Disposable	S / M / L	Loop				√	√	√	√	√			√

\*In conjunction with a 6-point spreader bar

\*\*In conjunction with a 4-point cradle