

Phlebotomy

Caretray Trolley - Phlebotomy	380
Phlebotomy Chair - Variable Height	382
Phlebotomy Chair - Variable Height, Bariatric	383
Phlebotomy Chair - Variable Height, Advanced, Support	384
Phlebotomy Chair - Fixed Height	387

Caretray Trolley - Phlebotomy

Features

- Trolleys designed for use with Phlebotomy
- Quick & easy disassembly, assists thorough & deep cleaning
- Available in mild or stainless steel
 - Fully welded mild steel frame
 - Seamlessly welded, one piece 304 grade stainless steel frame
- Ergonomic push handle fitted to one side of the trolley ensures correct posture & keeps feet away from the frame, ideal for mobile phlebotomy or in cases where the trolley is wheeled for long periods of time
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Carerails fitted to either side support a wide range of accessories
- Available with a solid grade laminate door & back panel providing security for the contents of the trays
- Two locking options...
 - CAM Lock with Wing Handle - Supplied with two keys
 - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
 - Alcohol Gel Holder
 - Debris Bin & Bracket
 - Glove / Mask Box Holder, One Box
 - Sharps Box Holder
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking



CTPHEM1/10/3S2D

Mild Steel

No Door	CAM Lock	Electronic Push Button Lock	Description	Weight
CTPHEM1/10/3S2D	CTPHEM1/10/3S2D/CA	CTPHEM1/10/3S2D/EPB	3 x 100mm, 2 x 150mm Trays	38.3kg
CTPHEM1/10/4S1D	CTPHEM1/10/4S1D/CA	CTPHEM1/10/4S1D/EPB	4 x 100mm, 1 x 150mm Trays	38.0kg
CTPHEM1/10/6S	CTPHEM1/10/6S/CA	CTPHEM1/10/6S/EPB	6 x 100mm Trays	39.1kg

Dimensions (w x d x h)

- Overall Dimensions - 610 x 550 x 993mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
 - Shallow Tray - 355 x 405 x 100mm (internal)
 - Deep Tray - 355 x 405 x 150mm (internal)

Standard Colours

- Paint - Spearmint

Options / Accessories

- Overbridge & Tilt Bins - page 60
- Defibrillator Platform - page 61
- Carerail Mounted Accessories - page 62
- Laptop Holders - page 68
- Castors - page 70
- Trays & Dividers - page 71
- Shelves - page 73
- Labels - page 72



CTPHLES1/10/3S2D/CA

Stainless Steel

No Door	CAM Lock	Electronic Push Button Lock	Description	Weight
CTPHLES1/10/3S2D	CTPHLES1/10/3S2D/CA	CTPHLES1/10/3S2D/EPB	3 x 100mm, 2 x 150mm Trays	38.3kg
CTPHLES1/10/4S1D	CTPHLES1/10/4S1D/CA	CTPHLES1/10/4S1D/EPB	4 x 100mm, 1 x 150mm Trays	38.0kg
CTPHLES1/10/6S	CTPHLES1/10/6S/CA	CTPHLES1/10/6S/EPB	6 x 100mm Trays	39.1kg

Phlebotomy Chair - Three Section

Features


- BS 2838-2: 1991 Examination & general treatment couches, build, performance & safety specifications
- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
- Electric or hydraulic height adjustment
- Height adjustment from 490 - 950mm
- Adjustable angle backrest
 - Manual -25 to +90°
 - Electric -22 to +90°
- Adjustable angle footrest from -90 to +10°
- Anti-trap gas struts fitted with release levers used on the back & footrest sections (optional electric backrest)
- Retractable castors fitted to both ends to assist with movement & positioning
- One adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- Electric models (230V ~, 50/60Hz) fitted with a UK 3 pin plug & available with a hand or foot switch
- Hydraulic models use a foot pump pedal positioned on both sides of the couch
- Seamless upholstery using flame retardant anti-microbial vinyl
- Adjustable polyurethane phlebotomy armrests
- Side support loops assist with patient mount & dismount (self-assembly)
- Paper roll holder (suitable for rolls max 510mm wide x 200mm diameter)
- Frames prepared to accept optional accessories
- Maximum capacity 225kg

Dimensions (w x d x h)

- 770 x 1710 x 490 - 950mm

Options / Accessories

- E06 - Battery Back Up



Standard Colours

- Paint - White
- Vinyl - Bristol Blue



Hand Switch



Foot Switch



EC5305/VBB



Alternative colours available at extra cost. Change suffix 'VBB' on the product code with any of the following e.g. Electric - Foot Switch in Graphite - EC5315/VGH

Vinyl - Ambla New Richmond in Colour



VBB VAQ VFR VGH VSU VOB VLI VRO VCB

Item	Description	Weight
EC5305/VBB	Hydraulic	67.0kg
EC5310/VBB	Electric - Hand Switch	67.0kg
EC5315/VBB	Electric - Foot Switch	67.0kg
EC5320/VBB	Electric with Electric Backrest - Hand Switch	69.3kg
EC5325/VBB	Electric with Electric Backrest - Foot Switch	69.3kg

Phlebotomy Chair - Three Section, Bariatric

Features

- BS 2838-2: 1991 Examination & general treatment couches, build, performance & safety specifications
- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
- Electric height adjustment
- Height adjustment from 490 - 950mm
- Adjustable angle backrest
 - Manual -25 to +90°
 - Electric -22 to +90°
- Adjustable angle footrest from -90 to +10°
- Anti-trap gas struts fitted with release levers used on the back & footrest sections
- Retractable castors fitted to both ends to assist with movement & positioning
- One adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- 230V ~, 50/60Hz actuator fitted with a UK 3 pin plug & available with a hand or foot switch
- Seamless upholstery using flame retardant anti-microbial vinyl
- Adjustable polyurethane phlebotomy armrests
- Side support loops assist with patient mount & dismount (self-assembly)
- Paper roll holder (suitable for rolls max 510mm wide x 200mm diameter)
- Frames prepared to accept optional accessories
- Maximum capacity 325kg


Dimensions (w x d x h)

- 990 x 1710 x 520 - 950mm

Standard Colours

- Paint - White
- Vinyl - Bristol Blue

360mm 470mm 820mm



850mm

Options / Accessories

- E18 - Battery Back Up



Hand Switch



Foot Switch



EC5345/VBB

Alternative colours available at extra cost. Change suffix 'VBB' on the product code with any of the following e.g. Electric with Electric Backrest - Hand Switch in Onyx Black - EC5340/VOB

Vinyl - Ambla New Richmond in Colour



VBB VAQ VFR VGH VSU VOB VLI VRO VCB

Item	Description	Weight
EC5330/VBB	Electric - Hand Switch	77.2kg
EC5335/VBB	Electric - Foot Switch	77.2kg
EC5340/VBB	Electric with Electric Backrest - Hand Switch	79.5kg
EC5345/VBB	Electric with Electric Backrest - Foot Switch	79.5kg

Phlebotomy Chair - Variable Height, Advanced, Support

Features

- Easy to adjust, providing optimum conditions for fast & accurate phlebotomy
- Adjustable seat, backrest & armrests...
 - Seat - Height, rotation & tilt
 - Backrest - Height & tilt
 - Armrests - Height, width & rotation. Fold down when not in use
- Anti-static glides
- Vinyl fire retardant upholstery
- Recesses minimised throughout the chair, including on the underside
- Backrests feature edge bands to prevent dirt collecting in the joints
- Maximum capacity 125kg

Options

- Sampling Armrest with Length Adjustable Pillow - Allows the armrest cushion to move lengthways to provide optimal support
- Brake Loaded Castors - Ensures that the chair remains still when someone is seated. The chair can only be moved when it is not loaded
- Castors - Suitable for use on vinyl, wood & tile floors



5SS/PHLC/SU/VBLU

Replace suffix on the product code with any of the following to select your colour e.g. Phlebotomy Chair, Variable Height in Blue 5SS/PHLC/SU/**VBLU**

Vinyl - Illusion



VBLU
Blue

VAGR
Grey

VBLA
Black

Item	Description	Seat Height	Seat (w x d)	Backrest (w x h)	Armrest Pad (w x l)	Armrest Height *	Weight
5SS/PHLC/SU	Phlebotomy Chair - Variable Height, Advanced, Support	440 - 590mm	470 x 470mm	400 x 400mm	110 x 290mm	0 - 230mm	29.0kg

*From seat



Adjustable Armrests



Seat Adjustment Controls



5SS/PHLC/SU/VBLU

Phlebotomy Chair - Variable Height

Features

- Easy to adjust, providing optimum conditions for fast & accurate phlebotomy
- Adjustable seat, backrest & armrests...
 - Seat - Height, rotation & tilt
 - Backrest - Height & tilt
 - Armrests - Height, width & rotation. Fold down when not in use
- Anti-static glides
- Vinyl fire retardant upholstery
- Recesses minimised throughout the chair, including on the underside
- Backrests feature edge bands to prevent dirt collecting in the joints
- Maximum capacity 125kg

Options

- Sampling Armrest with Length Adjustable Pillow - Allows the armrest cushion to move lengthways to provide optimal support
- Brake Loaded Castors - Ensures that the chair remains still when someone is seated. The chair can only be moved when it is not loaded
- Castors - Suitable for use on vinyl, wood & tile floors



5SS/PHLC/VH/VBLU



5SS/PHLC/VH/VBLU

Replace suffix on the product code with any of the following to select your colour e.g. Phlebotomy Chair, Variable Height in Blue 5SS/PHLC/VH/**VBLU**

Vinyl - Illusion



VBLU
Blue

VAGR
Grey

VBLA
Black

Item	Description	Seat Height	Seat (w x d)	Backrest (w x h)	Armrest Pad (w x l)	Armrest Height *	Weight
5SS/PHLC/VH	Phlebotomy Chair - Variable Height	390 - 540mm	440 x 440mm	370 x 300mm	110 x 290mm	0 - 250mm	23.0kg

*From seat

Phlebotomy Chair - Fixed Height

Features

- Adjustable polyurethane phlebotomy armrest (height, rotation & angle)
- Armrest can be positioned on either side of the chair (additional armrest available if required)
- Four-leg design
- Fire retardant & antimicrobial vinyl upholstery
- Black finish tubular frame
- Maximum capacity 95kg

Standard Colours

- Vinyl - Marina

Options

- E15 - Phlebotomy Armrest (Single)



E15 Optional Phlebotomy Single Armrest



TS/PH/VVMA

Replace suffix on the product code with any of the following to select your colour

e.g. Phlebotomy Four Leg Chair in Rust Vinyl - TS/PH/VVRT

Vinyl - Camira Vita



VVMA VVWL VVTO VVSL VVOL VVNR VVAO VVEO VVPK VVRT

Item	Description	Seat Height	Back Height	Seat Width	Overall Width	Seat Depth	Overall Depth	Weight
TS/PH/VVMA	Phlebotomy - Fixed Height	500mm	290mm	470mm	530mm	430mm	580mm	8.6kg