# Shelving & Racking Solutions

Polymer Racking - MetroMax I <sup>®</sup>	530
Polymer Racking - MetroMax Q <sup>®</sup>	532
Zinc Chrome Racking - Olympic <sup>®</sup>	534
High Density Storage - Top-Track <sup>®</sup>	536
High Density Storage - qwikTRAK <sup>®</sup>	537
Sterile Container Storage	539

# Polymer Racking - MetroMax I®

# **Features**

- · Corrosion proof polymer shelving & racking system
- Polymer posts
- Polymer shelves with stainless steel corners & a patented no tools assembly, adjustable in 25mm
- Removable easy to clean polymer shelf mats (will fit most dishwashers) available as...
  - Grid Shelves Open grid design allowing for the free circulation of air, improved visibility & light
  - Solid Shelves Solid design offering a tear free surface, ideal for the storage of sterilised DIN/ISO trays within theatres
- Microban® product protection inhibits growth of bacteria & aids infection control
- · Available as stationary or mobile units...
  - Stationary Fitted with adjustable feet to allow levelling on uneven floors
  - Mobile Fitted with 125mm swivel / braking castors
- Rack / unit capacity...
  - Stationary 907kg
  - Mobile 339kg
- Optional label holders, shelf dividers & ledges
- · Lifetime anti-corrosion warranty
- Supplied for self-assembly
- Can be supplied pre-assembled, please ask for a quote



Solid Shelves

# **Stationary Units**

4 Shelves - 1590	mm High	5 Shelves - 1895r	nm High	
<b>Grid Shelves</b>				
8MX536SG	8MX536SS	85MX536SG	85MX536SS	914 x 610mm
8MX546SG	8MX546SS	85MX546SG	85MX546SS	1066 x 610mm
8MX556SG	8MX556SS	85MX556SG	85MX556SS	1219 x 610mm
8MX566SG	8MX566SS	85MX566SG	85MX566SS	1524 x 610mm

# **Mobile Units**

4 Shelves - 1730				
Grid Shelves				
8MX536MG	8MX536MS	85MX536MG	85MX536MS	914 x 610mm
8MX546MG	8MX546MS	85MX546MG	85MX546MS	1066 x 610mm
8MX556MG	8MX556MS	85MX556MG	85MX556MS	1219 x 610mm
8MX566MG	8MX566MS	85MX566MG	85MX566MS	1524 x 610mm







# **Label Holders**

# **Features**

- Allows for clear identification of items
- Snaps onto shelf edge
- Accepts most commercial labels

# Dimensions (w x h)

• 102 x 27mm



# ItemDescriptionWeight89989PXLabel Holder0.01kg

# **Shelf Divider**

### **Features**

- Corrosion proof polymer shelf divider (height 200mm)
- Use to create organised compartments or simply separate shelf contents
- Easily repositioned on grid & solid shelves
- Easy to clean

# Dimensions (w x h)

• 610 x 200mm



Item	Description	
8MXD24-8	Shelf Divider	0.7kg

# **Stackable Shelf Ledges**

- Corrosion proof stackable shelf ledge (height 51mm)
- Prevents larger items from protruding or falling
- Compatible with grid & solid shelves
- Easy to clean



Item		
Side Ledge		
8MXLS24-2S	Side Ledge - 610mm	0.2kg
Rear Ledge		
8MXL36-2S	Rear Ledge - 914mm	0.4kg
8MXL42-2S	Rear Ledge - 1066mm	0.6kg
8MXL48-2S	Rear Ledge - 1219mm	0.6kg
8MXL60-2S	Rear Ledge - 1524mm	0.8kg

# Polymer Racking - MetroMax Q®

# **Features**

- Epoxy / polymer shelving & racking system
- Epoxy coated shelves & posts with a patented no tools lever shelf release mechanism, adjustable in 25mm increments
- Removable easy to clean polymer open grid shelf mats (will fit most dishwashers)
- Open grid design allowing for the free circulation of air, improved visibility & light penetration
- Microban® product protection inhibits growth of bacteria & aids infection control
- Available as stationary or mobile units...
  - Stationary Fitted with adjustable feet to allow levelling on uneven floors
  - Mobile Fitted with 125mm swivel / braking castors
- Rack / unit capacity...
  - Stationary 907kg
  - Mobile 339kg
- Optional label holders, shelf dividers & ledges
- · Anti-corrosion warranty
  - Frame & Posts 15 years
  - Shelf Mats Lifetime
- Supplied for self-assembly
- Can be supplied pre-assembled, please ask for a quote



Open Grid Shelves

# **Stationary Units**

4 Shelves - 1590mm High	5 Shelves - 1895mm High	Shelf Size (w x d)
8Q536G2	85Q537G2	914 x 610mm
8Q546G2	85Q547G2	1066 x 610mm
8Q556G2	85Q557G2	1219 x 610mm
8Q566G2	85Q567G2	1524 x 610mm

# **Mobile Units**

4 Shelves - 1730mm High		Shelf Size (w x d)
8Q536G2M	85Q537G2M	914 x 610mm
8Q546G2M	85Q547G2M	1066 x 610mm
8Q556G2M	85Q557G2M	1219 x 610mm
8Q566G2M	85Q567G2M	1524 x 610mm

Room Design & Installation Service Availab Contact us for more information







# **Label Holders**

# **Features**

- Allows for clear identification of items
- Snaps onto shelf edge
- Accepts most commercial labels

# Dimensions (w x h)

• 102 x 27mm



# ItemDescriptionWeight8Q04LHLabel Holder0.01kg

# **Shelf Divider**

### **Features**

- Corrosion proof polymer shelf divider (height 200mm)
- Use to create organised compartments or simply separate shelf contents
- Easily repositioned on grid & solid shelves
- Easy to clean

# Dimensions (w x h)

• 610 x 200mm



Item	Description	Weight
8MQD24-8	Shelf Divider	0.7kg

# **Stackable Shelf Ledges**

- Corrosion proof stackable shelf ledge (height 51mm)
- Prevents larger items from protruding or falling
- Compatible with grid & solid shelves
- Easy to clean




Item		Weight
Side Ledge		
8MQLS24-2S	Side Ledge - 610mm	0.2kg
Rear Ledge		
8MQL24-2S	Rear Ledge - 610mm	0.2kg
8MQL36-2S	Rear Ledge - 914mm	0.4kg
8MQL42-2S	Rear Ledge - 1066mm	0.6kg
8MQL48-2S	Rear Ledge - 1219mm	0.6kg
8MQL60-2S	Rear Ledge - 1524mm	0.8kg

# **Zinc Chrome Racking - Olympic®**

# **Features**

- Zinc chrome shelving & racking system
- Chromate posts & shelves with a patented no tools tapered split sleeve system that snaps together on each post, adjustable in 25mm increments
- · Available as stationary or mobile units...
  - Stationary Fitted with adjustable feet to allow levelling on uneven floors
  - Mobile Fitted with 125mm swivel / braking castors
- Rack / unit capacity...
  - Stationary 907kg
  - · Mobile 339kg
- Optional label holders, shelf dividers & ledges
- 1-year anti-corrosion warranty
- Supplied for self-assembly
- Can be supplied pre-assembled, please ask for a quote



Zinc Chrome Shelves

# **Stationary Units**

4 Shelves - 1590mm High	5 Shelves - 1895mm High	Shelf Size (w x d)
80536C	850537C	914 x 610mm
80546C	850547C	1066 x 610mm
80556C	850557C	1219 x 610mm
80966C	850967C	1524 x 610mm

# **Mobile Units**

4 Shelves - 1730mm High		Shelf Size (w x d)
80536CM	850537CM	914 x 610mm
80546CM	85O547CM	1066 x 610mm
80556CM	850557CM	1219 x 610mm
80966CM	850967CM	1524 x 610mm

loom Design & Installation Service Available Contact us for more information







809660

# **Label Holders**

# **Features**

- Allows for clear identification of items
- Snaps onto shelf edge
- Accepts most commercial labels

# Dimensions (w x h)

• 75 x 32mm



# ItemDescriptionWeight89990PLabel Holder0.01kg

# **Shelf Divider**

# **Features**

- Keeps shelf contents orderly (height 203mm)
- Pressure fit to hold in place

# Dimensions (w x h)


• 610 x 203mm



Item	Description	Weight
8DD24C	Shelf Divider	0.7kg

# **Stackable Shelf Ledges**

- Prevents items from protruding or falling (height 100mm)
- Pressure fit to hold in place
- · Ledges can be stacked



Item	Description	Weight
8L24N-4C	Shelf Ledge - 610mm	0.9kg
8L36N-4C	Shelf Ledge - 914mm	1.2kg
8L42N-4C	Shelf Ledge - 1066mm	1.5kg
8L48N-4C	Shelf Ledge - 1219mm	1.7kg
8L60N-4C	Shelf Ledge - 1524mm	1.8kg

# **High Density Storage - Top-Track®**

# **Features**

- Increases the storage capacity of a given area by up to 50%
- Maximises all available space
- Can eliminate the need to expand a given area through the use of optimised storage
- · Creates moveable aisles
- Eliminates hard to reach or 'dead' spaces
- The guide track is positioned above the shelving system
- Aluminium overhead track system acts as a guide for mobile units
- Floors are easy to clean
- Carts & trolleys can easily be easily manoeuvred into & out of the active aisle
- Mobile units are designed to accommodate medium-duty applications
- The maximum weight capacity of a Top-Track® mobile unit is 410kg

om Design & Installation Service Available Contact us for more information









Overhead Guide Track

# **High Density Storage - qwikTRAK®**

- Increases the storage capacity of a given area by up to 50%
- Maximises all available space
- Can eliminate the need to expand a given area through the use of optimised storage
- · Creates moveable aisles
- Eliminates hard to reach or 'dead' spaces
- The guide track is positioned below the shelving system, & protects the floor from wear & tear (does not need to be mounted to the floor)
- Compensates for uneven floor surfaces
- · Track acts as a guide for mobile units
- Mobile units are designed to accommodate heavy-duty applications
- Allows for double deep configurations, where two systems are joined together for even greater storage capacity
- The maximum weight capacity of a qwikTRAK® mobile unit is 970kg







Floor Mounted Guide Track

# **Sterile Container Storage**

### **Features**

- Fully configurable freestanding modular racking suitable for the safe storage of sterile containers
- Compatible with both blue wrap & rigid containers stored on either...
  - Telescopic shelves Compatible with containers up to max 600 x 300mm (width x depth)
  - Wire grid shelves Compatible with containers up to max 600 x 250mm (width x depth)
- Anodised extruded aluminium uprights & cross members
- Bolted construction using high quality moulded fixings provided rigidity & allows the system to be altered easily
- · Available as either static or mobile units
  - Static Adjustable feet allow levelling on uneven floors
  - Mobile 50mm pressed steel castors
- Optional wall mounting brackets allow static units to be fixed securely to the wall (when units are loaded over 100kg)
- Supplied for self-assembly
- Can be supplied pre-assembled, please ask for a quote

# Dimensions (w x d x h)

- Static
  - Single Bay 394 x 642 x 1940mm
  - Double Bay 737 x 642 x 1940mm
- Mobile (50mm Castors)
  - Single Bay 394 x 642 x 1996mm
  - Double Bay 737 x 642 x 1996mm

# **Standard Colours**

- Uprights & Cross Members Anodised Aluminium
- · Wire Grids Polished Stainless Steel
- Telescopic Shelves Anodised Aluminium
- Plastic Mouldings Green

*

4HH-SCS/M52/4W10T

# Static

Item		
4HH-SCS/S1/2W5T	Static, Single Bay, 2 x Wire Grid Shelves & 5 x Telescopic Shelves	30.2kg
4HH-SCS/S1/8W	Static, Single Bay, 8 x Wire Grid Shelves	21.4kg
4HH-SCS/S2/4W10T	Static, Double Bay, 4 x Wire Grid Shelves & 10 x Telescopic Shelves	56.9kg
4HH-SCS/S2/16W	Static, Double Bay, 16 x Wire Grid Shelves	38.0kg

# Mobile

Item	Description	Weight
Single Bay		
4HH-SCS/M51/2W5T	Mobile, Single Bay, 2 x Wire Grid Shelves & 5 x Telescopic Shelves	31.1kg
4HH-SCS/M51/8W	Mobile, Single Bay, 8 x Wire Grid Shelves	22.3kg
4HH-SCS/M52/4W10T	Mobile, Double Bay, 4 x Wire Grid Shelves & 10 x Telescopic Shelves	58.2kg
4HH-SCS/M52/16W	Mobile, Double Bay, 16 x Wire Grid Shelves	39.3kg



Mobile Steel Castors



Static Adjustable Feet



Wire Grid Shelves



4HH-SCS/M51/8W Shown with BBraun Aesculap Sterile Containers (not supplied)



4HH-SCS/S2/16W Shown with BBraun Aesculap Sterile Containers (not supplied)