



Bedside Cabinets & Overbed Tables

Polymer Bedside Cabinets	18
Bedside Cabinets	20
Bedside Cabinet / Wardrobe Combinations	26
Polymer Overbed & Overchair Tables	30
Laminate Overbed & Overchair Tables	32



Polymer Bedside Cabinet - Easy Clean

Features

- BS 3962 Part 6:1980 - Assessment of resistance to mechanical damage
- BS EN 12720:2009 - Furniture assessment of surface resistance to cold liquids
- BS EN 12721:2009 - Furniture assessment of surface resistance to wet heat
- BS EN 12722:2009 - Furniture assessment of surface resistance to dry heat
- BS 5852:2006 - Methods of the test for assessment of the ignitability
- BS 4875-7:2006 - Domestic & contract storage furniture
- Developed as part of Design Bugs Out & evaluated by the Department of Health
- Manufactured from recyclable polyethylene
- Open backless design ensures that all areas are accessible, whilst surfaces allow for easy & effective cleaning
- Distinct upper, middle & lower zones
 - Upper - Nurse zone with integral rim to contain any spillages. Ideally positioned for staff to use while standing
 - Middle - Patient zone provides storage area for patient use
 - Lower - Patient zone provides shelf for washbowl, footwear etc.
- Drawers can be inserted from either side, allowing the cabinet to be positioned either side of the bed
- Upper & middle drawers can be fitted with an L15 125KHz RFID lock, providing secure storage for patient medicines / property*
- 100mm polymer twin-wheel braking castors

*cabinets with locks are supplied with one patient card - a programming card will be required per ward / directorate as per hospital policy

Item	Description	Weight
EBC015	No Locks	29.0kg
EBC020	Upper Drawer with Lock*	29.1kg
EBC025	Middle Drawer with Lock*	29.1kg
EBC030	Upper & Middle Drawers with Locks*	29.2kg

Dimensions (w x d x h)

- Overall Dimensions - 480 x 665 x 1237mm
- Drawers (internal)
 - Upper - 149 x 222 x 217mm
 - Middle - 338 x 491 x 197mm
 - Lower - 338 x 491 x 220mm

Standard Colours

- Body - Grey White
- Drawers - Spearmint

Options / Accessories

- RFID Lock Cards - page 25



EBC015



EBC030



BC1DPD/BE



BC1C/GW/RPT

Alternative Colours Available



Bedside Cabinet - Single Upper Drawer

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard / laminate construction
- Upper drawer suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with 2 keys)
- Optional personal effects drawer provides secure storage for personal possessions (fitted with a CAM lock & supplied with 2 keys)
- Optional electronic push button or 125KHz / 13.56Mhz RFID locks available for the upper & personal effects drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf - model dependant)
 - Drawer (recessed shelf - model dependant)
- Available as either two-tone / single colour
- 50mm twin-wheel polypropylene castors

Dimensions (w x d x h)

- Overall Dimensions: 485 x 485 x 905mm
- Internal Dimensions...
 - Upper Drawer - 413 x 381 x 182mm
 - Personal Drawer - 413 x 381 x 102mm
 - Lower Drawer - 413 x 381 x 505 / 297mm
 - Cupboard - 445 x 443 x 537 / 394mm

Standard Colours

- Two-Tone
 - Body - Grey White
 - Top / Drawer / Door Fronts - Spearmint
- Single Colour - Beech

Options / Accessories

- Electronic Push Button & RFID Locks - page 24/25
- RFID Lock Cards & Fobs - page 25
- Towel Holder & Removable Plastic Top - page 23

Grey White	Beech	Description	Weight
BC1C/GW	BC1C/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	34.0kg
BC1CPD/GW	BC1CPD/BE	Single Upper Drawer, Personal Drawer & Lower Cupboard with Double Doors	35.8kg
BC1D/GW	BC1D/BE	Single Upper Drawer, Lower Drawer with Recessed Shelf	40.4kg
BC1DPD/GW	BC1DPD/BE	Single Upper Drawer, Personal Drawer & Lower Drawer	42.1kg

Bedside Cabinet - Double Upper Drawer

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard / laminate construction
- Upper drawers suitable for the storage of patient's medication or personal effects (1 x fitted with a CAM lock & supplied with 2 keys)
- Optional electronic push button or 125KHz / 13.56Mhz RFID locks available for either drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf)
 - Drawer (recessed shelf)
- Available as either two-tone / single colour
- 50mm twin-wheel polypropylene castors

Dimensions (w x d x h)

- Overall Dimensions - 485 x 485 x 905mm
- Internal Dimensions...
 - Upper Drawer - 180 x 381 x 182mm
 - Lower Drawer - 413 x 381 x 505mm
 - Cupboard - 445 x 443 x 537mm

Standard Colours

- Two-Tone
 - Body - Grey White
 - Top / Drawer / Door Fronts - Spearmint
- Single Colour - Beech

Options / Accessories

- Electronic Push Button & RFID Locks - page 24/25
- RFID Lock Cards & Fobs - page 25
- Towel Holder & Removable Plastic Top - page 23



BC2D/BE



BC2C/GW

Alternative Colours Available



Grey White	Beech	Description	Weight
BC2C/GW	BC2C/BE	Double Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	34.2kg
BC2D/GW	BC2D/BE	Double Upper Drawer, Lower Drawer with Recessed Shelf	40.5kg

Bedside Cabinet - Upper Section & Rear Side Doors



BC3CPD/BE



BC3C/GW

Alternative Colours Available



Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard / laminate construction
- Upper section suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with 2 keys)
- Rear side doors allow access to contents
- Optional personal effects drawer provides secure storage for personal possessions (fitted with a CAM lock & supplied with 2 keys)
- Optional electronic push button or 125KHz / 13.56Mhz RFID locks available for the upper section & personal effects drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf - model dependant)
 - Drawer (recessed shelf - model dependant)
- Available as either two-tone / single colour
- 50mm twin-wheel polypropylene castors

Dimensions (w x d x h)

- Overall Dimensions - 485 x 485 x 905mm
- Internal Dimensions...
 - Upper Section - 445 x 135 x 249mm
 - Rear Side Section - 290 x 445 x 249mm
 - Personal Drawer - 413 x 381 x 102mm
 - Lower Drawer - 413 x 381 x 505 / 297mm
 - Cupboard - 445 x 443 x 537 / 394mm

Standard Colours

- Two-Tone
 - Body - Grey White
 - Top / Drawer / Door Fronts - Spearmint
- Single Colour - Beech

Options / Accessories

- Electronic Push Button & RFID Locks - page 24/25
- RFID Lock Cards & Fobs - page 25
- Towel Holder & Removable Plastic Top - page 23

Grey White	Beech	Description	Weight
BC3C/GW	BC3C/BE	Upper Section, Lower Cupboard with Double Doors & Adjustable Shelf	31.8kg
BC3CPD/GW	BC3CPD/BE	Upper Section, Personal Drawer & Lower Cupboard with Double Doors	33.5kg
BC3D/GW	BC3D/BE	Upper Section, Lower Drawer with Recessed Shelf	38.1kg
BC3DPD/GW	BC3DPD/BE	Upper Section, Personal Drawer & Lower Drawer	39.8kg

Towel Holder

Features

- Self-adhesive hook
- Supplied for customer to fit



Item	Description	Weight
TH	Towel Holder	0.1kg

sales@bristolmaid.com

Removable Plastic Top

Features

- Raised edges on three sides reduces misplacement of objects
- Clips to the top of the bedside cabinet, & is removable to assist cleaning
- Not compatible with bedside cabinets fitted with wardrobes



RPT shown with BC1C/GW

Item	Description	Weight
RPT	Removable Plastic Top	0.8kg

+44 (0)1258 484455

www.bristolmaid.com

Electronic Push Button & RFID Locks Solutions

Through either electronic push button or contactless RFID, we can offer a secure locking solution to suit your specific requirements.

RFID Locks

- Available as 125KHz or 13.56Mhz frequencies
- Easy programming using a dedicated card
- Three / four user levels offer differing levels of authority - Administration / Master / Sub-Master / User
- Available with clamshell cards or fobs
- Compatible with Abloy CLIQ - RFID chip inserted into the key



EBC Lock (L15)



PS Solo RFID Lock (PL)



ABLOY RFID Lock (AL)

	EBC Lock (L15)	PS Solo Lock (PL)	ABLOY RFID Lock (AL)
Frequency	125KHz	125KHz	13,56Mhz
Programming	Programming Card	Programming Card	Programming Card
Modes	Public & Private	Public & Private	Public & Private
Audit Trail	No	No	No
User Levels	3 - Master, Staff, User	3 - Master, Staff, User	4 - Administration, Master, Staff, User
No. of Cards / Fobs	50 x Cards	50 x Cards	50 x Cards / Fobs
Batteries	1 x CR123	1 x CR123	3 x AAA
Openings (Battery Set)	20,000	20,000	4,000
Low Battery Warning	Audible Alarm	Audible Alarm	Audible Alarm
Low Battery Override	Fails Unlocked	Fails Unlocked	Micro USB - External Power Source (power bank / phone charger)
Guarantee	1 Year	2 Years	1 Year
Abloy CLIQ Compatible*	Yes	Yes	Yes

*RFID chip inserted into the CLIQ key

RFID Cards & Fobs

- Compatible with 125KHz & 13,56Mhz frequencies
- Available as clamshell cards or fobs
- Can be fitted to a key ring
- A programming card is required for each hospital or ward as per hospital procedure

Dimensions (w x d x h)

- Clamshell Card - 86 x 54 x 2mm
- Key Fob - 27 x 35 x 5mm



Frequency - 13.56 mhz

Item	Description	Lock Compatibility
RFID1356/PC	13,56KHz Programming Card	AL
RFID1356/SC	13,56KHz Staff Card (Green)	AL
RFID1356/UC	13,56KHz User Card (Blue)	AL
RFID1356/SF	13,56KHz Staff Fob (Green)	AL
RFID1356/UF	13,56KHz User Fob (Blue)	AL

Frequency - 125KHz

Item	Description	Lock Compatibility
RFID125/PC	125KHz Programming Card - Staff Pair (Black)	PL, L15
RFID125/SC	125KHz Staff Card (Green)	PL, L15
RFID125/MC	125KHz Master Card (Red)	PL, L15
RFID125/UC	125KHz User Card (Blue)	PL, L15

Electronic Push Button Lock

- Uses a 10-button keypad & # button
- Easy programming & code change
- Four user levels offer differing levels of authority...
 - Master / Technician - 8 digits
 - Staff / User - 4 digits
- Available with a key override, allowing the lock to be opened immediately in the event of a low battery



CodeLock Key Override (CLOR)



Electronic Push Button Lock (CL)

	CodeLock Key Override (CLOR)	Electronic Push Button Lock (CL)
Programming	10-Button Keypad & # Button	10-Button Keypad & # Button
Modes	Public & Private	Public & Private
Audit Trail	No	No
User Levels	4 - Master, Technician, Staff, User	4 - Master, Technician, Staff, User
User / Staff Codes	Twenty	Single
Batteries	2 x AAA	2 x AAA
Openings (Battery Set)	100,000	15,000
Low Battery Warning	Red Flashing LED	Red Flashing LED
User / Staff Codes	9V PP3 Battery + Code	9V PP3 Battery + Code
Guarantee	2 Years	2 Years
Abloy CLIQ Compatible	N/A	N/A

Compact Bedside Cabinet / Wardrobe Combination - Single Upper Drawer



BCC1DWR/BE



BCC1CWL/GW

Alternative Colours Available



Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard / laminate construction
- Upper drawer suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with 2 keys)
- Optional electronic push button or 125KHz / 13.56Mhz RFID locks available for the upper drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf)
 - Drawer (recessed shelf)
- Available as either two-tone / single colour
- Wardrobe supplied with a hanging rail, available right / left hand opening
- 50mm twin-wheel polypropylene castors

Dimensions (w x d x h)

- Overall Dimensions - 633 x 489 x 1420mm
- Internal Dimensions...
 - Upper Drawer - 328 x 381 x 182mm
 - Lower Drawer - 328 x 381 x 505mm
 - Cupboard - 360 x 443 x 537mm
 - Wardrobe - 215 x 443 x 1420mm

Standard Colours

- Two Tone
 - Body - Grey White
 - Top / Drawer / Door Fronts - Spearmint
- Single Colour - Beech

Options / Accessories

- Electronic Push Button & RFID Locks - page 24/25
- RFID Lock Cards & Fobs - page 25
- Towel Holder & Removable Plastic Top - page 23

Grey White	Beech	Description	Weight
Right Hand			
BCC1CWR/GW	BCC1CWR/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	50.6kg
BCC1DWR/GW	BCC1DWR/BE	Single Upper Drawer, Lower Drawer with Recessed Shelf	56.9kg
Left Hand			
BCC1CWL/GW	BCC1CWL/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	50.6kg
BCC1DWL/GW	BCC1DWL/BE	Single Upper Drawer, Lower Drawer with Recessed Shelf	56.9kg

Bedside Cabinet / Wardrobe Combination - Single Upper Drawer

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard / laminate construction
- Upper drawer suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with 2 keys)
- Optional personal effects drawer provides secure storage for personal possessions (fitted with a CAM lock & supplied with 2 keys)
- Optional electronic push button or 125KHz / 13.56Mhz RFID locks available for the upper drawer & personal effects drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf)
 - Drawer (recessed shelf - model dependant)
- Available as either two-tone / single colour
- Wardrobe supplied with a hanging rail, available right / left hand opening
- 50mm twin-wheel polypropylene castors

Dimensions (w x d x h)

- Overall Dimensions: 718 x 489 x 1420mm
- Internal Dimensions...
 - Upper Drawer: 413 x 381 x 182mm
 - Personal Drawer: 413 x 381 x 102mm
 - Lower Drawer: 413 x 381 x 505 / 297mm
 - Cupboard: 445 x 443 x 537 / 394mm
 - Wardrobe: 215 x 443 x 1420mm

Standard Colours

- Two Tone
 - Body - Grey White
 - Top / Drawer / Door Fronts - Spearmint
- Single Colour- Beech

Options / Accessories

- Electronic Push Button & RFID Locks - page 24/25
- RFID Lock Cards & Fobs - page 25
- Towel Holder & Removable Plastic Top - page 23

Grey White	Beech	Description	Weight
Right Hand			
BC1CWR/GW	BC1CWR/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	54.5kg
BC1CPDWR/GW	BC1CPDWR/BE	Single Upper Drawer, Personal Drawer & Lower Cupboard with Double Doors	56.2kg
BC1DWR/GW	BC1DWR/BE	Single Upper Drawer, Lower Drawer with Recessed Shelf	60.8kg
BC1DPDWR/GW	BC1DPDWR/BE	Single Upper Drawer, Personal Drawer & Lower Drawer	62.5kg
Left Hand			
BC1CWL/GW	BC1CWL/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	54.5kg
BC1CPDWL/GW	BC1CPDWL/BE	Single Upper Drawer, Personal Drawer & Lower Cupboard with Double Doors	56.2kg
BC1DWL/GW	BC1DWL/BE	Single Upper Drawer, Lower Drawer with Recessed Shelf	60.8kg
BC1DPDWL/GW	BC1DPDWL/BE	Single Upper Drawer, Personal Drawer & Lower Drawer	62.5kg



BC1CPDWR/GW

Alternative Colours Available



Bedside Cabinet / Wardrobe Combination - Double Upper Drawer



BC2CWR/BE



BC2CWL/GW

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard / laminate construction
- Upper drawers suitable for the storage of patient's medication or personal effects (1 x fitted with a CAM lock & supplied with 2 keys)
- Optional electronic push button or 125KHz / 13.56Mhz RFID locks available for either drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf)
 - Drawer (recessed shelf)
- Available as either two-tone / single colour
- Wardrobe supplied with a hanging rail, available right / left hand opening
- 50mm twin-wheel polypropylene castors

Dimensions (w x d x h)

- Overall Dimensions: 718 x 489 x 1420mm
- Internal Dimensions...
 - Upper Drawer: 180 x 381 x 182mm
 - Lower Drawer: 413 x 381 x 505mm
 - Cupboard: 445 x 443 x 537mm
 - Wardrobe: 215 x 443 x 1420mm

Standard Colours

- Two Tone
 - Body - Grey White
 - Top / Drawer / Door Fronts - Spearmint
- Single Colour - Beech

Options / Accessories

- Electronic Push Button & RFID Locks - page 24/25
- RFID Lock Cards & Fobs - page 25
- Towel Holder & Removable Plastic Top - page 23

Alternative Colours Available



Grey White	Beech	Description	Weight
Right Hand			
BC2CWR/GW	BC2CWR/BE	Double Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	55.0kg
BC2DWR/GW	BC2DWR/BE	Double Upper Drawer, Lower Drawer with Recessed Shelf	61.3kg
Left Hand			
BC2CWL/GW	BC2CWL/BE	Double Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	55.0kg
BC2DWL/GW	BC2DWL/BE	Double Upper Drawer, Lower Drawer with Recessed Shelf	61.3kg

Bedside Cabinet / Wardrobe Combination - Upper Section & Rear Side Doors

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard / laminate construction
- Upper section suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with 2 keys)
- Rear side doors allow access to contents
- Optional personal effects drawer provides secure storage for personal possessions (fitted with a CAM lock & supplied with 2 keys)
- Optional electronic push button or 125KHz / 13.56Mhz RFID locks available for the upper section & personal effects drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf - model dependant)
 - Drawer (recessed shelf - model dependant)
- Available as either two-tone / single colour
- Wardrobe supplied with a hanging rail, available right / left hand opening
- 50mm twin-wheel polypropylene castors

Dimensions (w x d x h)

- Overall Dimensions: 718 x 489 x 1420mm
- Internal Dimensions...
 - Upper Section: 445 x 135 x 249mm
 - Rear Side Section: 290 x 445 x 249mm
 - Personal Drawer: 413 x 381 x 102mm
 - Lower Drawer: 413 x 381 x 505 / 297mm
 - Cupboard: 445 x 443 x 537 / 394mm
 - Wardrobe: 215 x 443 x 1420mm

Standard Colours

- Two Tone
 - Body - Grey White
 - Top / Drawer / Door Fronts - Spearmint
- Single Colour - Beech

Options / Accessories

- Electronic Push Button & RFID Locks - page 24/25
- RFID Lock Cards & Fobs - page 25
- Towel Holder & Removable Plastic Top - page 23



BC3CPDWR/GW

Grey White	Beech	Description	Weight
Right Hand			
BC3CWR/GW	BC3CWR/BE	Upper Section, Lower Cupboard with Double Doors & Adjustable Shelf	52.1kg
BC3CPDWR/GW	BC3CPDWR/BE	Upper Section, Personal Drawer & Lower Cupboard with Double Doors	53.8kg
BC3DWR/GW	BC3DWR/BE	Upper Section, Lower Drawer with Recessed Shelf	58.4kg
BC3DPDWR/GW	BC3DPDWR/BE	Upper Section, Personal Drawer & Lower Drawer	60.1kg
Left Hand			
BC3CWL/GW	BC3CWL/BE	Upper Section, Lower Cupboard with Double Doors & Adjustable Shelf	52.1kg
BC3CPDWL/GW	BC3CPDWL/BE	Upper Section, Personal Drawer & Lower Cupboard with Double Doors	53.8kg
BC3DWL/GW	BC3DWL/BE	Upper Section, Lower Drawer with Recessed Shelf	58.4kg
BC3DPDWL/GW	BC3DPDWL/BE	Upper Section, Personal Drawer & Lower Drawer	60.1kg

Alternative Colours Available





Overbed & Overchair Table - Polymer, Easy Clean

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- Finish Performance Tests (FIRA Standard 6250 2005)
 - BS 3962-6: 1980 Methods of test for finishes for wooden furniture
 - BS EN 12720: 2009 + A1: 2013 Assessment of surface resistance to cold liquids
 - BS EN 12721: 2009 + A1: 2013 Assessment of surface resistance to wet heat
 - BS EN 12722: 2009 + A1: 2013 Assessment of surface resistance to dry heat
- Height adjustable using a gas damper (760 - 1070mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular base available as...
 - C shaped suitable for use with beds & chairs
 - Straight leg suitable for use with beds
- Recyclable polypropylene one-piece top, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
- Raised edges reduces misplacement of objects & contains spillages
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum load 25kg

Dimensions (w x d x h)

- Table Top - 880 x 440mm

Standard Colours

- Top - Grey White
 - Upper Extrusion - Spearmint
 - Lower Extrusion / Base - Grey White

Options / Accessories

- B - Braking Castors (x 2)

Item	Description	Overall Dimensions (w x d x h)	Weight
OBP/SP/S	Overbed Table - Height Adjustable, Polymer, Easy Clean	895 x 440 x 760 - 1070mm	14.0kg
OCP/SP/S	Overchair Table - Height Adjustable, Polymer, Easy Clean	918 x 440 x 760 - 1070mm	13.5kg



OCP/LB/S

OCP/SG/S

Alternative Upper Extrusion Colours Available





Overbed & Overchair Table - Laminate

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- BS EN 438-2: 2016 High-pressure decorative laminates (HPL). Sheets based on thermosetting resins (usually called laminates). Determination of properties
- Height adjustable using a gas damper (735 - 1045mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular base available as...
 - C shaped suitable for use with beds & chairs
 - Straight leg suitable for use with beds
- Laminate top with varnished edges available in three configurations...
 - Flat top
 - One varnished beech lip
 - Three varnished beech lips
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum load 25kg

Dimensions (w x d x h)

- Table Top - 880 x 395mm
- Overbed Table - 895 x 440 x 735 -1045mm
- Overchair Table - 918 x 440 x 735 -1045mm

Standard Colours

- Top - Grey White or Beech
- Upper Extrusion - Spearmint or Grey White
- Lower Extrusion / Base - Grey White

Options / Accessories

- B - Braking Castors (x 2)

Overbed Tables

Grey White	Beech	Description	Weight
OBL/GW0/SP/S	OBL/BE0/GW/S	Flat Top	14.5kg
OBL/GW1/SP/S	OBL/BE1/GW/S	One Lip	15.4kg
OBL/GW3/SP/S	OBL/BE3/GW/S	Three Lips	15.8kg



OCL/GW3/SY/S



OCL/BE3/GW/S

Overchair Tables

Grey White	Beech	Description	Weight
OCL/GW0/SP/S	OCL/BE0/GW/S	Flat Top	14.1kg
OCL/GW1/SP/S	OCL/BE1/GW/S	One Lip	15.0kg
OCL/GW3/SP/S	OCL/BE3/GW/S	Three Lips	15.4kg

Alternative Upper Extrusion Colours Available

