

Drug & Medicine Storage

Drug & Medicine Cabinets - Shelves & Door Shelves	140
Drug & Medicine Cabinets - Deep Shelves	144
Drug & Medicine Cabinets - Blister Pack (MDS)	148
Auditable Access Control for Medicines Management	149
Controlled Drug Cabinets	150
Drug & Medicine Cupboards	152
Options	153
Patients / Residents Own Medication Cabinets - Self Administration	156
Patients / Residents Own Medication Cabinets - Blister Pack (MDS)	159
Tablet Counter & Storage Boxes	160
Pharmacy & Vaccine Refrigerators	161



Drug & Medicine Cabinets - Shelves & Door Shelves

Features

- Independently tested to BS 2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Adjustable & removable shelves (190mm deep) & door shelves (75mm deep)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Optional Digital Push Button Lock (does not conform to BS 2881: 1989)
- 12v DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer housing adds 125mm to the overall height
- 0.9mm mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Modular design allows for easy interchange with HTM 63 storage systems
- Compatible with our range of CD cabinets for the storage of Controlled Drugs



*Lighting Transformer Housing Adds 125mm to Overall Height



PC639/LX

Single Door Cabinets

Overall Dimensions (w x d x h)	Right Hand Opening		Left Hand Opening		Shelves / Door Shelves	Compatible CD Cabinets	Weight
	Light*	No Light	Light*	No Light			
500 x 300 x 600mm	PC536	PC536/LX	PC536/LH	PC536/LH/LX	3 / 3	CD005, CD010	29.9kg
500 x 300 x 900mm	PC539	PC539/LX	PC539/LH	PC539/LH/LX	4 / 4	CD005, CD010, CD015	34.0kg
600 x 300 x 600mm	PC636	PC636/LX	PC636/LH	PC636/LH/LX	3 / 3	CD005, CD010	33.9kg
600 x 300 x 900mm	PC639	PC639/LX	PC639/LH	PC639/LH/LX	4 / 4	CD005, CD010, CD015	38.0kg

* Transformer casing adds 125mm to overall height

Standard Colours

- Paint - White

Options / Accessories

- DGL - Digital Push Button Lock (Not available on independent locking cabinets)
- SL - Suited Locks (contact us for more information)
- PC/500/ST - Sloping Top (500mm Wide Cabinets)
- PC/600/ST - Sloping Top (600mm Wide Cabinets)
- PC/800/ST - Sloping Top (800mm Wide Cabinets)
- PC/1000/ST - Sloping Top (1000mm Wide Cabinets)
- PC/RLBS - Remote Light Box (Surface Mounted)
- PC/RLBF - Remote Light Plate (Flush Mounted)
- PCB - Buzzer Alarm (Factory Fit to Cabinets with Lights Only)



PC636/LX



PC536/LH/LX

Drug & Medicine Cabinets - Shelves & Door Shelves



PC836/LX



PC839/LX

Double Door Cabinets - Single Lock

Overall Dimensions (w x d x h)	Single Lock (Secures Both Doors)		Shelves / Door Shelves	Compatible CD Cabinets	Weight
	Light*	No Light			
800 x 300 x 600mm	PC836	PC836/LX	6 / 5	CD005, CD010	40.9kg
800 x 300 x 900mm	PC839	PC839/LX	8 / 8	CD005, CD010, CD015	45.9kg
1000 x 300 x 600mm	PC1036	PC1036/LX	6 / 6	CD005, CD010	48.9kg
1000 x 300 x 900mm	PC1039	PC1039/LX	8 / 8	CD005, CD010, CD015	53.9kg

* Transformer casing adds 125mm to overall height



PC839/IND/LX



PC1036/IND/LX

Double Door Cabinets - Each Door Fitted with a Lock

Overall Dimensions (w x d x h)	Each Door Fitted with a Lock		Shelves / Door Shelves	Compatible CD Cabinets	Weight
	Light*	No Light			
800 x 300 x 600mm	PC836/IND	PC836/IND/LX	6 / 4	CD005	40.9kg
800 x 300 x 900mm	PC839/IND	PC839/IND/LX	8 / 8	CD005, CD010	45.9kg
1000 x 300 x 600mm	PC1036/IND	PC1036/IND/LX	6 / 6	CD005, CD010	48.9kg
1000 x 300 x 900mm	PC1039/IND	PC1039/IND/LX	8 / 8	CD005, CD010, CD015	53.9kg

* Transformer casing adds 125mm to overall height

Drug & Medicine Cabinets - Deep Shelves

Features

- Independently tested to BS 2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Adjustable & removable deep shelves (250mm deep)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ[®], integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Optional Digital Push Button Lock (does not conform to BS 2881: 1989)
- 12v DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer housing adds 125mm to the overall height
- 0.9mm mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Modular design allows for easy interchange with HTM 63 storage systems
- Compatible with our range of CD cabinets for the storage of Controlled Drugs



PC336/FS/LX

Single Door Cabinets

Overall Dimensions (w x d x h)	Right Hand Opening		Left Hand Opening		Shelves	Compatible CD Cabinets	Nomad Capacity	Weight
	Light*	No Light	Light*	No Light				
300 x 300 x 600mm	PC336/FS	PC336/FS/LX	PC336/FS/LH	PC336/FS/LH/LX	3	CD005	13 x Cassettes	16.9kg
500 x 300 x 600mm	PC536/FS	PC536/FS/LX	PC536/FS/LH	PC536/FS/LH/LX	3	CD005, CD010	24 x Cassettes	29.9kg
600 x 300 x 600mm	PC636/FS	PC636/FS/LX	PC636/FS/LH	PC636/FS/LH/LX	3	CD005, CD010	32 x Cassettes	33.9kg
500 x 300 x 900mm	PC539/FS	PC539/FS/LX	PC539/FS/LH	PC539/FS/LH/LX	4	CD005, CD010, CD015	35 x Cassettes	34.9kg
600 x 300 x 900mm	PC639/FS	PC639/FS/LX	PC639/FS/LH	PC639/FS/LH/LX	4	CD005, CD010, CD015	44 x Cassettes	38.9kg

* Transformer casing adds 125mm to overall height

Standard Colours

- Paint - White

Options / Accessories

- DGL - Digital Push Button Lock (Not available on independent locking cabinets)
- SL - Suited Locks (contact us for more information)
- PC/300/ST - Sloping Top (300mm Wide Cabinets)
- PC/500/ST - Sloping Top (500mm Wide Cabinets)
- PC/600/ST - Sloping Top (600mm Wide Cabinets)
- PC/800/ST - Sloping Top (800mm Wide Cabinets)
- PC/1000/ST - Sloping Top (1000mm Wide Cabinets)
- PC/RLBS - Remote Light Box (Surface Mounted)
- PC/RLBF - Remote Light Plate (Flush Mounted)
- PCB - Buzzer Alarm (Factory Fit to Cabinets with Lights Only)



PC536/FS/LH/LX



PC639/FS/LX

Drug & Medicine Cabinets - Deep Shelves



PC839/FS/LX



PC1039/FS/LX

Lighting Transformer
Housing Adds
125mm to Overall
Height



Double Door Cabinets - Single Lock

Overall Dimensions (w x d x h)	Single Lock (Secures Both Doors)		Shelves	Compatible CD Cabinets	Nomad Capacity	Weight
	Light*	No Light				
800 x 300 x 600mm	PC836/FS	PC836/FS/LX	6	CD005, CD010	-	40.9kg
800 x 300 x 900mm	PC839/FS	PC839/FS/LX	8	CD005, CD010, CD015	-	45.9kg
1000 x 300 x 600mm	PC1036/FS	PC1036/FS/LX	6	CD005, CD010	58 x Cassettes	48.9kg
1000 x 300 x 900mm	PC1039/FS	PC1039/FS/LX	8	CD005, CD010, CD015	80 x Cassettes	53.9kg

* Transformer casing adds 125mm to overall height



PC839/FS/IND



PC1036/FS/IND/LX

Double Door Cabinets - Each Door Fitted with a Lock

Overall Dimensions (w x d x h)	Each Door Fitted With a Lock		Shelves	Compatible CD Cabinets	Nomad Capacity	Weight
	Light*	No Light				
800 x 300 x 600mm	PC836/FS/IND	PC836/FS/IND/LX	6	CD005, CD010	-	40.9kg
800 x 300 x 900mm	PC839/FS/IND	PC839/FS/IND/LX	8	CD005, CD010	-	45.9kg
1000 x 300 x 600mm	PC1036/FS/IND	PC1036/FS/IND/LX	6	CD005, CD010	58 x Cassettes	48.9kg
1000 x 300 x 900mm	PC1039/FS/IND	PC1039/FS/IND/LX	8	CD005, CD010, CD015	80 x Cassettes	53.9kg

* Transformer casing adds 125mm to overall height

Drug & Medicine Cabinets - Blister Pack (MDS)

Features

- Independently tested to BS 2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Hooks at rear of cabinet support frames for the popular blister pack Monitored Dosage System (MDS)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Optional Digital Push Button Lock (does not conform to BS 2881: 1989)
- 12v DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz - 60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer housing adds 125mm to the overall height
- 0.9mm mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Modular design allows for easy interchange with HTM 63 storage systems

Standard Colours

- Paint - White

Options / Accessories

- DGL - Digital Push Button Lock (Not available on independent locking cabinets)
- SL - Suited Locks (contact us for more information)
- PC/500/ST - Sloping Top (500mm Wide Cabinets)
- PC/600/ST - Sloping Top (600mm Wide Cabinets)
- PC/RLBS - Remote Light Box (Surface Mounted)
- PC/RLBF - Remote Light Plate (Flush Mounted)
- PCB - Buzzer Alarm (Factory Fit to Cabinets with Lights Only)



PC539/MDS/LX
(Frames not included)

Single Door Cabinets

Overall Dimensions (w x d x h)	Right Hand Opening		Left Hand Opening		MDS Capacity	Weight
	Light*	No Light	Light*	No Light		
500 x 300 x 900mm	PC539/MDS	PC539/MDS/LX	PC539/LH/MDS	PC539/LH/MDS/LX	4 x Frames	31.4kg
600 x 300 x 900mm	PC639/MDS	PC639/MDS/LX	PC639/LH/MDS	PC639/LH/MDS/LX	6 x Frames	35.2kg

* Transformer casing adds 125mm to overall height

Auditable Access Control for Medicines Management



What Is CLIQ®?

- CLIQ® is the very latest in user-friendly, web-based security management. Part of the Protec2 CLIQ® from Abloy range, CLIQ® is designed for remote sites, enabling the commissioning, programming and full administration of security management centrally via web-based software.

How Does It Work?

- CLIQ® integrates electronics into mechanical cylinders and keys, providing a security solution that can be managed remotely. In short, this works like an electronic handshake; when the key is inserted it engages with the cylinder, sending a random number back to the key. The key replies with an encrypted response which is decrypted by the cylinder and if valid the cylinder then allows access. It is important to remember that the mechanical combination must match as well as the digital combination. CLIQ® allows a single key to be used with multiple cabinets or trolleys.

System Features

- Secure - Provides dual security through the patented Protec2 CLIQ® from Abloy mechanical disc cylinders and keys along with DES encryption, a recognised electronic standard
- Easily Programmable - Keys can be added quickly and programmed to specific time and date schedules
- Fully Auditable - Audit trails can be accessed from both the cylinder and key
- Reduces Keys - One key can be programmed to open multiple cabinets or trolleys
- The CLIQ® environment works in an Amazon cloud hosted server maintained and supported by Abloy allowing remote user access via a secure connection from anywhere in the world
- Cost Effective - Low installation & maintenance costs along with a long lifecycle (requires no wires or system updates, power for the cylinder is provided by the key)
- Easily Retrofittable - CLIQ® can be used with a variety of locking solutions including euro lock profile cases, padlocks, camlocks & furniture locks

System Benefits

- Save valuable nursing time which can be used to deliver patient care
- Reduces delay in administering medication
- Improves drug & medicine security
- No more unlocked drug & medicine cabinets
- Eliminates the need to replace locks as a result of lost keys
- One key can be programmed to open multiple cabinets or trolleys
- The key is made personal to that member of staff, resulting in increased ownership and a reduction in the number of keys lost
- Easy to apply remote management, saves money and has the ability to cover several hospitals
- Time and date based access rights, with a full audit trail allow for full visibility of when visits were made
- New keys can be added to the system quickly and easily, removal of lost ones is hassle-free
- Reduction in time spent looking for the person holding the key

Process Flow

Start of Shift - Key Validation & Authorisation

Recurring validation forces users to place their key into the Wall Programming Device. User authorisations are uploaded to the key

During The Shift - Operation

The key will only open cabinets where access permissions have been granted. Each time the key is used in a cabinet fitted with an PROTEC² cylinder, an audit trail is created on both the key and cylinder

End of Shift - Automated Data Transfer

Key is placed into the Wall Programming Device. Previous key transactions are automatically downloaded from the key and stored in the audit trail archive

System Components

CLIQ® Key

- Provides dual security through the patented PROTEC² mechanical disc cylinders & keys, along with DES encryption, a recognised electronic standard
- Thin, light but incredibly strong key



PROTEC² Lock Barrel

- A bump proof mechanism
- Exceptionally smooth key entry & operation



Wall Programming Device

- Updates keys remotely (linking the server & keys)
- Offers high level data encryption
- Allows the use of recurring validation, forcing users to validate their keys at the start of their shift whilst automatically downloading audit trails which are relayed to the server



Traka21

- Sophisticated stand-alone key management system to control the issuing of keys
- Keys are accessed using PIN number technology
- Holds up to 21 keys or keysets



Controlled Drug Cabinets

Features

- Exceeds the statutory requirement for the storage of controlled drugs "The Misuse of Drugs (Safe Custody) Regulations 1973"
- BS 3621 anti-pick & drill, key retaining six pin cylinder lock (supplied with two keys & identification card)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs per profile
- Compatible with CLIQ[®], integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Can be supplied with a micro-switch to allow connection to remote lighting / nurse call system by others (CD905), or supplied with a 12v DC LED lighting / warning system with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz -60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer casing adds 105mm to the overall height
- 1.5mm mild steel, seamless welded construction
- Mounting holes provided in back (fixings not included)
- Adjustable & removable shelves
- Security of models CD005, CD010 & CD015 can be enhanced by concealing inside one of our 'Drug & Medicine Cabinets'
- Modular design allows for easy interchange with HTM 63 storage systems

Standard Colours

- Paint - White

Options / Accessories

- CD905 - Micro-switch to connect to remote light box / alarm
- CD910 / CD911 / CD913 - 12v DC LED Lighting / Warning System
- PCB - Buzzer Alarm (Factory Fit to Cabinets with Lights Only)
- CDST/2 - Sloped Tops - CD010, CD110, CD015 & CD115*
- CDST/3 - Sloped Tops - CD020, CD120, CD025 & CD125*
- CDST/4 - Sloped Tops - CD030, CD130, CD035 & CD135*
- CDST/8 - Sloped Tops - CD045 & CD145*

*cannot be fitted when a 12v DC LED Lighting / Warning System has been fitted



CD015



CD125



CD010

Overall Dimensions (w x d x h)	R/H Door	L/H Door	Shelves	Lighting / Warning System (Optional)	Weight
210 x 270 x 300mm	CD005	-	1	CD910	8.0kg
335 x 270 x 300mm	CD010	CD110	1	CD910	9.0kg
335 x 270 x 550mm	CD015	CD115	2	CD910	17.0kg
500 x 300 x 550mm	CD020	CD120	2	CD910	20.0kg
500 x 300 x 850mm	CD025	CD125	3	CD910	37.0kg
500 x 450 x 850mm	CD030	CD130	3	CD911	42.0kg
500 x 450 x 1250mm	CD035	CD135	4	CD911	59.0kg
500 x 465 x 1900mm	CD045	CD145	6	CD913	91.0kg

Optional 12v DC LED Lighting / Warning System

- Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug
- Door activated micro-switch
- LED* warning light illuminates
- Green when closed
- Red when open
- Flashes red when open for 2 ½ minutes
- Volt-free contact to allow connection to an additional light / nurse call system
- Optional buzzer

*Externally mounted



CD010/CD910



CD035



CD135



CD145

Drug & Medicine Cupboards

Features

- Independently tested to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Available as either 870 / 1870mm high
- Available with either...
 - Plastic Trays
 - Shelves
 - Shelves & Dividers
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ[®], integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Optional Digital Push Button Lock (does not conform to BS 2881: 1989)
- Worksurface supplied with 870mm cupboards (removable to assist with positioning under existing worktops)
- 0.9mm mild steel welded construction
- Modular design allows for easy interchange with HTM 63 storage systems

Dimensions (w x d x h)

- Overall Dimensions
 - 870mm - 500 x 536 x 870mm
 - 1870mm - 500 x 536 x 1870mm
- Trays
 - Shallow Tray - 355 x 405 x 100mm (internal)
 - Deep Tray - 355 x 405 x 150mm (internal)

Standard Colours

- Paint - White

Options / Accessories

- SL - Suited Locks (contact us for more information)
- DGL - Digital Push Button Lock
- MC/JK/870 - Joining Kit & Full Width Worktop (required when connecting 870mm cupboards)
- MC/JK/1870 - Joining Kit (required when connecting 1870mm cupboards)
- MC/ST - Sloping Top (1870mm cupboards)
- MC/DIV - Set of 16 Dividers

870mm High Cupboard

Overall Dimensions (w x d x h)	Description	Right Hand Opening	Left Hand Opening	Weight
500 x 536 x 870mm	Plastic Trays	MC/R/870/3S2D	MC/L/870/3S2D	45.6kg
500 x 536 x 870mm	Shelves	MC/R/870/FS	MC/L/870/FS	37.0kg



MC/L/870/FS




MC/R/870/3S2D



Plastic Trays

- Interchangeable with our Caretray range
 - 870mm Cupboards - 3 x 100mm, 2 x 150mm trays
 - 1870mm Cupboards - 7 x 100mm, 5 x 150mm trays
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg



Shelves

- Adjustable at 50mm increments
 - 870mm Cupboards - 3 x shelves
 - 1870mm Cupboards - 8 x shelves
- Suitable for the storage of MDS frames (if required)
 - 870mm Cupboards - 6 x frames
 - 1870mm Cupboards - 16 x frames



Shelves & Dividers

- Adjustable at 50mm increments
- 100mm high removable dividers are adjustable at 25mm increments
 - 870mm Cupboards - N/A
 - 1870mm Cupboards - 8 x shelves & 16 x dividers



MC/R/1870/FS/DGL



MC/R/1870/7S5D

1870mm High Cupboard

Overall Dimensions (w x d x h)	Description	Right Hand Opening	Left Hand Opening	Weight
500 x 536 x 1870mm	Plastic Trays	MC/R/1870/7S5D	MC/L/1870/7S5D	88.6kg
500 x 536 x 1870mm	Shelves	MC/R/1870/FS	MC/L/1870/FS	69.0kg
500 x 536 x 1870mm	Shelves & Dividers	MC/R/1870/FSD	MC/L/1870/FSD	79.0kg

Sloping Top

Features


- Compatible with Drug Cabinets, Drug & Medicine Cupboards & Controlled Drug Cabinets
- Prevents items being stored on the top of the cabinet & assists cleaning
- Increases the overall height of the cabinet by 193mm
- Void within the top provides a space to locate the transformer for the lighting / warning system
- Access to the transformer provided via a removable plate

Standard Colours

- Paint - White



PC/500/ST



PC/1000/ST

Item	Description	Weight
PC/300/ST	Drug & Medicine Cabinets - 300mm	1.3kg
PC/500/ST	Drug & Medicine Cabinets - 500mm	1.5kg
PC/600/ST	Drug & Medicine Cabinets - 600mm	1.6kg
PC/800/ST	Drug & Medicine Cabinets - 800mm	1.7kg
PC/1000/ST	Drug & Medicine Cabinets - 1000mm	1.8kg
MC/ST	Drug & Medicine Cupboards - 500mm	2.9kg
CDST/2	Controlled Drug Cabinets - CD010, CD110, CD015 & CD115*	1.2kg
CDST/3	Controlled Drug Cabinets - CD020, CD120, CD025 & CD125*	1.4kg
CDST/4	Controlled Drug Cabinets - CD035 & CD135*	1.5kg
CDST/8	Controlled Drug Cabinets - CD045 & CD145*	1.5kg

*cannot be fitted when a 12v DC LED Lighting / Warning System has been fitted

Warning Light System

Features

- Suitable for use with Bristol Maid Controlled Drug cabinets
- Provides a visual indication when the cabinet is open
- LED illuminates...
 - Green when the door is closed
 - Red when the door is open
 - Flashes red when open for 2 ½ minutes
- Operates using a door activated micro-switch connected to a 12v DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz -60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer housing adds 105mm to the overall height

Standard Colours

- Paint - White



CD911

CD010/CD910


Item	Description*
CD910	LED Lighting / Warning System
CD911	LED Lighting / Warning System
CD913	LED Lighting / Warning System

*Refer to page 150 for compatibility

Joining Kits - Drug & Medicine Cupboards

Features

- Allows two cupboards to be joined together
- 870mm joining kit supplied with a full width worktop (2 units)



MC/JK/870

Item	Description
MC/JK/870	Joining Kit - 870mm High Unit
MC/JK/1870	Joining Kit - 1870mm High Unit

Remote Light Box

Features

- Compatible with Bristol Maid Drug & Medicine / Controlled Drug Cabinets where a light has been fitted
- Provides a remote visual indication when the cabinet is open
- Models available for surface or flush mounting (100 x 50 x 150mm - w x d x h)
- Units fitted without a light require a separate micro-switch & a 12v DC supply



PC/RLBS



PC/RLBF

Item	Description
PC/RLBS	Remote Light Box - Surface Mounted
PC/RLBF	Remote Light Plate - Flush Mounted

Digital Push Button Lock

Features

- Requires a five-digit code to operate (set by customer)
- Cabinets fitted with this lock will not conform to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises



Item	Description
DGL	Digital Push Button Lock

Dividers - Drug & Medicine Cupboards

Features

- Spare / replacement dividers for cupboards supplied with shelves & dividers
- 100mm high dividers locate into slots on the shelves, adjustable at 25mm increments



Shelf not supplied

Item	Description
MC/DIV	Dividers - Set of 16

Micro Switch

Features

- Micro switch to allow connection to nurse call system



CD905

Item	Description
CD905	Micro Switch - Controlled Drug Cabinets
PC905	Micro Switch - Drug & Medicine Cabinets

Buzzer Alarm

Features

- Replacement circuit board with buzzer
- Compatible with Bristol Maid Drug & Medicine / Controlled Drug Cabinets where a light has been fitted
- Buzzer pulses on/off after the door has been open for 2 ½ minutes
- Factory fit only

Item	Description
PCB	Buzzer Alarm

Suited Locks

Features

- Suited locks (allows multiple locks / cabinets to operate using the same key)
- Not all cabinets can have suited locks - contact customer service

Item	Description
SL	Suited Locks

Patients / Residents Own Medication Cabinets - Self Administration

Features

- Suitable for use with...
 - Drugs retained in original packs
 - Individual MDS packs with dividers & name cards
 - Nomad cassettes
 - Roll type blister packs
- Available with either a side or bottom hinged door
- Optional frosted Perspex panel, allows contents to be viewed whilst importantly concealing confidential information
- Available fitted with either...
 - CAM Lock - Supplied with two keys*
 - Electronic Push Button Lock - Programmable four-digit code
- 0.9mm mild steel construction
- Mounting holes in back / bottom (fixings not included)
- Shelves not included (optional)
- Supplied with a self-adhesive name card holder (length 60mm)

*For security we recommend that each ward/wing operates a different series, master keys available at additional cost

Standard Colours

- Paint - White

Options / Accessories

- SAC/FS/2 - Shelf, 200mm
- SAC/FS/3 - Shelf, 300mm
- SAC/FS/4 - Shelf, 400mm



SAC/413/S



SAC/413/S/CL



SAC/213/S

Side-Hinged

Overall Dimensions (w x d x h)	CAM Lock		Electric Push Button Lock		Shelf Compatibility	Weight
	Solid Door	Frosted Perspex Panel	Solid Door	Frosted Perspex Panel		
210 x 155 x 315mm	SAC/213/S	SAC/213/S/VP	SAC/213/S/CL	SAC/213/S/CL/VP	SAC/FS/2	2.6kg
310 x 155 x 315mm	SAC/313/S	SAC/313/S/VP	SAC/313/S/CL	SAC/313/S/CL/VP	SAC/FS/3	3.4kg
410 x 155 x 315mm	SAC/413/S	SAC/413/S/VP	SAC/413/S/CL	SAC/413/S/CL/VP	SAC/FS/4	4.1kg

Electronic Push Button Lock

- Uses a 10-button keypad & # button
- Easy programming & code change
- Four user levels offer differing levels of authority...
 - Master / Technician - 8 digits
 - Staff / User - 4 digits
- Low battery warning, with failure override using 9v battery & master code



SAC/313/B/CL



SAC/413/B - Shown with optional shelf SAC/FS/4



SAC/413/B/CL/VP

Bottom-Hinged

Overall Dimensions (w x d x h)	CAM Lock		Electric Push Button Lock		Shelf Compatibility	Weight
	Solid Door	Frosted Perspex Panel	Solid Door	Frosted Perspex Panel		
210 x 155 x 315mm	SAC/213/B	SAC/213/B/VP	SAC/213/B/CL	SAC/213/B/CL/VP	SAC/FS/2	2.6kg
310 x 155 x 315mm	SAC/313/B	SAC/313/B/VP	SAC/313/B/CL	SAC/313/B/CL/VP	SAC/FS/3	3.4kg
410 x 155 x 315mm	SAC/413/B	SAC/413/B/VP	SAC/413/B/CL	SAC/413/B/CL/VP	SAC/FS/4	4.1kg

Shelves

Features

- Flat shelves (100mm deep)
- Removable to assist cleaning, allow the storage of larger items

Standard Colours

- Paint - White



SAC/FS/2



SAC/FS/3



SAC/FS/4



SAC/FS/4 shown with cabinet SAC/413/B

Item	Description	Weight
SAC/FS/2	Shelf - 200mm (SAC/213 Range)	0.2kg
SAC/FS/3	Shelf - 300mm (SAC/313 Range)	0.2kg
SAC/FS/4	Shelf - 400mm (SAC/413 Range)	0.3kg

Patients / Residents Own Medication Cabinets - Monitored Dosage, MDS Frames

Features

- Suitable for use with MDS frames with dividers & name cards (max 100mm depth)
- Models available to hold one or two frames (frames not included)
- Available fitted with either...
 - CAM Lock - Supplied with two keys
 - Electronic Push Button Lock - Programmable four-digit code
- Constructed from melamine faced chipboard
- Mounting holes provided in back (fixings not included)
- Models SA045 & SA045/CL supplied with an adjustable shelf

Standard Colours

- Body / Door - Beech



SA040 - frames not included



SA045 - frames not included

Electronic Push Button Lock

- Uses a 10-button keypad & # button
- Easy programming & code change
- Four user levels offer differing levels of authority...
 - Master / Technician - 8 digits
 - Staff / User - 4 digits
- Low battery warning, with failure override using 9v battery & master code



Overall Dimensions (w x d x h)	MDS Capacity	CAM Lock	Electronic Push Button Lock	Weight
325 x 245 x 420mm	One Frame	SA040	SA040/CL	7.5kg
325 x 245 x 775mm	Two Frames	SA045	SA045/CL	12.1kg

Tablet Counter

Features

- Stainless steel tablet counter
- Etched legend to interpret rows (max 22) into number of tablets



Item	Description	Dimensions (w x d x h)
PE/30	Tablet Counter	205 x 195 x 10mm

Storage Boxes - Lightweight

Features

- Lightweight aluminium construction
- Fitted with handle
- CAM Lock (supplied with two keys)
- Cannot be wall mounted

Standard Colours

- Paint - White



Item	Description	Overall Dimensions (w x d x h)	Weight
SB/221	Storage Box - Small	200 x 200 x 150mm	0.9kg
SB/321	Storage Box - Medium	300 x 200 x 150mm	1.1kg
SB/421	Storage Box - Large	400 x 200 x 150mm	1.4kg

Pharmacy & Vaccine Refrigerators - Solid & Glass Doors

Features

- Compliant with the Department of Health Green Book
- Recommendations in the General Pharmaceutical Council Standards
- Royal College of Veterinary Surgeons Guidelines
- Designed specifically for the safe storage of vaccines & pharmaceuticals
- Available as bench top, under bench, wall fitting or free-standing
- Temperature range +2°C to +8°C
- Second wandering temperature probe (can be placed anywhere within the refrigerator, ideal for pharmacists needing to comply with MHRA regulations)
- IntelliCold® touch screen controller
 - Automatic 24/7 temperature & fridge operation data recording (micro-SD card required)
 - Min / max temperature control, display & recording
 - Displays temperature from both probes
 - High / low temperature alarm
 - Door open alarm
 - Mains failure alarm (requires batteries)
 - Alarm battery back-up
- Internal LED light
- Access port & remote alarm contacts
- Fan assisted cooling
- Off cycle auto-defrost
- Low GWP environmentally friendly refrigerant
- Self-closing doors with door open alarm
- Available with either...
 - CAM Lock - Supplied with two keys
 - Digital Push Button Lock - Programmable four-digit code
- Adjustable shelves
- Micro-SD card (optional)
- Full UKAS calibration service (optional)
- Repeat alarm (optional)

Standard Colours

- Exterior - White / Blue
- Interior - White



Drug & Medicine Storage

Overall Dimensions (w x d x h)	CAM Lock	Digital Push Button	Description	Shelves	Weight
Solid Door					
450 x 510 x 538mm (36 Litres)	5RLDF0119	5RLDF0119DGILOCK	Bench/Wall Mounting*	2	30.0kg
450 x 510 x 740mm (66 Litres)	5RLDF0219	5RLDF0219DGILOCK	Bench/Wall Mounting*	3	34.0kg
600 x 600 x 835mm (150 Litres)	5RLDF0519	5RLDF0519DGILOCK	Under Bench	3	51.0kg
Glass Door					
600 x 600 x 835mm (150 Litres)	5RLDG0519	5RLDG0519DGILOCK	Under Bench	3	54.0kg

*Integral Wall Mounting Brackets

