

# Linen Trolleys & Bags

Soiled Linen Trolleys	222
Linen Trolleys	225
Hamper Trolleys	226
Soiled Linen Bags	227
Clean Linen Trolleys	228



## Soiled Linen Trolleys - Stainless Steel, Cantilever Frame

### Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Suitable for use with fabric linen bags using a tubular C shaped ring\*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, when depressed prevents the trolley from moving
- 75mm pressed steel castors

\*Recommended minimum bag circumference 1360mm, height 750mm

### Dimensions (w x d x h)

- Single - 440 x 460 x 820mm
- Double - 835 x 460 x 820mm
- Single, Pedal Operated - 440 x 560 x 830mm
- Double, Pedal Operated - 835 x 560 x 830mm

### Options / Accessories

- Linen Bags:
  - R/BAG/WHITE - White
  - R/BAG/BLUE - Blue
  - R/BAG/RED - Red
  - R/BAG/GREEN - Green
  - R/BAG/YELLOW - Yellow

Linen Bags - page 227



Pedal operated lid



WT/6/SS



WT/6/2/SS



WT/6/PL/SS



WT/6/2/PL/SS

Item	Description	Weight
WT/6/SS	Stainless Steel Cantilever, Single	6.5kg
WT/6/2/SS	Stainless Steel Cantilever, Double	10.0kg
WT/6/PL/SS	Stainless Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/SS	Stainless Steel Cantilever, Double, Pedal Operated	14.5kg

# Soiled Linen Trolleys - Mild Steel, Cantilever Frame

## Features

- Welded mild steel frame
- Suitable for use with fabric linen bags using a tubular C shaped ring\*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, when depressed prevents the trolley from moving
- 75mm pressed steel castors

\*Recommended minimum bag circumference 1360mm, height 750mm

## Dimensions (w x d x h)

- Single - 440 x 460 x 820mm
- Double - 835 x 460 x 820mm
- Single, Pedal Operated - 440 x 560 x 830mm
- Double, Pedal Operated - 835 x 560 x 830mm

## Standard Colours

- Paint - Spearmint

## Options / Accessories

- Linen Bags:
  - R/BAG/WHITE - White
  - R/BAG/BLUE - Blue
  - R/BAG/RED - Red
  - R/BAG/GREEN - Green
  - R/BAG/YELLOW - Yellow

Linen Bags - page 227



WT/6/MS



WT/6/2/MS



WT/6/PL/MS



WT/6/2/PL/MS

Item	Description	Weight
WT/6/MS	Mild Steel Cantilever, Single	6.5kg
WT/6/2/MS	Mild Steel Cantilever, Double	10.0kg
WT/6/PL/MS	Mild Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/MS	Mild Steel Cantilever, Double, Pedal Operated	14.5kg

# Soiled Linen Trolleys - Mild Steel, Sprung Frame

## Features

- Welded mild steel frame
- Suitable for use with either fabric or disposable polythene bags using a sprung rod frame\*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, when depressed prevents the trolley from moving
- 75mm pressed steel castors

\* Factory set for standard 1360mm circumference bags. Can be manually adjusted to suit other bags. Recommended minimum bag height 750mm

## Dimensions (w x d x h)

- Single - 440 x 460 x 825mm
- Double - 835 x 460 x 825mm
- Single, Pedal Operated - 440 x 560 x 830mm
- Double, Pedal Operated - 835 x 560 x 830mm

## Standard Colours

- Paint - Spearmint

## Options / Accessories

- Linen Bags:
  - R/BAG/WHITE - White
  - R/BAG/BLUE - Blue
  - R/BAG/RED - Red
  - R/BAG/GREEN - Green
  - R/BAG/YELLOW - Yellow

Linen Bags - page 227

Item	Description	Weight
WT/9/MS	Mild Steel, Sprung Frame, Single	6.5kg
WT/9/PL/MS	Mild Steel, Sprung Frame, Single, Pedal Operated	8.5kg
WT/9/2/MS	Mild Steel, Sprung Frame, Double	10.0kg
WT/9/2/PL/MS	Mild Steel, Sprung Frame, Double, Pedal Operated	14.5kg



## Soiled Linen Trolley - Mild Steel, Folding

### Features

- Folds to minimize space
- Suitable for use with fabric linen bags
- 50mm polypropylene / thermoplastic rubber twin-wheel castors

\*Recommended minimum bag circumference 1360mm, height 750mm

### Dimensions (w x d x h)

- Overall Dimensions - 430 x 430 x 1030mm
- Folded - 430 x 200 x 1040mm

### Standard Colours

- Paint - Grey White

### Options / Accessories

- Linen Bags:
  - R/BAG/WHITE - White
  - R/BAG/BLUE - Blue
  - R/BAG/RED - Red
  - R/BAG/GREEN - Green
  - R/BAG/YELLOW - Yellow

Linen Bags - page 227



WT/7/MS

Item	Description	Weight
WT/7/MS	Folding, Mild Steel	3.25kg

## Linen Trolley - Bed Changing

### Features

- Welded mild steel frame
- Three removable, sunken, liquid retaining trays
- Tray heights - 230, 590 & 960mm
- Dividing panel separates clean & soiled linen
- Suitable for use with fabric linen bags using a tubular C shaped ring\*
- Bag supported on a base frame
- 100mm pressed steel castors

\*Recommended minimum bag circumference 1360mm, height 750mm

### Dimensions (w x d x h)

- Overall Dimensions - 830 x 490 x 1040mm
- Tray - 390 x 400 x 25mm

### Standard Colours

- Paint - Grey White

### Options / Accessories

- ZP005 - 100mm Ring Buffers
- Linen Bags:
  - R/BAG/WHITE - White
  - R/BAG/BLUE - Blue
  - R/BAG/RED - Red
  - R/BAG/GREEN - Green
  - R/BAG/YELLOW - Yellow



WT/13/MS

Item	Description	Weight
WT/13/MS	Bed Changing	15.5kg

## Hamper Trolleys - Mild Steel

### Features

- Welded mild steel construction
- Suitable for use with fabric hamper bags supported on 4 hooks
- Bag supported on an easy clean solid base
- 100mm pressed steel castors

### Dimensions (w x d x h)

- Overall Dimensions - 815 x 514 x 1000mm

### Standard Colours

- Paint - Grey White

### Options / Accessories

- ZP005 - 100mm Ring Buffers
- 2FACO013 - Hamper Bag (190 litre)



WT/11/MS shown with optional  
2FACO013 hamper bag

Item	Description	Weight
WT/11/MS	Hamper Trolley - Mild Steel	12.5kg

# Soiled Linen Bags

## Features

- Washable 7oz polyester soiled linen bag
- Circumference 1360mm, height 750mm, 120 litres
- Fitted with eyelets and draw cord with plastic toggle
- Available in a range of colours to allow compliance with local, national & international guidelines



R/BAG/WHITE



R/BAG/BLUE



R/BAG/RED



R/BAG/YELLOW



R/BAG/GREEN

Item	Description	Weight
R/BAG/WHITE	White Linen Bag	0.3kg
R/BAG/BLUE	Blue Linen Bag	0.3kg
R/BAG/RED	Red Linen Bag	0.3kg
R/BAG/GREEN	Green Linen Bag	0.3kg
R/BAG/YELLOW	Yellow Linen Bag	0.3kg



## Clean Linen Trolleys - Small (390 Litre)

### Features

- Suitable for ward clean linen storage
- Available with a flexible cover or fold back doors, to prevent dust ingress
- Mild steel frame, with lightweight aluminium cladding & shelves
- Two adjustable shelves, plus base (max 45kg per shelf)
- Shelf size - 1,000 x 450mm (w x d)
- Push handles either end
- 125mm pressed steel castors
- Maximum capacity per trolley 135kg

### Dimensions (w x d x h)

- Overall Dimensions - 1175 x 530 x 1065mm
- Internal Dimensions - 1000 x 500 x 810mm

### Standard Colours

- Paint - Grey White

### Options / Accessories

- C008 - 125mm Castors, Heavy Duty Pressed Steel, 2 x Braking, 2 x Non-Braking (set of 4) - Factory fitted
- ZP010 - 100mm Ring Buffers



WT/42

Item	Description	Weight
WT/42	Clean Linen Trolley - Small	39.7kg
WT/42/COVER	Clean Linen Trolley - Small, Flexible Cover	42.4kg
WT/42/FBD	Clean Linen Trolley - Small, Fold Back Doors	46.0kg

### Flexible Cover

- Fire retardant cover
- Secured to the top of the trolley & drops down to enclose the front
- Weighted bottom hem with Velcro style side fastenings



WT/42/COVER

### Fold Back Doors

- Fold back doors encloses the front
- When opened, doors fold against the push handles at either end of the trolley
- Drop down bolt secures the base of doors
- Drop over latch, complete with clasp allows locking with a padlock (not supplied)



WT/42/FBD

## Clean Linen Trolleys - Medium (690 Litre)

### Features

- Used for bulk linen delivery, as part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame, with lightweight aluminium cladding & shelves
- Three adjustable shelves, plus base (max 45kg per shelf)
- Shelf size - 1,180 x 460mm (w x d)
- Inset push handles either end
- Low level bumper bar offers protection to both the trolley & fabric of the building
- Optional tow bar fitting...
  - Fitted to the front (swivel castor)
  - Antiluce fastener fitted to rear (fixed castor)
  - Tow bar position approx. 360 - 380mm above floor
  - Recommended max speed 7kph for towed trolleys
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Maximum capacity per trolley 180kg

### Dimensions (w x d x h)

- Overall Dimensions - 1430 x 600 x 1495mm
- Internal Dimensions - 1180 x 500 x 1180 mm

### Standard Colours

- Paint - Grey White

AGV Compatible Trolleys & Carts  
 We can provide solutions that are compatible with Laundry, Sterile Supplies, Medical Records & Pharmacy Distribution



WT/50/FBD/TBAR

Item	Description	Weight
<b>Non-Towing</b>		
WT/50/COVER	Clean Linen Trolley - Medium, Flexible Cover	90.0kg
WT/50/FBD	Clean Linen Trolley - Medium, Fold Back Doors	97.3kg
<b>Towing</b>		
WT/50/COVER/TBAR	Clean Linen Trolley - Medium, Flexible Cover, Tow Bar	92.5kg
WT/50/FBD/TBAR	Clean Linen Trolley - Medium, Fold Back Doors, Tow Bar	100.8kg

### Flexible Cover

- Fire retardant cover
- Secured to the top of the trolley & drops down to enclose the front
- Weighted bottom hem with Velcro style side fastenings



WT/50/COVER

### Fold Back Doors

- Fold back doors encloses the front
- When opened, doors fold against the push handles at either end of the trolley\*
- Drop down bolt secures the base of doors
- Drop over latch, complete with clasp allows locking with a padlock (not supplied)

\*Doors will not fold back flat when a tow bar is fitted



WT/50/FBD

# Clean Linen Trolleys - Large (1,100 Litre)

## Features

- Used for bulk linen delivery, as part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame, with lightweight aluminium cladding & shelves
- Three adjustable shelves, plus base (max 45kg per shelf)
- Shelf size - 1,430 x 555mm (w x d)
- Inset push handles either end
- Low level bumper bar offers protection to both the trolley & fabric of the building
- Optional tow bar fitting...
  - Fitted to the front (swivel castor)
  - Antiluce fastener fitted to rear (fixed castor)
  - Tow bar position approx. 360 - 380mm above floor
  - Recommended max speed 7kph for towed trolleys
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Maximum capacity per trolley 180kg

## Dimensions (w x d x h)

- Overall Dimensions - 1740 x 720 x 1620mm
- Internal Dimensions - 1420 x 610 x 1295mm

## Standard Colours

- Paint - Grey White

AGV Compatible Trolleys & Carts  
 We can provide solutions that are compatible with Laundry, Sterile Supplies, Medical Records & Pharmacy Distribution



WT/48/COVER/TBAR

Item	Description	Weight
<b>Non-Towing</b>		
WT/48/COVER	Clean Linen Trolley - Large, Flexible Cover	102.9kg
WT/48/FBD	Clean Linen Trolley - Large, Fold Back Doors	111.5kg
<b>Towing</b>		
WT/48/COVER/TBAR	Clean Linen Trolley - Large, Flexible Cover, Tow Bar	106.4kg
WT/48/FBD/TBAR	Clean Linen Trolley - Large, Fold Back Doors, Tow Bar	115.0kg

### Flexible Cover

- Fire retardant cover
- Secured to the top of the trolley & drops down to enclose the front
- Weighted bottom hem with Velcro style side fastenings



WT/48/COVER

### Fold Back Doors

- Fold back doors encloses the front
- When opened, doors fold against the push handles at either end of the trolley\*
- Drop down bolt secures the base of doors
- Drop over latch, complete with clasp allows locking with a padlock (not supplied)

\*Doors will not fold back flat when a tow bar is fitted



WT/48/FBD