

# Procedure Trolleys & Carts

Caretray Trolley - Anaesthesia	284
Caretray Trolley - Cast	285
Caretray Trolley - Critical Care	286
Caretray Trolley - Infection	287
Caretray Trolley - IV Preparation	288
Caretray Trolley - Medical / Surgical	289
Caretray Trolley - Plaster	290
Caretray Trolley - Vaccination	291
Caretray Trolley - Basics	292
Mobile Workstation - Mild Steel, Low Level	293
Procedure Carts - Polymer, Metro Flexline™	294
Procedure Carts - Polymer, Metro Starsys™	296
Procedure Carts - Polymer, Metro Basix™	298

# Caretray Trolley - Anaesthesia

## Features

- Trolleys suitable for use with Anaesthesia
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn
- Carerails fitted to either side support a wide range of accessories
- Solid grade laminate door & back panel providing security for the contents of the trays
- Two locking options...
  - High Security Bolt Lock - Supplied with two keys
  - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
  - Overbridge, Mild Steel
  - Four Compartment Tilt Bin, Mild Steel
  - Five Compartment Tilt Bin, Mild Steel
  - Waste Bin & Bracket, 8 Litre
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

## Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Overall Dimensions (with overbridge) - 600 x 550 x 1620mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

## Standard Colours

- Paint - Grey White

## Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Carerail Mounted - page 62
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



Shown with Door Open



CTANAEM1/10/3S2D/HSB

Description	High Security Bolt Lock	Electronic Push Button Lock	Weight
3 x 100mm, 2 x 150mm Trays	CTANAEM1/10/3S2D/HSB	CTANAEM1/10/3S2D/EPB	41.4kg
4 x 100mm, 1 x 150mm Trays	CTANAEM1/10/4S1D/HSB	CTANAEM1/10/4S1D/EPB	41.1kg
6 x 100mm Trays	CTANAEM1/10/6S/HSB	CTANAEM1/10/6S/EPB	42.2kg

# Caretray Trolley - Cast

## Features

- Trolleys suitable for use within A&E / Plaster Room
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn
- Carerails fitted to either side support a wide range of accessories
- Solid grade laminate door & back panel providing security for the contents of the trays
- Two locking options...
  - CAM Lock with Wing Handle - Supplied with two keys
  - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
  - Overbridge, Mild Steel
  - Four Compartment Tilt Bin, Mild Steel
  - Bowl Support & Bracket
  - Stainless Steel Bowl, 7 Litre
  - Waste Bin & Bracket, 8 Litre
  - Glove / Mask Box Holder, One Box
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

## Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Overall Dimensions (with overbridge) - 600 x 550 x 1620mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

## Standard Colours

- Paint - Grey White

## Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Carerail Mounted - page 62
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



Shown with Door Open



CTCAST1/10/4S1D/CA

Description	CAM Lock with Wing Handle	Electronic Push Button Lock	Weight
3 x 100mm, 2 x 150mm Trays	CTCASTM1/10/3S2D/CA	CTCASTM1/10/3S2D/EPB	43.5kg
4 x 100mm, 1 x 150mm Trays	CTCASTM1/10/4S1D/CA	CTCASTM1/10/4S1D/EPB	43.2kg
6 x 100mm Trays	CTCASTM1/10/6S/CA	CTCASTM1/10/6S/EPB	44.3kg

## Caretray Trolley - Critical Care

### Features

- Trolleys suitable for use with Critical Care
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn
- Carerails fitted to either side support a wide range of accessories
- Solid grade laminate door & back panel providing security for the contents of the trays
  - Two locking options...
    - CAM Lock with Winged Handle - Supplied with two keys
    - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
  - Overbridge, Mild Steel
  - Five Compartment Tilt Bin, Mild Steel
  - Six Compartment Tilt Bin, Mild Steel
  - Alcohol Gel Holder
  - Infusion Pole & Bracket
  - Waste Bin & Bracket, 8 Litre
  - Glove / Mask Box Holder, One Box
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

### Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Overall Dimensions (with overbridge) - 600 x 550 x 1620mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

### Standard Colours

- Paint - Grey White

### Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Carerail Mounted - page 62
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



Shown with Door Open



CTCRITM1/10/3S2D/EPB

Description	CAM Lock with Wing Handle	Electronic Push Button Lock	Weight
3 x 100mm, 2 x 150mm Trays	CTCRITM1/10/3S2D/CA	CTCRITM1/10/3S2D/EPB	44.6kg
4 x 100mm, 1 x 150mm Trays	CTCRITM1/10/4S1D/CA	CTCRITM1/10/4S1D/EPB	44.3kg
6 x 100mm Trays	CTCRITM1/10/6S/CA	CTCRITM1/10/6S/EPB	45.4kg

# Caretray Trolley - Infection

## Features

- Trolleys designed for use when treating patients that have been infected with multi-resistant pathogens
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges
- assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn
- Carerails fitted to either side support a wide range of accessories
- Solid grade laminate door & back panel providing security for the contents of the trays
- Two locking options...
  - High Security Bolt Lock - Supplied with two keys
  - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
  - Waste Bin & Bracket, 8 Litre
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

## Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Overall Dimensions (with overbridge) - 600 x 550 x 1620mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

## Colour

- Paint - Grey White

## Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Defibrillator Platform - page 61
- Carerail Mounted - page 62
- Laptop Holders - page 68
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



Shown with Door Open



CTINFEM1/10/3S2D/HSB

Description	High Security Bolt Lock	Electronic Push Button Lock	Weight
3 x 100mm, 2 x 150mm Trays	CTINFEM1/10/3S2D/HSB	CTINFEM1/10/3S2D/EPB	35.5kg
4 x 100mm, 1 x 150mm Trays	CTINFEM1/10/4S1D/HSB	CTINFEM1/10/4S1D/EPB	35.2kg
6 x 100mm Trays	CTINFEM1/10/6S/HSB	CTINFEM1/10/6S/EPB	36.3kg

## Caretray Trolley - IV Preparation

### Features

- Trolleys designed for use when preparing & administering intravenous infusions
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges
- assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn
- Carerails fitted to either side support a wide range of accessories
- Solid grade laminate door & back panel providing security for the contents of the trays
- Two locking options...
  - High Security Bolt Lock - Supplied with two keys
  - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
  - Infusion Pole & Bracket
  - Waste Bin & Bracket, 8 Litre
  - Glove / Mask Box Holder, One Box
  - Sharps Box Holder
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

### Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Overall Dimensions (with overbridge) - 600 x 550 x 1620mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

### Standard Colours

- Paint - Grey White

### Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Defibrillator Platform - page 61
- Carerail Mounted - page 62
- Laptop Holders - page 68
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



Shown with Door Open



CTIVPRM1/10/3S2D/HSB

Description	CAM Lock with Wing Handle	Electronic Push Button Lock	Weight
3 x 100mm, 2 x 150mm Trays	CTIVPRM1/10/3S2D/HSB	CTIVPRM1/10/3S2D/EPB	39.8kg
4 x 100mm, 1 x 150mm Trays	CTIVPRM1/10/4S1D/HSB	CTIVPRM1/10/4S1D/EPB	39.5kg
6 x 100mm Trays	CTIVPRM1/10/6S/HSB	CTIVPRM1/10/6S/EPB	40.6kg

# Caretray Trolley - Medical / Surgical

## Features

- Trolleys designed for use within the Medical / Surgical Environment
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges
- assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn
- Carerails fitted to either side support a wide range of accessories
- Solid grade laminate door & back panel providing security for the contents of the trays
- Two locking options...
  - CAM Lock with Wing Handle - Supplied with two keys
  - Electronic Push Button Lock - Programmable four-digit code
- Trolley pre-configured with the following accessories...
  - Overbridge, Mild Steel
  - Four Compartment Tilt Bin, Mild Steel
  - Infusion Pole & Bracket
  - Waste Bin & Bracket, 8 Litre
  - Glove / Mask Box Holder, One Box
  - Sharps Box Holder
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips)
- supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

## Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Overall Dimensions (with overbridge) - 600 x 550 x 1620mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

## Standard Colours

- Paint - Grey White

## Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Carerail Mounted - page 62
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



Shown with Door Open



CTMEDSM1/10/3S2D/EPB

Description	CAM Lock with Wing Handle	Electronic Push Button Lock	Weight
3 x 100mm, 2 x 150mm Trays	CTMEDSM1/10/3S2D/CA	CTMEDSM1/10/3S2D/EPB	43.2kg
4 x 100mm, 1 x 150mm Trays	CTMEDSM1/10/4S1D/CA	CTMEDSM1/10/4S1D/EPB	42.9kg
6 x 100mm Trays	CTMEDSM1/10/6S/CA	CTMEDSM1/10/6S/EPB	44.0kg



# Caretray Trolley - Plaster

## Features

- Trolleys suitable for use within A&E / Plaster Room
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
  - Carerails fitted to either side support a wide range of accessories
- Trolley pre-configured with the following accessories...
  - Bucket Support & Bracket
  - Stainless Steel Graduated Bucket, 15 Litre
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

## Dimensions (w x d x h)

- Overall Dimensions - 1005 x 550 x 993mm
- Plastic Top - 915 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

## Standard Colours

- Paint - Grey White

## Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Carerail Mounted - page 62
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



CTPLASM2/10/6S4D

Item	Description	Weight
CTPLASM2/10/6S4D	6 x 100mm, 4 x 150mm Trays	50.6kg
CTPLASM2/10/8S2D	8 x 100mm, 2 x 150mm Trays	49.9kg

# Caretray Trolley - Vaccination

## Features

- Trolleys suitable for use with vaccination
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
  - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
  - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Carerails fitted to either side support a wide range of accessories
- Trolley pre-configured with the following accessories...
  - Alcohol Gel Holder
  - Debris Bin & Bracket
  - Glove, Mask Box Holder, One Box
  - Sharps Box Holder
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured label strips supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm polymer castors, 2 off braking

## Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Trays
  - Shallow Tray - 355 x 405 x 100mm (internal)
  - Deep Tray - 355 x 405 x 150mm (internal)

## Standard Colours

- Paint - Grey White

## Options / Accessories

- Locking & Security - page 54
- Overbridge & Tilt Bins - page 60
- Defibrillator Platform - page 61
- Carerail Mounted - page 62
- Laptop Holders - page 68
- Castors - page 70
- Trays & Dividers - page 71
- Labels - page 72
- Shelves - page 73



CTVACIM1/10/3S2D

Item	Description	Weight
CTVACIM1/10/3S2D	3 x 100mm, 2 x 150mm Trays	32.0kg
CTVACIM1/10/4S1D	4 x 100mm, 1 x 150mm Trays	31.7kg
CTVACIM1/10/6S	6 x 100mm Trays	32.8kg

## Caretray Trolley - Basics

### Features

- Standard level single column easy clean procedure trolleys
- Design allows for the trolley to be upgraded with side panels & trays
- Quick & easy disassembly, assists thorough & deep cleaning
- Fully welded mild steel frame
- Recyclable polypropylene one-piece top...
  - Smooth surfaces & radiused edges to assist cleaning (compatible with steam cleaning)
  - Raised edges on three sides, providing defined grab points to act as push handles whilst an integral rim at the front contains spillages (max load 30kg)
- Solid grade laminate full width shelves, removable & supported on the trolley frame (max load per shelf 5kg)
- Carerails fitted to either side support a wide range of accessories
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking

### Dimensions (w x d x h)

- Overall Dimensions - 550 x 550 x 993mm
- Plastic Top - 455 x 455 (internal) at height 968mm
- Full Width Shelves - 420 x 420 (internal) at heights 193 & 554mm

### Standard Colours

- Paint - Spearmint

### Options / Accessories

- Overbridge & Tilt Bins - page 60
- Defibrillator Platform - page 61
- Carerail Mounted - page 62
- Laptop Holders - page 68
- Castors - page 70
- Trays, Shelves, Dividers & Labels - page 71



CTBASIM1/10/1FWS



CTBASIM1/10



CTBASIM1/10/2FWS

Item	Description	Weight
CTBASIM1/10	Top Panel, No Shelves	14.2kg
CTBASIM1/10/1FWS	1 x Full Width Shelf	15.5kg
CTBASIM1/10/2FWS	2 x Full Width Shelves	16.8kg

# Mobile Workstation - Mild Steel, Low Level

## Features

- Recessed liquid retaining top
- Single point locking using a CAM lock (supplied with two keys)
- Anti-tilt mechanism, allows only one drawer to be opened at any one time
- 85, 170 & 255mm deep drawers, fitted on full extension glides (max load 30kg per drawer)
- Low level corner bumpers protect the fabric of the building
- 80mm pressed steel castors, 2 off braking

## Dimensions (w x d x h)

- Overall - 615 x 500 x 810mm
- Drawers - 480 x 375 x 85 / 170 / 255mm (internal)

## Standard Colours

- Paint - Grey White



Low Level Corner Bumpers & Steel Castors with braking



CAM Lock



MW005

Item	Description	Weight
MW005	2 x 85mm, 1 x 170mm, 1 x 255mm Drawers	49.0kg

## Procedure Carts - Polymer, Metro Flexline™

### Features

- Lightweight polymer construction with smooth rounded corners to assist cleaning
- Incorporates Microban® offering antimicrobial protection
- Upper work surface provides a writing surface / space for preparation work
- Model specific locking
  - CAM Lock (supplied with two keys)
  - Keyless Entry Touch Pad Lock
  - Security Seal Lock (security seal compatible)
- Full extension lightweight polymer drawers, depths 76, 152 & 229mm (max load 7 - 20kg per drawer)
- Two tone colour keyway, drawer handles available in a range of colours
- 127mm polymer castors, 2 off directional & 2 off total lock

### Dimensions (w x d x h)

- Drawers (internal)
  - 76mm - 514 x 432 x 57mm
  - 152mm - 514 x 432 x 133mm
  - 229mm - 514 x 432 x 210mm

### Standard Colours

- Body - Light Taupe
- Drawers - Model Dependant

### Options / Accessories

- 8FL190 - Drawer Label Holders (x 10)



\*defibrillator & laptop not included



Emergency  
8FLCRP4



Paediatric Emergency  
8FLPED1



Treatment  
8FLTMENT2



Laptop  
8FLCOM-LT



Central Line  
8FLCLINE



Critical Care  
8FLCCU1

Item	Description	Overall Dimensions (w x d x h)	Weight
8FLCRP4	Emergency - 3 x 76mm, 2 x 152mm, 1 x 229mm Drawers, Code Blue Handles	1056 x 607 x 1273mm	91.0kg
8FLPED1	Paediatric Emergency - 8 x 76mm, 1 x 152mm Drawers, Coloured Handles	1056 x 607 x 1273mm	91.0kg
8FLTMENT2	Treatment - 2 x 76mm, 2 x 152mm, 1 x 229mm Drawers, Slate Blue Handles	819 x 568 x 1064mm	91.0kg
8FLXCOM-LT	Laptop - 1 x Keyboard Tray, 1 x 76mm, 2 x 152mm, 1 x 229mm Drawers, Slate Blue Handles	819 x 568 x 1064mm	83.0kg
8FLCLINE	Central Line - 3 x 76mm, 2 x 152mm, 1 x 229mm Drawers, Dark Taupe Handles	819 x 568 x 1064mm	91.0kg
8FLCCU1	Critical Care - 3 x 76mm, 2 x 152mm, 1 x 229mm Drawers, Red Handles	840 x 569 x 1807mm	90.0kg

	Emergency 8FLCRP4	Paediatric Emergency 8FLPED1	Treatment 8FLTMENT2	Laptop 8FLXCOM-LT	Central Line 8FLCLINE	Critical Care 8FLCCU1
<b>Locking &amp; Security</b>						
CAM Lock			✓			
Security Seal Lock	✓	✓				
Keyless Entry Touchpad Lock				✓	✓	✓
Drawer Seal Lock Bar		✓				
Plastic Security Seals (x 100)	✓	✓				
<b>Overbridge &amp; Tilt Bins</b>						
Overbridge with Top Shelf & Hanger Rail						✓
Six Compartment Tilt Bins for Overbridge						✓
<b>Defibrillator Platform</b>						
Adjustable Defibrillator Platform	✓	✓				
<b>Drawer Trays &amp; Dividers</b>						
76mm Drawer Divider Kit			2		2	
152 / 229mm Drawer Divider Kit			2		1	
76mm Drawer Divider Tray & Dividers	3					
152mm Drawer Divider Tray & Dividers	2					
<b>Side Bins</b>						
Side Bin, Locking	4				2	4
Side Bin, Non-Locking				3	2	4
<b>Laptop Holders</b>						
Laptop Arm				✓		
<b>Accessories</b>						
Waste Basket (28 Litre)					✓	
Oxygen Cylinder Holder	✓	✓				
Lockable Sharps Container					✓	
Cord Manager	✓					
Hospital Grade 6, Outlet Strip & Holder	✓					
Suction Pump Shelf	✓	✓				
Rear Fitting Backboard	✓	✓				
Pull Out Side Shelf	✓	✓				
Two Hook Infusion Pole	✓	✓				

# Procedure Carts - Polymer, Metro Starsys™

## Features

- Lightweight polymer construction with smooth rounded corners to assist cleaning
- Incorporates Microban® offering antimicrobial protection
- Upper work surface provides a writing surface / space for preparation work
- CAM lock (supplied with two keys)\*
- Full extension lightweight polymer drawers, depths 76, 152 & 229mm (max load 7 - 20kg per drawer)
- Two tone colour keyway, drawer handles available in a range of colours
- 127mm polymer castors, 2 off braking

\*model specific

## Dimensions (w x d x h)

- Drawers (internal)
  - 76mm - 412 x 400 x 60mm
  - 152mm - 412 x 400 x 136mm
  - 229mm - 412 x 400 x 225mm

## Options / Accessories

- 8SXLABKIT - Drawer / Door Label Holders (x 10)

## Standard Colours

- Body - Light Taupe
- Drawers - Model Dependant



85XRSCCU



85XRSDRS



Anaesthesia  
85XRSANES



Dressing  
85XRSDRS



Trauma  
85XRSTRAMA



Critical Care  
85XRSCCU



Arthroscopic  
85XRARTH



IV Therapy  
85XRSIV



Cast  
85XRSCAST

Item	Description	Overall Dimensions (w x d x h)	Weight
85XRSANES	Anaesthesia - 4 x 152mm, 1 x 229mm Drawers, Dark Taupe Handles, CAM Lock	882 x 633 x 1136mm	104.0kg
85XRSDRS	Dressing - 3 x 76mm, 2 x 152mm, 1 x 229mm Drawers, Dark Taupe Handles, CAM Lock	577 x 633 x 1060mm	83.0kg
85XRSTRAMA	Trauma - 3 x 76mm, 4 x 152mm Drawers, Slate Blue Handles, CAM Lock	882 x 633 x 1136mm	116.0kg
85XRSCCU	Critical Care - 1 x 76mm, 1 x 152mm, 3 x 229mm Drawers, Slate Blue Handles	882 x 633 x 1212mm	107.0kg
85XRARTH	Arthroscopic - 6 x 152mm, 1 x 229mm Drawers, Dark Taupe Handles, CAM Lock	882 x 633 x 1136mm	110.0kg
85XRSIV	IV Therapy - 5 x 76mm, 2 x 229mm Drawers, Green Handles, CAM Lock	882 x 633 x 1136mm	106.0kg
85XRSCAST	Cast - 2 x 76mm, 2 x 152mm, 2 x 229mm Drawers, Slate Blue Handles	882 x 633 x 1212mm	109.0kg



	Anaesthesia 8SXR SANES	Dressing 8SXRSDRS	Trauma 8SXRSTRAMA	Critical Care 8SXRSCCU	Arthroscopic 8SXR SARTH	IV Therapy 8SXR SIV	Cast 8SXRSCAST
<b>Locking &amp; Security</b>							
CAM Lock	✓	✓	✓		✓	✓	
<b>Overbridge &amp; Accessory Rails</b>							
Overbridge with One Shelf & Accessory Rail			✓	✓			
Overbridge with Two Accessory Rails	✓				✓		✓
<b>Drawer Trays &amp; Dividers</b>							
76mm Drawer Divider Kit			2	1		4	1
<b>Pods &amp; Tilt Bins</b>							
Left Swing Out, 3 x Tilt Bins				✓			✓
Left Swing Out, 3 x Locking Tilt Bins (CAM Lock)						✓	
Left Swing Out Locking, 3 x Locking Tilt Bins (CAM Lock)	✓						
Left Swing Out, Top Locking Tilt Bin (CAM Lock)			✓		✓	✓	
Right Fixed Pod, 1 x Tilt Bin				✓			✓
Right Swing Out					✓		
Right Swing Out Locking, 3 x Locking Tilt Bins (CAM Lock)	✓						
Right Swing Out, Top Locking Tilt Bin (CAM Lock)			✓				
Middle Non-Locking Tilt Bin			✓				
Pod Tray & Dividers			✓	✓	✓	✓	✓
Tilt Bin					✓		
<b>Accessories</b>							
Waste Basket & Holder			✓	✓	✓		✓
Universal Clamp	✓						
Laryngoscope Blade / Specimen Holder	✓						
Half Size Utility Bin (Metal)	✓						
Full Size Utility Bin (Metal)	✓						
Label / Tape Dispenser (x 3)	✓						
Plastic Utility Bins with Clear Covers (x 6)	✓			✓	✓		
Sharps Container Bracket			✓		✓		
Two Hook Infusion Pole			✓			✓	
Wire Basket			✓	✓	✓		✓



# Procedure Carts - Metro Basix™

## Features

- Recessed liquid retaining plastic work surface
- Model specific locking
  - CAM Lock (supplied with two keys)
  - Push Button Lock
  - Security Seal Lock (security seal compatible)
- Full extension drawers, depths 76, 152 & 230mm (max load 7 - 24kg per drawer)
- Two tone colour keyway, drawer handles available in a range of colours
- Low level bumpers fitted to Trauma & Anaesthesia models
- 127mm polymer castors, 2 off directional & 2 off total lock

## Dimensions (w x d x h)

- Compact
  - Overall Dimensions - 489 x 470 x 876mm
  - Drawers (internal)
    - 76mm - 381 x 432 x 76mm
    - 152mm - 381 x 432 x 152mm
    - 230mm - 381 x 432 x 230mm
- Trauma / Anaesthesia
  - Overall Dimensions - 762 x 613 x 1440mm
  - Drawers (internal)
    - 76mm - 432 x 565 x 76mm
    - 152mm - 432 x 565 x 152mm
    - 230mm - 432 x 565 x 230mm

## Standard Colours

- Body - Light Taupe
- Drawers - Dark Blue

## Options / Accessories

- 8MBA172 - Label Holders (x 12)



Label Holders

Alternative drawer colours are available. Change suffix 'DB' on the product code with any of the following i.e. - Compact Basix Cart with red drawers 8MBC1210RE



DB  
Dark Blue



DT  
Dark Taupe



RE  
Red



TE  
Teal



YE  
Yellow

Item	Description	Weight
8MBC1210DB	Compact - 1 x 76mm, 2 x 152mm, 1 x 230mm Drawers	63.0kg
8MBX3210TRAUMADB	Trauma - 3 x 76mm, 2 x 152mm, 1 x 230mm Drawers	78.0kg
8MBX1310ANES4DB	Anaesthesia - 1 x 76mm, 3 x 152mm, 1 x 230mm Drawers	81.0kg



	Compact 8MBC1210DB	Trauma 8MBX3210TRAUMADB	Anaesthesia 8MBX1310ANES4DB
<b>Locking &amp; Security</b>			
CAM Lock	✓		
Push Button Lock			✓
Security Seal Lock		✓	
<b>Overbridge, Shelves, Hangers &amp; Tilt Bins</b>			
Overbridge Hanger Rail		✓	✓
Overbridge Shelf		✓	✓
Tilt Bins, Four Compartment		✓	
Tilt Bins, Five Compartment			✓
<b>Accessories</b>			
Push Handles		✓	
Two Hook Infusion Pole		✓	✓
Side Accessory Bracket			✓
Waste Container			✓
Side Shelf			✓
Glove Box Holder		✓	✓
Sharps Bracket		✓	✓
Side Bins		✓	



8MBC1210YE



8MBX3210TRAUMARE



8MBX1310ANES4TE