



Website QR Code

Bristol Maid™
Hospital Metalcraft™ Limited



Express Range

Your Furniture Essentials



Manufacturing Medical Furniture & Equipment Since 1953

5 Day Express Range

We understand that there are times when equipment is required at short notice, to support healthcare professionals deliver care.

Our Express offering consists of a range of Essential products, available for delivery within 5-days.

Order before 12pm Thursday for delivery the following week. To ensure that we meet expectations, please ensure that Express is detailed on your purchase order.

Our customer service team are available for you to contact to support you in finding a solution that best suits your requirements.



Contents Page

Bedside Cabinets, Overchair Tables	1
Patient & Visitor Seating	6
Caretray Trolleys	13
Dressing / Instrument Trolleys	15
Drug & Medicine Dispensing	18
Drug & Medicine Storage	19
Examination / Treatment Couch	22
General Purpose Trolleys	23
Holders	26
Medical Records	30
Infusion Stands	31
Linen Trolleys & Bags	33
Mobile Screens	35
Portering	37
Resuscitation Trolley	38
HTM71 Storage Solutions	39
Sackholders & Waste Bins	40
Seating Solutions	44



Bedside Cabinets - Polymer, Easy Clean

Features

- BS 4875-7:2006 - Domestic & contract storage furniture
- Manufactured from recyclable polyethylene
- Open backless design ensures that all areas are accessible, whilst surfaces allow for easy & effective cleaning
- Distinct upper, middle & lower zones
 - Upper - Nurse zone with integral rim to contain any spillages. Ideally positioned for staff to use while standing
 - Middle - Patient zone provides storage area for patient use
 - Lower - Patient zone provides shelf for washbowl, footwear etc
- Drawers can be inserted from either side, allowing the cabinet to be positioned either side of the bed
- Upper & middle drawers can be fitted with an RFID lock, providing secure storage for patient medicines / property*
- 100mm polymer twin-wheel braking castors
- Overall Dimensions - 480 x 665 x 1237mm

*Cabinets with locks are supplied with one patient card - a programming card will be required per ward / directorate as per hospital policy



EBC030




EBC030



EBC015

Item No.	Description	Weight
EBC015	Bedside Cabinet - Polymer, Easy Clean, No Locks	29.0kg
EBC020	Bedside Cabinet - Polymer, Easy Clean, Upper Drawer with Lock	29.1kg
EBC025	Bedside Cabinet - Polymer, Easy Clean, Middle Drawer with Lock	29.1kg
EBC030	Bedside Cabinet - Polymer, Easy Clean, Upper & Middle Drawers with Locks	29.2kg



Overchair Table - Height Adjustable, Polymer, Easy Clean

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- Finish Performance Tests (FIRA Standard 6250 2005)
- Height adjustable using a gas damper (760 - 1070mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular C shaped base suitable for use with beds & chairs
- Recyclable polypropylene one-piece top, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
- Raised edges reduces misplacement of objects & contains spillages
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum capacity 25kg
- Overall Dimensions - 918 x 440 x 760 - 1070mm



Item No.	Description	Weight
OCP/SP/S	Overchair Table - Height Adjustable, Polymer, Easy Clean	13.5kg

Overchair Table - Height Adjustable, Polymer, Easy Clean

eClean™

Recyclable polyethylene top and column shroud table top will not flake or suffer water damage

Defined surface edges and contours reduces misplacement of objects and contains spillages. Maximum load of 20kg

Safety feature prevents entrapment of the patient between the bed and table

The cantilever design aids patient access whilst the symmetrical top allows use either side of the bed


Open C shaped base provides a stable design for use with either a chair or bed

50mm twin wheel castors with smooth surfaces to assist cleaning

Bedside Cabinets - Single Upper Drawer

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard construction
- Upper drawer suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with two keys)
- Lower cupboard with double doors & adjustable shelf
- 50mm twin-wheel polypropylene castors
- Overall Dimensions - 485 x 485 x 905mm



BC1C/BE



BC1C/GW

Item No.	Description	Weight
BC1C/BE	Bedside Cabinet - Single Upper Drawer, Lower Cupboard, Adjustable Shelf, Beech	34.0kg
BC1C/GW	Bedside Cabinet - Single Upper Drawer, Lower Cupboard, Adjustable Shelf, Grey White	34.0kg

Patient Seating - Alderbury, Low Back Chair

Features

- BS EN 16139: 2013 Level 2. Furniture. Strength, durability & safety. Requirements for non-domestic seating
- Ergonomic design to ensure correct sit & posture
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Mortice & tenon joint construction, glued & pinned
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Contoured seat & back, seat section fixed
- Hygiene gap prevents the trapping of dirt & bacteria between the seat & back, provides access for cleaning
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 160kg
- Overall Dimensions - 580 x 540 x 890mm



5ND/LC/ALDE/VVTUR



5ND/LC/ALDE/VVDEL



5ND/LC/ALDE/VVLIC

Item No.	Description	Weight
5ND/LC/ALDE/VVDEL	Patient Seating - Alderbury, Low Back Chair, Fixed Seat, Delft	8.2kg
5ND/LC/ALDE/VVTUR	Patient Seating - Alderbury, Low Back Chair, Fixed Seat, Turkis	8.2kg
5ND/LC/ALDE/VVLIC	Patient Seating - Alderbury, Low Back Chair, Fixed Seat, Lichgrau	8.2kg

Patient Seating - Alderbury, Medium Back Armchair

Features

- BS EN 16139: 2013 Level 2. Furniture. Strength, durability & safety. Requirements for non-domestic seating
- Ergonomic design to ensure correct sit & posture
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Mortice & tenon joint construction, glued & pinned
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Contoured seat & back
- Seat can be removed to assist cleaning (smooth vinyl upholstered underside) & is reversible to allow the seat section to be repositioned to provide additional clearance at the front of the chair
- Hygiene gap prevents the trapping of dirt & bacteria between the seat & back, provides access for cleaning
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 160kg
- Overall Dimensions - 660 x 650 x 1000mm



5ND/MAR/ALDE/VVTUR



5ND/MAR/ALDE/VVDEL



5ND/MAR/ALDE/VVLIC

Item No.	Description	Weight
5ND/MAR/ALDE/VVDEL	Patient Seating - Alderbury, Medium Back Armchair, Removable Seat, Delft	13.6kg
5ND/MAR/ALDE/VVTUR	Patient Seating - Alderbury, Medium Back Armchair, Removable Seat, Turkis	13.6kg
5ND/MAR/ALDE/VVLIC	Patient Seating - Alderbury, Medium Back Armchair, Removable Seat, Lichgrau	13.6kg

Patient Seating - Alderbury, High Back Armchair

Features

- BS EN 16139: 2013 Level 2. Furniture. Strength, durability & safety. Requirements for non-domestic seating
- Ergonomic design to ensure correct sit & posture
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Mortice & tenon joint construction, glued & pinned
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Contoured seat & back
- Seat can be removed to assist cleaning (smooth vinyl upholstered underside) & is reversible to allow the seat section to be repositioned to provide additional clearance at the front of the chair
- Hygiene gap prevents the trapping of dirt & bacteria between the seat & back, provides access for cleaning
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 160kg
- Overall Dimensions - 660 x 650 x 1195mm



5ND/HAR/ALDE/VVTUR



5ND/HAR/ALDE/VVDEL



5ND/HAR/ALDE/VVLIC

Item No.	Description	Weight
5ND/HAR/ALDE/VVDEL	Patient Seating - Alderbury, High Back Armchair, Removable Seat, Delft	14.4kg
5ND/HAR/ALDE/VVTUR	Patient Seating - Alderbury, High Back Armchair, Removable Seat, Turkis	14.4kg
5ND/HAR/ALDE/VVLIC	Patient Seating - Alderbury, High Back Armchair, Removable Seat, Lichgrau	14.4kg

Functional Seating - Stroud

Features

- Suitable for functional seating areas, conference rooms & events
- Four-leg design
- Upholstered using fire retardant, antimicrobial vinyl
- Black finish tubular frame
- Stackable 3 high
- Maximum capacity 95kg



5FS/ST/VVMA



5FS/ST/A/VVMA

Item No.	Description	Seat Height	Seat Width	Seat Depth	Back Height	Weight
5FS/ST/VVMA	Stroud - Four Leg, Marina	500mm	470mm	430mm	290mm	6.5kg
5FS/ST/A/VVMA	Stroud - Four Leg, Arm Rests, Marina	500mm	470mm	430mm	290mm	6.9kg

Patient Seating - Clifton, Fixed & Reclining Armchair

Features

- Available as either fixed or reclining...
 - Fixed - Backrest & seat are fixed to the frame
 - Reclining - Uses a manual mechanism that allows the backrest, seat & leg rest to simultaneously tilt (tilt in space)
- Vinyl links the seat to the footrest (continuous foot seat)
- Contoured seat & back
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered using fire retardant, antimicrobial vinyl
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Maximum capacity 120kg
- Overall Dimensions - 630 x 770 x 1140mm



5ND/FA/CLIF/VVDEL



5ND/RA/CLIF/VVDEL

Item No.	Description	Weight
5ND/FA/CLIF/VVDEL	Fixed Armchair - Clifton, Delft	17.0kg
5ND/RA/CLIF/VVDEL	Reclining Armchair - Clifton, Manual, Delft	25.0kg

Patient Seating - Shapwick, Reclining Armchair

Features

- Available as either manual or electric operation...
- Manual - Tilt in space recliner
- Electric - Single tilt in space reclining only or single tilt in space reclining with rise function
- Manual chairs use a smooth easy to use push operation
- Electric chairs are fitted with a mains powered actuator (230V ~, 50/60Hz) fitted with a UK 3 pin plug & supplied with a handset
- Upholstered using fire retardant, antimicrobial vinyl
- Easiform reflex foam provides comfort when sitting (fixed seat)
- Foam leg rest
- 4 x 50mm swivel braking castors
- Maximum capacity 127kg
- Overall Dimensions - 737 x 902 x 1130mm



5RE/RAM/SHAP/VVDEL



5RE/RAE/SHAP/VVDEL

Item No.	Description	Weight
5RE/RAM/SHAP/VVDEL	Reclining Armchair - Shapwick, Manual, Delft	41.0kg
5RE/RAE/SHAP/VVDEL	Reclining Armchair - Shapwick, Electric, Delft	55.0kg

Overnight Chair - Kingston, Three Position

Features

- Multi-functional compact chair that provides comfortable seating by day, transforming into a bed by night
- Suitable for use in maternity units, childrens wards, relatives rooms, hospices & care homes
- Provides visitors with a comfortable place to sleep during longer visits
- Chair is pulled out in three motions to a bed
 - Chair
 - Lounge Chair
 - Bed
- Upholstered using flame retardant antimicrobial vinyl
- High quality PUR foam provides comfort when sitting or sleeping
- 40mm fixed & 75mm swivel braking castors
- Maximum capacity 150kg
- Overall Dimensions...
 - Chair - 870 x 840 x 870mm
 - Bed - 870 x 840 x 2060mm



5RE/OC/KING/VVDEL



Item No.	Description	Weight
5RE/OC/KING/VVDEL	Overnight Chair - Kingston, Three Position, Vinyl Delft	75.0kg

Caretray Trolleys - Mild Steel, Single & Double Column

Features

- Quick & easy disassembly, assists thorough & deep cleaning
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking
- Overall Dimensions...
 - Low level
 - Single Column - 550 x 550 x 807mm
 - Double Column - 1005 x 550 x 807mm
 - Standard level
 - Single Column - 550 x 550 x 993mm
 - Double Column - 1005 x 550 x 993mm



CTM1/10/3S2D



CTM2/10/6S4D

Item No.	Description	Weight
CTM1/08/3S1D	Caretray Trolley - Mild Steel, Low Level, Single Column, 3 x 100mm, 1 x 150mm Trays	22.0kg
CTM2/08/4S3D	Caretray Trolley - Mild Steel, Low Level, Double Column, 4 x 100mm, 3 x 150mm Trays	36.4kg
CTM1/10/3S2D	Caretray Trolley - Mild Steel, Standard Level, Single Column, 3 x 100mm, 2 x 150mm Trays	28.6kg
CTM2/10/6S4D	Caretray Trolley - Mild Steel, Standard Level, Double Column, 6 x 100mm, 4 x 150mm Trays	46.7kg

Caretray Trolleys - Mild Steel, Disassembly & Cleaning

The design of the trolley allows for quick & easy tool-less disassembly providing access to all areas when conducting thorough or deep cleaning programmes. The simple guide below illustrates the disassembly & re-assembly process:



Remove Trays

Remove the trays from the unit



Remove Top

The top is held in place with two thumb screws on the underside of the top. Once removed, the top can be removed with a firm tug



Remove Back Panel (if fitted)

Once the top has been removed, the back panel can be lifted clear of the cross members on the rear of the frame



Remove Side Panels

The side panels are removed by lifting off the positioning inserts. Double height trolleys require thumb screws at the top of the lower panel to be removed



Clean

The frame, side panels & top can now be cleaned



Reassembly

The trolley is re-assembled by repeating the steps in reverse

Dressing / Instrument Trolley - Removable Shelves, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Flat 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)
- Overall Dimensions - 470 x 470 x 890mm



DTSR/450

Item No.	Description	Weight
DTSR/450	Dressing / Instrument Trolley - Removable Shelves, Stainless Steel, 450mm Deep, Small	11.5kg

Dressing / Instrument Trolleys - Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with three sides up & one down
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)
- Overall Dimensions - 470 x 470 x 890mm



DTSF/450

Item No.	Description	Weight
DTSF/450	Dressing / Instrument Trolley - Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep, Small	11.5kg

Dressing / Instrument Trolleys - Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with down turned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)
- Overall Dimensions ...
 - Small - 470 x 470 x 870mm
 - Medium - 620 x 470 x 870mm
 - Large - 770 x 470 x 870mm
 - Extra-Large - 920 x 470 x 870mm



DTSF/450/2/SD



DTSF/600/2/SD



DTSF/750/2/SD



DTSF/900/2/SD

Item No.	Description	Weight
DTSF/450/2/SD	Dressing / Instrument Trolley - Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep, Small	11.5kg
DTSF/600/2/SD	Dressing / Instrument Trolley - Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep, Medium	16.0kg
DTSF/750/2/SD	Dressing / Instrument Trolley - Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep, Large	18.0kg
DTSF/900/2/SD	Dressing / Instrument Trolley - Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep, Extra-Large	20.0kg

Dispensing Trolley - Standard Capacity, Metal

Features

- Suitable for the storage & dispensing of drugs & medicines
- Lockable hinged lid provides document support
- Fitted with a high security bolt lock (supplied with two keys)
- Hinged writing flap provides a work area at height 907mm (max capacity 2.0kg)
- Lower shelf
- Five tier plastic rack (395mm)
- Two slide out storage / waste bins
- 100mm pressed steel castors
- When not in use, trolley should be secured to the building - see optional security clamp
- Overall Dimensions - 750 x 459 x 1112mm


Item No.	Description	Weight
MT130	Dispensing Trolley - Metal - High Security Bolt Lock, Small	22.0kg



Security Clamp

Features

- Allows the trolley to be secured to the 'fabric of the building'
- Requires no additional keys, utilises the trolleys own locking system
- One end is secured to the wall, the 'hook shaped' end is trapped by the lid of the trolley when closed & locked
- Recommended wall fitting height approx. 1000mm (cable length 950mm)



Item No.	Description	Weight
MT/1/6F	Security Clamp	0.75kg

Controlled Drugs Cabinets

Features

- Exceeds the statutory requirement for the storage of controlled drugs “The Misuse of Drugs (Safe Custody) Regulations 1973”
- BS 3621 anti-pick & drill, key retaining six pin cylinder lock (supplied with two keys & identification card)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 different combinations per profile
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- 1.5mm mild steel, seamless welded construction
- Mounting holes provided in back (fixings not included)
- Adjustable & removable shelves
- Security can be enhanced by concealing inside one of our ‘Drug & Medicine Cabinets’
- Modular design allows for easy interchange with HTM 63 storage systems



CD010



CD020

Item No.	Dimensions	Shelves	Weight
CD010	Controlled Drugs Cabinet - 335 x 270 x 300mm	1	9.0kg
CD020	Controlled Drugs Cabinet - 500 x 300 x 550mm	2	20.0kg

Drug & Medicine Cabinets - Shelves & Door Shelves

Features

- Independently tested to BS 2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 different combinations
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- 12V DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100V - 240V ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- 0.9mm mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Adjustable & removable shelves / door shelves (190 / 75mm deep)
- Modular design allows for easy interchange with HTM 63 storage systems
- Compatible with our range of CD cabinets for the storage of Controlled Drugs



Item No.	Description	Shelves / Door Shelves	Compatible CD Cabinets	Weight
PC536	Drug & Medicine Cabinet - Single Door, Shelves & Door Shelves, Light, 500 x 300 x 600mm	3 /3	CD005, CD010	29.9kg
PC636	Drug & Medicine Cabinet - Single Door, Shelves & Door Shelves, Light, 600 x 300 x 600mm	3 /3	CD005, CD010	33.9kg
PC1039	Drug & Medicine Cabinet - Double Door, Shelves & Door Shelves, Light, 1000 x 300 x 900mm	8 /8	CD005, CD010, CD015	53.9kg

Pharmacy & Vaccine Refrigerator - Bench & Wall Mounting, Solid Door

Features

- Compliant with the Department of Health Green Book
- Recommendations in the General Pharmaceutical Council Standards
- Royal College of Veterinary Surgeons Guidelines
- Temperature range +2°C to +8°C
- Second wandering temperature probe (can be placed anywhere within the refrigerator, ideal for pharmacists needing to comply with MHRA regulations)
- IntelliCold® touch screen controller
 - Automatic 24/7 temperature & fridge operation data recording (micro-SD card required)
 - Min / max temperature control, display & recording
 - Displays temperature from both probes
 - High / low temperature alarm
 - Door open alarm
 - Mains failure alarm (requires batteries)
 - Alarm battery back-up
- Internal light
- Access port & remote alarm contacts
- Fan assisted cooling
- Off cycle auto-defrost
- Low GWP environmentally friendly refrigerant
- Self-closing doors fitted with a CAM lock, & supplied with two keys
- Two adjustable shelves
- Overall Dimensions - 450 x 510 x 538mm (36 Litres)



5RLDF0119

Item No.	Description	Weight
5RLDF0119	Pharmacy & Vaccine Refrigerator - Bench & Wall Mounting, Solid Door*	30.0kg
*Integral Wall Mounting Brackets		

Examination / Treatment Couch - Two Section, Variable Height

Features

- BS 2838-2: 1991 Examination & general treatment couches, build, performance & safety specifications
- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
- Electric height adjustment from 490 - 950mm
- Adjustable angle backrest from -25 to +90 degrees
- Anti-trap gas struts fitted with release levers used on back & footrest sections
- Retractable castors fitted to both ends to assist with movement & positioning
- One adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- 230V ~, 50/60Hz, fitted with a UK 3 pin plug & supplied with a hand switch
- Seamless upholstery using flame retardant anti-microbial vinyl
- Maximum capacity 225kg
- Overall Dimensions - 630 x 1790 x 490 - 950mm



EC1210/VBB

Item No.	Description	Weight
EC1210/VBB	Examination / Treatment Couch - Two Section, Electric, Variable Height, Bristol Blue	68.8kg

General Purpose Trolley - Polymer, Shallow Shelves

Features

- High-density polyethylene shelves, with 11mm raised edges (not suitable for use with automated washers)
- Microban® product protection inhibits growth of bacteria & aids infection control
- Ergonomic handle & recessed shelf provides leg clearance when manoeuvring the cart
- Chrome plated posts, allow shelf adjustment in 25mm increments
- Polymer shelves - 693 x 541mm (internal) at heights 185 & 845mm (max capacity per shelf 68kg)
- 100mm pressed steel castors
- Self-assembly (supplied boxed)
- Maximum capacity per trolley 136kg
- Overall Dimensions - 877 x 600 x 902mm



8MY2030-24BU

Item No.	Description	Weight
8MY2030-24BU	General Purpose Trolley - Medium, Polymer, Two Shallow Shelves	14.9kg

General Purpose Trolley - Polymer, Deep Shelves

Features

- High-density polyethylene shelves, with 70mm raised sides (not suitable for use with automated washers)
- Microban® product protection inhibits growth of bacteria & aids infection control
- Ergonomic handle provides leg clearance when manoeuvring the cart
- Chrome plated posts, allow shelf adjustment in 25mm increments
- Polymer shelves - 877 x 616mm (internal) at heights 140 & 800mm (max capacity per shelf 68kg)
- 100mm pressed steel castors
- Self-assembly (supplied boxed)
- Maximum capacity per trolley 136kg
- Overall Dimensions - 997 x 691 x 1,067mm



8BC2636-2DMB

Item No.	Description	Weight
8BC2636-2DMB	General Purpose Trolley - Large, Polymer, Two Deep Shelves	15.9kg

General Purpose Trolley - Chrome Wire Shelves

Features

- Ergonomic handle & recessed shelf provides leg clearance when manoeuvring the cart
- Chrome plated posts, allow shelf adjustment in 25mm increments
- Open wire shelves - 914 x 610mm (internal) at heights 178 & 780mm (max capacity per shelf 85kg)
- Donut style bumpers
- 100mm pressed steel castors
- Self-assembly (supplied boxed)
- Maximum capacity per trolley 85kg
- Overall Dimensions - 914 x 610 x 965mm



8MW2436-2CW

Item No.	Description	Weight
8MW2436-2CW	General Purpose Trolley - Large, Chrome Wire, Two Shelves	19.9kg

Glove & Mask Holder - Three Box, Wall Mounted

Features

- Plastic coated wire frame
- Accommodates glove & mask boxes up to 270mm in width
- Boxes presented in landscape orientation
- Overall Dimensions - 290 x 115 x 405mm




DG/3

Item No.	Description	Weight
DG/3	Glove & Mask Holder - Three Box, Wall Mounted	0.7kg

Urinal Bottle Holder - Hanging

Features

- Compatible with bottles up to 115mm Diameter
- Plastic coated wire frame
- 30mm square hook
- Overall Dimensions - 150 x 182 x 282mm



UB/9

Item No.	Description	Weight
UB/9	Urinal Bottle Holder - Hanging	0.3kg

Catheter Bag Holders - Free Standing / Hanging

Features

- Plastic coated wire frame
- Accepts most widely used bags
- Available freestanding or hanging (30mm square hook)
- Upper clip holds the inlet tube, the lower clip angles the drainage tube upwards to prevent drips, should the tap leak
- Overall Dimensions...
 - Free-Standing - 250 x 250 x 550mm
 - Hanging - 250 x 77 x 410mm



UB005



UB010

Item No.	Description	Weight
UB005	Catheter Bag Holder - Free Standing	0.6kg
UB010	Catheter Bag Holder - Hanging	0.4kg

Alcohol Gel Holders - Wire Frame

Features

- Compatible with 500ml bottles, 70mm x 70mm x 225mm (not supplied)
- Stainless steel construction
- Plastic drip tray
- Overall Dimensions...
 - Wall Mounted - 77 x 300 x 278mm
 - 30mm Hook - 77 x 117 x 180mm



GH005



GH015

Item No.	Description	Weight
GH005	Alcohol Gel Holder - Wire Frame, Lever Operated, Wall Mounted	0.4kg
GH015	Alcohol Gel Holder - Wire Frame, 30mm Hook	0.3kg

Medical Records Trolley - Ward

Features

- Suitable for use with our popular narrow carefile filing pockets (order separately)
- Provides 470mm of filing capacity
- Locking lid acts as a work surface when open, & is fitted with an electronic push button lock (programmable four-digit code)
- Maximum load on locking lid - 2.0kg
- Document pocket fitted to end of trolley
- 100mm pressed steel castors
- Overall Dimensions - 628 x 539 x 1069mm (width open 1012mm)

Item No.	Description	Weight
MRT/WA/S/EPB	Medical Records Trolley - Ward, Small, Electronic Push Button Lock	23.6kg



MRT/WA/S/EPB

Carefile Filing Pockets

Features

- Suitable with Bristol Maid trolleys / workstations & most standard filing suspension systems
- Provides a durable alternative to paper or card types
- Suitable for runners with 380mm spacings / centres
- Provides an internal pocket (w x h) 360 x 260mm
- Fire retardant PVC coated nylon pockets
- Unique 'stay-put' tab holders, with pink / blue reversible card tabs
- Supplied in packs of ten



CF/F/PK10



R/C/T



R/C/TH

Item No.	Description
CF/F/PK10	Carefile Filing Pockets - Foolscap (x 10)
R/C/T	Paper Tabs (x 500)
R/C/TH	Tab Holders (x 25)

Mobile Infusion Stand - Polyurethane, Easy Clean


Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Five leg-base with low centre of gravity to assist stability
- 25mm diameter 304 grade stainless steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Colour coded indicator cap provides department identification & segregation, reducing the risk of cross contamination (other colours available)
- Height adjustable upright using a handwheel (1260 - 2100mm)
- Fitted with two pigtail hooks
- Maximum recommended load...
 - Hooks - 4kg per stand
 - Fixed Upright - 4kg per stand
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)
- Overall Dimensions - 620 x 620 x 1260 - 2100mm



IS/P/2H/SP

Item No.	Description	Weight
IS/P/2H/SP	Mobile Infusion Stand - Polyurethane, Easy Clean, Two Hook, Spearmint Indicator Cap	7.8kg



Soiled Linen Trolley - Mild Steel, Sprung Frame

Features

- Welded mild steel frame
- Suitable for use with either fabric or disposable polythene bags using a sprung rod frame*
- Bags supported on an easy clean solid base
- 75mm pressed steel castors
- Overall Dimensions - 440 x 560 x 830mm

*Factory set for standard 1360mm circumference bags. Can be manually adjusted to suit other bags.
Recommended minimum bag height 750mm



WT/9/MS

Item No.	Description	Weight
WT/9/MS	Soiled Linen Trolley - Mild Steel, Sprung Frame, Single	6.5kg

Soiled Linen Trolley - Mild Steel, Cantilever Frame

Features

- Welded mild steel frame
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Plastic, pedal operated lid, which when depressed prevents the trolley from moving
- 75mm pressed steel castors
- Overall Dimensions - 440 x 560 x 830mm

*Recommended minimum bag circumference 1360mm, height 750mm

Item No.	Description	Weight
WT/6/PL/MS	Soiled Linen Trolley - Mild Steel, Cantilever Frame, Single, Pedal Operated	8.5kg



WT/6/PL/MS

Soiled Linen Bags

Features

- Washable 7oz polyester soiled linen bag
- Circumference 1360mm, height 750mm, 120 litres
- Fitted with eyelets and draw cord with plastic toggle
- Available in a range of colours to allow compliance with local, national & international guidelines



Item No.	Description	Weight
R/BAG/WHITE	White Linen Bag	0.3kg
R/BAG/BLUE	Blue Linen Bag	0.3kg

Mobile Screen - Solid, Four Section, Folding

Features

- Folding compact laminate four section solid screen
- Smooth easy to clean panels
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Overall Dimensions - 2403 x 435 x 1680mm (folded - 600 x 435 x 1680mm)



MS/S4

Item No.	Description	Weight
MS/S4	Mobile Screen - Solid, Four Section, Folding	27.8kg

Mobile Screen - Solid, Six & Eight Section, Folding

Features

- Folding solid screens
- Aluminium frame, featuring smooth easy to clean panels
- Smooth folding action, with a no gap design to ensure patient privacy
- Screens fold away into the base for space saving
- 75mm polypropylene / thermoplastic rubber twin-wheel braking non-marking castors
- Overall Dimensions...
 - Six Section - 1800 x 560 x 1650mm (folded - 400 x 560 x 1650mm)
 - Eight Section - 2400 x 560 x 1650mm (folded - 400 x 560 x 1650mm)



Space saving fold away



5MS/S6



5MS/S8

Item No.	Description	Weight
5MS/S6	Mobile Screen - Solid, Six Section, Folding	29.6kg
5MS/S8	Mobile Screen - Solid, Eight Section, Folding	34.6kg

Portering Chair - Front Steer, Nesting, Sliding Footrest

Features

- Heavy duty portering chair
- Nests to occupy reduced floor space & encourage tidy storage
- Seamless upholstery using flame retardant antimicrobial vinyl
- Moulded drop-down arm rests allows side access for patients & porters
- Sliding footrest aids access as well as supporting feet during transit
- X-ray / notes pocket on rear of seat
- Hook for patients' belongings
- Fittings to accept infusion poles
- 125mm swivel castors / 200mm braking fixed wheels (cushioned)
- Maximum capacity 190kg
- Overall Dimensions - 665 x 1050 x 1095mm



G/305/FS/VBB

Item No.	Description	Weight
G/305/FS/VBB	Portering Chair - Front Steer, Nesting, Sliding Footrest, Bristol Blue	29.0kg

Resuscitation Cart - Polymer, Metro Flexline™

Features

- Lightweight polymer construction with smooth rounded corners to assist cleaning
- Incorporates Microban® offering antimicrobial protection
- Upper work surface provides a writing surface / space for preparation work
- Single seal mechanism secures the drawers (security seal compatible)
- Full extension lightweight polymer drawers, depths 76, 152 & 229mm (max load 7 - 20kg per drawer)
- Two-tone colourway
- 127mm polymer castors, 2 x directional & 2 x total lock
- Overall Dimensions - 819 x 568 x 914mm



8FL21P3369

(Fitted with optional two hook infusion pole,
oxygen cylinder holder & defibrillator platform.
Defibrillator not included)

Item No.	Description	Weight
8FL21P3369	Resuscitation Cart - Polymer, Metro Flexline, 2 x 76mm, 1 x 152mm, 1 x 229mm Drawers	68.0kg

ScanCell® Carts - Roller Shutters

Features

- Mobile storage carts fitted with roller shutters for use with 600 x 400mm trays & baskets
- Lightweight easy clean design
- Injection moulded ABS top / chassis with aluminium corner profiles, laminate sides & back, polypropylene roller shutter
- Fitted with angled / horizontal side panels to suit 400 or 600mm insertions
- Type A - 600mm Insertions
- Type B - 400mm Insertions
- 125mm polymer castors, 2 off braking
- Overall Dimensions...
 - 4A1RS09 - 462 x 706 x 905mm
 - 4B1RS10 - 662 x 494 x 1055mm
 - 4B1RS18 - 662 x 494 x 1803mm

*Not supplied with Trays & Baskets, please contact us to discuss your exact requirements.



4A1RS09



4B1RS10



4B1RS18

(Trays & baskets not included)

Item No.	Description	Weight
4A1RS09	ScanCell Cart - 905mm High - Roller Shutter Door - Type A 600mm - Insertions*	25.0kg
4B1RS10	ScanCell Cart - 1055mm High - Roller Shutter Door - Type B 400mm - Insertions*	30.0kg
4B1RS18	ScanCell Cart - 1803mm High - Roller Shutter Door - Type B 400mm - Insertions*	45.0kg

Fixed Body Sackholder - Plastic, 20 Litre

Features

- Meets NHS England 'Managing Healthcare Fire Safety' (HTM-05-01)
- Plastic construction with no metal parts
- Smooth surfaces, assist cleaning
- Colour coded lid conforms with HTM07, & assists with refuse identification (other colours available)
- Soft closing lid
- Bag positively secured using a drop over sack retention ring
- Overall Dimensions - 350 x 220 x 660mm



5FSH20BL

Item No.	Description	Weight
5FSH20BL	Fixed Body Sackholder - Plastic, Silent Closing, 20 Litre, Black Lid	3.0kg

Removable Body Sackholders - Plastic, 42 & 70 Litre

Features

- Meets NHS England 'Managing Healthcare Fire Safety' (HTM-05-03)
- One-piece removable body
- Plastic construction with no metal parts
- Smooth surfaces to assist cleaning
- Colour coded lid conforms with HTM07, & assists with refuse identification (other colours available)
- Soft operating lid on both opening & closing (moving parts enclosed)
- Recessed drip tray to collect unwanted spills
- Bag positively secured using a drop over sack retention ring
- Non-marking rubber feet prevents the bin from sliding
- Wheels fitted to rear of bin assist moving when cleaning
- Overall Dimensions...
 - 42 Litre - 460 x 420 x 580mm
 - 70 Litre - 460 x 450 x 790mm



5RSH42BL



5RSH70BL

Item No.	Description	Weight
5RSH42BL	Removable Body Sackholder - Plastic, Silent Closing, 42 Litre, Black Lid	8.0kg
5RSH70BL	Removable Body Sackholder - Plastic, Silent Closing, 70 Litre, Black Lid	9.0kg

Removable Body Sackholders - Metal, 20, 50 & 75 Litre

Features

- Fire retardant to HTM83
- Radiused corners to assist cleaning
- Captive drip tray to collect spills
- Positive bag retention through the use of a drop over clamp
- 'Hands free' design with recessed lid discourages opening by hand & encourage use of the pedal
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning
- Colour coded lid conforms with HTM07, & assists with refuse identification (other colours available)
- Mild steel tubular frame & sheet metal body, painted for extra durability
- Silent closing versions are fitted with a gas damper to minimise noise when the lid closes
- Overall Dimensions...
 - 20 Litre - 267 x 346 x 552mm
 - 50 Litre - 444 x 397 x 551mm
 - 75 Litre - 444 x 397 x 781mm



BR015/WHL



BR050/WHL



BR080/WHL

Item No.	Description	Weight
BR015/WHL	Removable Body Sackholder - Metal, Hands Free, 20 Litre, White Lid	8.5kg
BR050/WHL	Removable Body Sackholder - Metal, Hands Free, Silent Closing, 50 Litre, White Lid	11.5kg
BR080/WHL	Removable Body Sackholder - Metal, Hands Free, Silent Closing, 75 Litre, White Lid	15.0kg

Free Standing Sackholder - Metal, 75 Litre

Features

- Captive drip tray to collect spills
- Positive bag retention through the use of an elasticated cord
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning
- Available with 'Colour Coding' to assist refuse identification (HTM07)
- Mild steel tubular frame, painted for extra durability
- Overall Dimensions...
 - 442 x 397 x 780mm



BH030/WHL

Item No.	Description	Weight
BH030/WHL	Free Standing Sackholder - Metal, 75 Litre, White Lid	7.5kg

Task Chairs - Operator

Features

- High back operator's chair
- Two lever mechanism
 - Seat height (pneumatic)
 - Back angle, locked or in dynamic free float
- Handwheel back height adjustment
- Upholstered using fire retardant, antimicrobial vinyl
- Black polypropylene five-star base
- Non-braking castors
- Maximum capacity 150kg



5TC/OPH/VVMA



5TC/OPH/AA/VVMA

Item No.	Description	Seat Height	Seat Width	Seat Depth	Back Height	Overall Width	Weight
5TC/OPH/VVMA	Task Chair - Operator - High Back, Marina	440 - 550mm	455mm	440mm	520mm	455mm	11.0kg
5TC/OPH/AA/VVMA	Task Chair - Operator - High Back, Adjustable Arms, Marina	440 - 550mm	455mm	440mm	520mm	640mm	14.0kg

Technical Seating - Tech Stool

Features

- Medium height tech stool
- Ring lever height adjustment mechanism (pneumatic)
- Upholstered using fire retardant, antimicrobial vinyl
- Black polypropylene five-star base
- Non-braking castors
- Maximum capacity 150kg



5TS/TES/M/VVMA

Item No.	Description	Seat Height	Seat Width	Overall Width	Weight
5TS/TES/M/VVMA	Technical Seating - Tech Stool, Medium, Marina	450 - 550mm	400mm	620mm	8.0kg

Technical Seating - Saddle Stool

Features

- Ergonomic saddle seat
- Strengthens the spine & improves posture
- Single lever mechanism
 - Seat height (pneumatic)
- Upholstered using fire retardant, antimicrobial vinyl
- Black polypropylene five-star base
- Non-braking castors
- Maximum capacity 150kg



5TS/SA/VVMA

Item	Description	Seat Height	Weight
5TS/SA/VVMA	Technical Seating - Saddle Stool, Marina	550 - 730mm	5.6kg

NHS & Public Sector Accredited Supplier

Bristol Maid™ is an accredited OGC Buying Solutions supplier. All public-sector organisations can take advantage of our nationally agreed discounts through the NHS Supply Chain www.supplychain.nhs.uk. Buy with confidence knowing your requirement for compliant and competitive tendering has already been met.

NHS Supply Chain

Medical Healthcare Furniture - Ref: 2020/S 252-638069

National Services Scotland

Medical Ward Equipment - Ref: NP846/21

Shared Business Services

Design, Furniture & Appliances 2 - Ref: SBS10246

HSC Business Services

Clinical Trolleys & Equipment - Ref: 3330590



HCAHealthcare uk



Contact

Our experienced customer service team will be pleased to discuss your requirements.

Also, our nationally based Sales Representatives are always available to visit you for a no obligation discussion and to help advise you.



+44 (0)1258 484455



Monday to Friday - 8:30am - 5:00pm



Blandford Heights, Blandford Forum, Dorset, DT11 7TG, UK




www.bristolmaid.com



sales@bristolmaid.com

Area Sales Representatives



Scotland & N.Ireland
Steve Poller
07711 095899
scotland@bristolmaid.com



Republic of Ireland & Export
Dave Morton-Jones
+44 (0)1258 484468
export@bristolmaid.com



North
Laura McNamee
07790 916052
lmcnamee@bristolmaid.com



Midlands
Harvey Clarke
07500 039301
midlands@bristolmaid.com



London
Chris Davis
07725 543862
london@bristolmaid.com



South & South West
Jason Duffield
07876 441477
sswest@bristolmaid.com



South East
Lewis Olivier
07768 057675
lolivier@bristolmaid.com



Manufacturing Medical Furniture & Equipment Since 1953

With over 70 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.



 **MADE IN
BRITAIN**

Hospital Metalcraft Limited
Blandford Heights, Blandford Forum,
Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338
Fax: +44 (0) 1258 455056
sales@bristolmaid.com

www.bristolmaid.com