


Bristol Maid™
Hospital Metalcraft™ Limited



Winter Essentials

Manufacturing Medical Furniture & Equipment Since 1953



Contents

Bedside Cabinets & Overbed/Chair Tables

Bedside Cabinet - Polymer, Easy Clean	2
Bedside Cabinet - Single Upper Drawer	2
Overbed & Overchair Tables - Polymer, Easy Clean	3
Overbed & Overchair Tables - Melamine	3

Caretray Trolleys

Single & Double Column	4
------------------------	---

Dispensers & Holders

Apron Dispenser - One Roll, Wall Mounted	5
Glove / Mask Box Holder	5
Urine Bottle Holder - Hanging	6
Catheter Bag Holder - Free Standing	6

Dressing / Instrument Trolleys

Removable Shelves, Stainless Steel, 450mm Deep	7
Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep	7

Drug & Medicine Dispensing

Dispensing Trolley - Standard Capacity, Metal	8
Dispensing Trolley - High Capacity, Melamine	8
Pharmacy Trolley - Patient Administration	9
Security Clamp	9

Drug & Medicine Storage

Drug & Medicine Cabinets	10
Controlled Drug Cabinets	11
Drug & Medicine Cupboards	11

Examination & Treatment Couches

Examination / Treatment Couches - Two & Three Section, Variable Height	12
Examination / Treatment Couches - Two Section, Fixed Height	13
Leg Rest - Adjustable	13

General-Purpose Trolleys



Polymer, Shallow Shelves	14
Polymer, Deep Shelves	14
Chrome, Wire Shelves	15
Mild Steel, Melamine Shelves	15

Infusion & Pump Stands

Mobile Pump Stands - Polyurethane, Easy Clean	16
Mobile Infusion Stands - Polyurethane, Easy Clean	17

Linen Trolleys & Bags

Soiled Linen Trolleys - Stainless Steel, Cantilever Frame	18
Soiled Linen Trolleys - Mild Steel, Cantilever Frame	18
Soiled Linen Bags	19
Clean Linen Trolleys - Small (390 Litre)	20
Clean Linen Trolleys - Medium (690 Litre)	21
Clean Linen Trolleys - Large (1,100 Litre)	22



Contents

Baby Cribs

Variable Height, Battery Operation
Variable Height, Gas Strut Operation
Fixed Height

Medical Records

Trolleys
Workstations
Filing Trolleys

Portering Chairs

Rear Steer, Nesting, Sliding Footrest
Front Steer, Nesting, Sliding Footrest

Sackholders & Waste Bins

Removable Body Bins - 20 / 50 / 75 Litre
Fixed Body Sackholders - Plastic, 20 Litre
Removable Body Sackholders - Plastic, 42 / 70 Litre

Screens

Solid, Three & Four Section, Folding

Technical Seating

Tech Chairs
Tech Stools

Functional Seating

Abbas
Stroud

Patient Seating

Alderbury, Low Back Chair
Alderbury, Medium & High Back Armchair
Clifton, Fixed & Reclining Armchair
Shapwick, Reclining Armchair
Ashington, Reclining Armchair, Waterfall Back, Wide Arm
Portland, Overnight Chair, Three Position

Mobile Workstations

Non-Powered

23
23
24

25
26
27

28
28

29
30
30




31

32
32

33
33

34
35
36
37
38
39

40



+44 (0)1258 484455



www.bristolmaid.com



Monday to Friday - 8:30am - 5:00pm



sales@bristolmaid.com



Blandford Heights, Blandford Forum,
Dorset, DT11 7TG, UK

Bedside Cabinets - Polymer, Easy Clean

Features

- BS 4875-7:2006 - Domestic & contract storage furniture
- Manufactured from recyclable polyethylene
- Open backless design ensures that all areas are accessible, whilst surfaces allow for easy & effective cleaning
- Distinct upper, middle & lower zones
 - Upper - Nurse zone with integral rim to contain any spillages. Ideally positioned for staff to use while standing
 - Middle - Patient zone provides storage area for patient use
 - Lower - Patient zone provides shelf for washbowl, footwear etc.
- Drawers can be inserted from either side, allowing the cabinet to be positioned either side of the bed
- Upper & middle drawers can be fitted with an RFID lock, providing secure storage for patient medicines / property*
- 100mm polymer twin-wheel braking castors
- Overall Dimensions - 480 x 665 x 1237mm

*cabinets with locks are supplied with one patient card - a programming card will be required per ward / directorate as per hospital policy



Item	Description	Weight
EBC015	No Locks	29.0kg
EBC020	Upper Drawer with Lock	29.1kg
EBC025	Middle Drawer with Lock	29.1kg
EBC030	Upper & Middle Drawer with Lock	29.1kg

Bedside Cabinets - Single Upper Drawer

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard construction
- Upper drawer suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with two keys)
- Optional personal effects drawer provides secure storage for personal possessions (fitted with a CAM lock & supplied with two keys)
- Optional electronic push button or RFID locks available for the upper & personal effects drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf - model dependant)
 - Drawer (recessed shelf - model dependant)
- 50mm twin-wheel polypropylene castors
- Overall Dimensions - 485 x 485 x 905mm



Grey White	Beech	Description	Weight
BC1C/GW	BC1C/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	34.0kg
BC1CPD/GW	BC1CPD/BE	Single Upper Drawer, Personal Drawer & Lower Cupboard with Double Doors	35.8kg

Overbed & Overchair Tables - Polymer, Easy Clean

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- Finish Performance Tests (FIRA Standard 6250 2005)
- Height adjustable using a gas damper (760 - 1070mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular base available as...
 - C shaped suitable for use with beds & chairs
 - Straight leg suitable for use with bed
- Recyclable polypropylene one-piece top, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
- Raised edges reduces misplacement of objects & contains spillages
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum load 25kg
- Overall Dimensions...
 - Overbed Table - 895 x 440 x 760 - 1070mm
 - Overchair Table - 918 x 440 x 760 - 1070mm



OCP/SP/S

Item	Description	Weight
OBP/SP/S	Overbed Table - Height Adjustable, Polymer, Easy Clean	14.0kg
OCP/SP/S	Overchair Table - Height Adjustable, Polymer, Easy Clean	13.5kg

Overbed & Overchair Tables - Melamine

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- Height adjustable using a gas damper (735 - 1045mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular base available as...
 - C shaped suitable for use with beds & chairs
 - Straight leg suitable for use with beds
- Melamine top with varnished edges available with either a flat top or one varnished beech lip
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum load 25kg
- Overall Dimensions
 - Overbed Table - 895 x 440 x 735 - 1,045mm
 - Overchair Table - 918 x 440 x 735 - 1,045mm



OBL/BE0/GW/S

Description	Grey White	Beech	Weight
Overbed Table - Height Adjustable, Melamine, Flat Top	OBL/GW0/SP/S	OBL/BE0/GW/S	14.5kg
Overbed Table - Height Adjustable, Melamine, One Lip	OBL/GW1/SP/S	OBL/BE1/GW/S	15.4kg

Caretray Trolleys

Features

- Standard level, single & double column easy clean procedure trolleys
- Quick & easy disassembly, assists thorough & deep cleaning
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Carerails fitted to either side support a wide range of accessories
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking
- Overall Dimensions...
 - Single - 550 x 550 x 993mm
 - Double - 1,005 x 550 x 993mm



CTM2/10/6S4D



CTM1/10/3S2D

Item	Description	Weight
CTM1/10/3S2D	3 x 100mm, 2 x 150mm Trays	27.5kg
CTM2/10/6S4D	6 x 100mm, 4 x 150mm Trays	46.7kg

Apron Dispenser - Roll

Features

- Apron roll holders, maximum width 415mm
- Holes for wall mounting (fixings not provided)
- Overall dimensions - 420 x 168 x 268mm



Item	Description	Weight
DAR/1	Apron Dispenser - Roll	2.0kg

DAR/1

Glove / Mask Box Holder - One Box

Features

- Accommodates glove & mask boxes up to 150mm in width
- Box presented in portrait orientation
- Available for wall mounting or fitted with a 15mm square hook (fixings not provided)
- Overall Dimensions - 143 x 100 x 152mm



Item	Description	Weight
GMBH/WM	One Box, Wall Mounted	0.5kg

GMBH/WM

Glove / Mask Box Holder - Three Box

Features

- Plastic coated wire frame
- Accommodates glove & mask boxes up to 150mm in width
- Boxes presented in landscape orientation
- Overall Dimensions - 290 x 115 x 405mm




Item	Description	Weight
DG/3	Three Box, Wall Mounting	0.7kg

DG/3

Urine Bottle Holder - Hanging

Features

- Compatible with bottles up to 115mm Diameter
- Plastic coated wire frame
- 30mm square hook
- Overall Dimensions - 150 x 182 x 282mm




UB/9

Item	Description	Weight
UB/9	Urine Bottle Holder	0.3kg

Catheter Bag Holder - Free Standing

Features

- Plastic coated wire frame
- Accepts most widely used bags
- Available freestanding or hanging (30mm square hook)
- Upper clip to hold the inlet tube
- Lower clip angles the drainage tube upwards to prevent drips should the tap leak
- Overall Dimensions - 250 x 250 x 550mm



UB005

Item	Description	Weight
UB005	Catheter Bag Holder - Free Standing	0.6kg

Dressing / Instrument Trolleys - Removable Shelves, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Flat or reversible 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Reversible shelves allow the end user to choose between a flat shelf or one with three upturned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)



DTSR/450

Flat Shelves	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSR/450	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSR/750	Large	750 x 450mm	770 x 470 x 890mm	18.0kg

Dressing / Instrument Trolleys - Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with three sides up & one down
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)



DTSF/450

Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/450	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSF/750	Large	750 x 450mm	770 x 470 x 890mm	18.0kg

Dispensing Trolley - Standard Capacity, Metal

Features

- Trolleys suitable for the storage & dispensing of drugs & medicines
- Lockable hinged lid provides document support
- Fitted with a high security bolt lock (supplied with two keys)
- Hinged writing flap provides a work area at height 907mm (max capacity 2.0kg)
- Lower shelf
- Five tier plastic rack (395mm)
- Two slide out storage / waste bins
- 100mm pressed steel castors
- When not in use, trolley should be secured to the building
- Overall Dimensions - 750 x 459 x 1,112mm



MT130

Item	Description	Weight
MT130	Dispensing Trolley - Metal, High Security Bolt Lock, Small	22kg

Dispensing Trolley - High Capacity, Melamine

Features

- Trolleys suitable for the storage & dispensing of drugs & medicines
- Lockable hinged lids...
 - Upper - Assisted using a gas strut, providing document support
 - Lower - Provides a work area, at height 980mm (max load 4.0kg)
- Electronic Push Button - Programmable four-digit code
- Hinged work flap provides a work area at height 850mm (max load 2.0kg)
- Lower shelf
- Five tier plastic rack (395mm)
- Two slide out storage / waste bins
- 125mm pressed steel castors
- Ring buffers
- When not in use, trolley should be secured to the building
- Overall Dimensions - 905 x 560 x 1,290mm



MT230CL

Item	Description	Weight
MT230CL	Dispensing Trolley - High Capacity, Melamine, Electronic Push Button Lock, Large	50.0kg

Pharmacy Trolley - Patient Administration

Features

- Trolleys suitable for the storage & dispensing of drugs & medicines using individual compartments dedicated for each patient
- High Security Bolt Lock - Supplied with two keys
- Supplied with 4 trays subdivided into equal compartments...
 - 24 Compartment - 4 trays subdivided into 6 equal compartments, each compartment - 190mm x 132mm x 220mm (5.5 Litres). Label holders provided for each compartment
- Upper work surface
- Push handles incorporate integral buffers to offer protection to both the trolley & fabric of the building
- Plastic debris bin & bracket
- 125mm polymer castors
- When not in use, trolley should be secured to the building
- Overall Dimensions - 627 x 579 x 1,165mm




Item	Description	Weight
PTS/HSB/PA24	Pharmacy Trolley - Patient Administration, Single Door, 24 Compartments	51.4kg

Security Clamp

Features

- Allows the trolley to be secured to the 'fabric of the building'
- Requires no additional keys, utilises the trolleys own locking system
- One end is secured to the wall, the 'hook shaped' end is trapped by the door / lid of the trolley when closed & locked
- Overall Dimensions - Length 950mm



Item	Description	Weight
MT/1/6F	Security Clamp	0.75kg

Drug & Medicine Cabinets

Features

- Independently tested to BS 2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Adjustable & removable shelves (190mm deep) & door shelves (75mm deep)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- 12v DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- 0.9mm mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Modular design allows for easy interchange with HTM 63 storage systems
- Compatible with our range of CD cabinets for the storage of Controlled Drugs



Single Door Cabinet

Overall Dimensions (w x d x h)	Item	Shelves / Door Shelves	Compatible CD Cabinets	Weight
600 x 300 x 600mm	PC636	3 / 3	CD005, CD010	33.9kg

Double Door Cabinet

Overall Dimensions (w x d x h)	Item	Shelves / Door Shelves	Compatible CD Cabinets	Weight
800 x 300 x 900mm	PC839	8 / 8	CD005, CD010, CD015	45.9kg
1000 x 300 x 900mm	PC1039	8 / 8	CD005, CD010, CD015	53.9kg

Controlled Drug Cabinets

Features

- Exceeds the statutory requirement for the storage of controlled drugs "The Misuse of Drugs (Safe Custody) Regulations 1973" (with the exception of CD045 & CD145)
- BS 3621 anti-pick & drill, key retaining six pin cylinder lock (supplied with two keys & identification card)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs per profile
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Can be supplied with a micro-switch to allow connection to remote lighting / nurse call system by others (CD905), or supplied with a 12v DC LED lighting / warning system with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz -60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer casing adds 105mm to the overall height
- 1.5mm mild steel, seamless welded construction
- Mounting holes provided in back (fixings not included)
- Adjustable & removable shelves
- Security of models CD005, CD010 & CD015 can be enhanced by concealing inside one of our 'Drug & Medicine Cabinets'
- Modular design allows for easy interchange with HTM 63 storage systems



CD005

Overall Dimensions (w x d x h)	R/H Door	Shelves	Lighting / Warning System (Optional)	Weight
210 x 270 x 300mm	CD005	1	CD910	8.0kg
335 x 270 x 300mm	CD010	1	CD910	9.0kg
335 x 270 x 550mm	CD015	2	CD910	17.0kg

Drug & Medicine Cupboards

Features

- Independently tested to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- 100 / 150mm deep translucent high impact plastic trays feature an integral handle with plastic clip-on label cover, (max load per tray 5kg)
 - 7 x Shallow Tray - 355 x 405 x 100mm (internal)
 - 5 x Deep Tray - 355 x 405 x 150mm (internal)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Optional Digital Push Button Lock (does not conform to BS 2881: 1989)
- Worksurface supplied with 870mm cupboards (removable to assist with positioning under existing worktops)
- 0.9mm mild steel welded construction
- Modular design allows for easy interchange with HTM 63 storage systems



MC/R/1870/7S5D

Overall Dimensions (w x d x h)	Description	Right Hand Opening	Left Hand Opening	Weight
500 x 536 x 1870mm	High Cupboard - Plastic Trays	MC/R/1870/7S5D	MC/L/1870/7S5D	88.6kg

Examination / Treatment Couches - Two & Three Section, Variable Height

Features

- BS 2838-2: 1991 Examination & general treatment couches, build, performance & safety specifications
- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
- Electric height adjustment from 490 - 950mm
- Adjustable angle backrest from -25 to +90 degrees
- Adjustable angle footrest from -22 to +90 degrees (3 section couch only)
- Anti-trap gas struts fitted with release levers used on back & footrest sections
- Retractable castors fitted to both ends to assist with movement & positioning
- One adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- 230V ~, 50/60Hz, fitted with a UK 3 pin plug & supplied with a hand switch
- Seamless upholstery using flame retardant anti-microbial vinyl
- Overall Dimensions - 630 x 1,790 x 490 - 950mm (max capacity 225kg)

Options

- E02 - Paper Roll Holder



Item	Description	Weight
EC1210/VBB	Two Section, Variable Height	68.8kg
EC1310/VBB	Three Section, Variable Height	70.2kg

Examination / Treatment Couch - Two Section, Fixed Height

Features

- Fixed height approx. 786mm
- Adjustable angle backrest 0 to +90 degrees using a scissor jack
- Adjustable feet allow levelling on uneven floors
- Seamless upholstery using flame retardant anti-microbial vinyl
- Paper roll holder fitted to foot end (suitable for rolls max 510mm wide x 200mm diameter)
- Supplied boxed for self-assembly
- Overall Dimensions - 610 x 1,860 x 795mm (max capacity 125kg)



EC010/VBB

Item	Description	Weight
EC010/VBB	Examination/Treatment Couch - Two Section, Fixed Height	29.0kg

Leg Rest - Adjustable

Features

- Independently adjustable legs
- Height & angle adjustment from 355 - 510mm
- Seamless upholstery using flame retardant anti-microbial vinyl
- Maximum capacity 25kg
- Overall Dimensions - 460 x 305 x 350 - 510mm (max capacity 25kg)



CS/28/VBB

Item	Description	Weight
CS/28/VBB	Leg Rest - Adjustable	3.5kg

General-Purpose Trolley - Polymer, Shallow Shelves

Features

- High-density polyethylene shelves, with 11mm raised edges
- Microban® product protection inhibits growth of bacteria & aids infection control
- Ergonomic handle & recessed shelf provides leg clearance when maneuvering the cart
- Chrome plated posts offers shelf adjustment in 25mm increments
- Polymer Shelves - 693 x 541mm (internal) at heights 185 & 845mm (max load per shelf 68kg)
- Self-assembly (supplied boxed)
- 100mm pressed steel castors
- Overall Dimensions - 877 x 600 x 902mm



8MY2030-24BU

Item	Description	Weight
8MY2030-24BU	Polymer - Medium, Two Shallow Shelves	14.9kg

General-Purpose Trolley - Polymer, Deep Shelves

Features

- High-density polyethylene shelves, with 70mm raised sides (not suitable for use with automated washers)
- Microban® product protection inhibits growth of bacteria & aids infection control
- Chrome plated posts offers shelf adjustment in 25mm increments
- Shelf heights - 140, 470 & 800mm (lower shelves adjustable)
- Maximum capacity per shelf 68kg / cart 136kg
- Self-assembly (supplied boxed)
- 100mm pressed steel castors
- Overall Dimensions - 997 x 691 x 1,067mm



8BC2636-2DMB

Item	Description	Weight
8BC2636-2DMB	Polymer - Large, Two Deep Shelves	15.9kg

General Purpose Trolley - Chrome, Wire Shelves

Features

- Open wire shelves (shelf size 914 x 610mm)
- Chrome plated posts offers shelf adjustment in 25mm increments
- Recommended shelf heights - 178 & 780mm
- Donut style bumpers
- Maximum capacity per shelf 85kg
- Self-assembly (supplied boxed)
- 100mm pressed steel castors
- Overall Dimensions - 914 x 610 x 965mm



8MW2436-2CW

Item	Description	Weight
8MW2436-2CW	General Purpose Trolley - Chrome, Two Wire Shelves	19.9kg

General-Purpose Trolley - Mild Steel, Melamine Shelves

Features

- Welded steel frame
- Fixed melamine shelves - 855 x 445mm
- Shelf heights - 210 & 845mm
- Maximum capacity per shelf 40kg
- 100mm pressed steel castors
- Overall Dimensions - 1,122 x 533 x 1,008mm



GP025

Item	Description	Weight
GP025	General-Purpose Trolley - Melamine, Two Shelves	20.0kg

Mobile Pump Stands - Polyurethane, Easy Clean

Features

- Range of stands designed specifically to hold blood warmers, pumps & syringe drivers
- Five leg-base with low centre of gravity to assist stability
- 32mm diameter 304 grade stainless steel upright & 25mm diameter pump support bows
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Height adjustable upright using a handwheel (1,300 - 2,000mm)
- Four U shaped hooks
- Maximum recommended load...
 - Hooks - 12kg per stand plus
 - Fixed Upright/s - 22kg per stand
- 75mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)
- Overall Dimensions - 620 x 620 x 1,300 - 2,000mm



Smooth edges & contours, allows easy & effective cleaning



Height adjustable upright using a heavy duty handwheel



Item	Description	Weight
PS/P/SC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, Standard Capacity, Four Hook	11.0kg
PS/P/HC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, High Capacity, Four Hook	13.0kg

Mobile Infusion Stands - Polyurethane, Easy Clean

Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Five leg-base with low centre of gravity to assist stability
- 25mm diameter 304 grade stainless steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (1,260 - 2,100mm)
- Available with two or four pigtail hooks
- Maximum recommended load...
 - Hooks - 4kg per stand plus
 - Fixed Upright - 4kg per stand
- Optional handle keeps feet clear of the base, assists maneuverability & improves patient safety
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)
- Overall Dimensions - 620 x 620 x 1,260 - 2,100mm

Options

- Coloured Indicator Cap - Blue / Green / Red / Yellow



Models available with 2 or 4 hooks



Spearmint	Blue	Green	Red	Yellow	Description	Weight
IS/P/2H/SP	IS/P/2H/BL	IS/P/2H/GR	IS/P/2H/RD	IS/P/2H/YE	Two Hook	7.8kg
IS/P/4H/SP	IS/P/4H/BL	IS/P/4H/GR	IS/P/4H/RD	IS/P/4H/YE	Four Hook	7.9kg
IS/P/2H/H/SP	IS/P/2H/H/BL	IS/P/2H/H/GR	IS/P/2H/H/RD	IS/P/2H/H/YE	Two Hook, Handle	8.2kg
IS/P/4H/H/SP	IS/P/4H/H/BL	IS/P/4H/H/GR	IS/P/4H/H/RD	IS/P/4H/H/YE	Four Hook, Handle	8.3kg

Soiled Linen Trolleys - Stainless Steel, Cantilever Frame

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, which when depressed prevents the trolley from moving
- 75mm pressed steel castors
- Overall Dimensions...
 - Single - 440 x 460 x 820mm
 - Double - 835 x 460 x 820mm
 - Single, Pedal Operated - 440 x 560 x 830mm
 - Double, Pedal Operated - 835 x 560 x 830mm

*Recommended minimum bag circumference 1,360mm, height 750mm



WT/6/SS

Item	Description	Weight
WT/6/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Single	6.5kg
WT/6/2/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Double	10.0kg
WT/6/PL/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Double, Pedal Operated	14.5kg

Soiled Linen Trolleys - Mild Steel, Cantilever Frame

Features

- Welded mild steel frame
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, which when depressed prevents the trolley from moving
- 75mm pressed steel castors
- Overall Dimensions...
 - Single - 440 x 460 x 820mm
 - Double - 835 x 460 x 820mm
 - Single, Pedal Operated - 440 x 560 x 830mm
 - Double, Pedal Operated - 835 x 560 x 830mm

*Recommended minimum bag circumference 1360mm, height 750mm



WT/6/MS

Item	Description	Weight
WT/6/MS	Soiled Linen Trolley - Mild Steel Cantilever, Single	6.5kg
WT/6/2/MS	Soiled Linen Trolley - Mild Steel Cantilever, Double	10.0kg
WT/6/PL/MS	Soiled Linen Trolley - Mild Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/MS	Soiled Linen Trolley - Mild Steel Cantilever, Double, Pedal Operated	14.5kg

Soiled Linen Bags

Features

- Washable 7oz polyester soiled linen bag
- Circumference 1360mm, height 750mm, 120 litres
- Fitted with eyelets and draw cord with plastic toggle
- Available in a range of colours to allow compliance with local, national & international guidelines



Item	Description	Weight
R/BAG/WHITE	White Linen Bag	0.3kg
R/BAG/BLUE	Blue Linen Bag	0.3kg
R/BAG/RED	Red Linen Bag	0.3kg
R/BAG/GREEN	Green Linen Bag	0.3kg
R/BAG/YELLOW	Yellow Linen Bag	0.3kg
R/BAG/GREY	Grey Linen Bag	0.3kg
R/BAG/ORANGE	Orange Linen Bag	0.3kg

Clean Linen Trolleys - Small (390 Litre)

Features

- Suitable for ward clean linen storage
- Available with a flexible cover or fold back doors, to prevent dust ingress
- Mild steel frame, with lightweight aluminium cladding & shelves
- Two adjustable shelves, plus base (max 45kg per shelf)
- Shelf size - 1,000 x 450mm (w x d)
- Push handles either end
- 125mm pressed steel castors
- Maximum capacity per trolley 135kg
- Overall Dimensions - 1175 x 530 x 1065mm



WT/42



WT/42/COVER



WT/42/FBD

Item	Description	Weight
WT/42	Clean Linen Trolley - Small	39.7kg
WT/42/COVER	Clean Linen Trolley - Small, Flexible Cover	42.4kg
WT/42/FBD	Clean Linen Trolley - Small, Fold Back Doors	46.0kg

Clean Linen Trolleys - Medium (690 Litre)

Features

- Used for bulk linen delivery, as part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame with lightweight aluminium cladding & shelves
- Three adjustable shelves plus base (max 45kg per shelf)
- Shelf size - 1,180 x 460mm (w x d)
- Inset push handles at either end
- Low level bumper bar offers protection to both the trolley & fabric of the building
- Available with a flexible cover or fold back doors, to prevent dust ingress
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Overall Dimensions - 1,430 x 600 x 1,495mm
- Maximum capacity per trolley 180kg



Item	Description	Weight
WT/50/COVER	Clean Linen Trolley - Medium, Flexible Cover	90.0kg
WT/50/FBD	Clean Linen Trolley - Medium, Fold Back Doors	97.3kg

Clean Linen Trolleys - Large (1,100 Litre)

Features

- Used for bulk linen delivery, as part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame, with lightweight aluminium cladding & shelves
- Three adjustable shelves plus base (max 45kg per shelf)
- Shelf size - 1,430 x 555mm (w x d)
- Inset push handles at either end
- Low level bumper bar offers protection to both the trolley & fabric of the building
- Available with a flexible cover or fold back doors, preventing dust ingress
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Overall Dimensions - 1,710 x 700 x 1,620mm
- Maximum capacity per trolley 180kg



Item	Description	Weight
WT/48/COVER	Clean Linen Trolley - Large, Flexible Cover	102.9kg
WT/48/FBD	Clean Linen Trolley - Large, Fold Back Doors	111.5kg

Baby Crib - Variable Height, Battery Operation

Features

- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
 - Height adjustable using a handset operated rechargeable battery powered telescopic column (700 - 910mm)
 - Supplied with one rechargeable battery*
 - Push handles either end
 - Lower cupboard with fixed shelf
 - Crib can be tilted at either end (horizontal to approx. 6 degrees)
 - Two lift-up work flaps (max capacity 2.0kg)
 - Supplied with a clear plastic crib (PETG) & flame-retardant mattress (max capacity 6.0kg)
 - 100mm Polymer braking castors
 - Overall dimensions 940 x 510 x 700mm - 910mm
- *Battery must be removed from the unit when charging



Item	Description	Weight
BCV/B	Baby Crib - Variable Height, Battery Operation, With Charger	49.5kg

Baby Crib - Variable Height, Gas Strut Operation

Features

- Height adjustable using a gas damper (710 - 1025mm)
- Push handle either end
- Crib can be tilted at either end (horizontal to approx. 6 degrees)
- Supplied with a clear plastic crib (PETG) & flame-retardant mattress (max capacity 6.0kg)
- 75mm twin-wheel braking castors
- Overall dimensions 930 x 476mm - 775-1025mm



Item	Description	Weight
BCV/G	Baby Crib - Variable Height, Gas Strut Operation	20.2kg

Baby Cribs - Fixed Height

Features

- Available with...
 - Lower shelf
 - Lower shelf & small cupboard
 - Large cupboard
- Crib can be tilted at either end (horizontal to approx. 6 degrees)
- Two lift-up work flaps (max capacity 2.0kg)
- Supplied with a clear plastic crib (PETG) & flame-retardant mattress (max capacity 6.0kg)
- 100mm pressed steel castors, 2 off braking
- Overall dimensions 950 x 500 x 912mm



BCF/LC



BCF/SC



BCF/LS

Item	Description	Weight
BCF/LS	Baby Crib - Fixed Height, Lower Shelf	20.4kg
BCF/SC	Baby Crib - Fixed Height, Small Cupboard	30.8kg
BCF/LC	Baby Crib - Fixed Height, Large Cupboard	38.0kg

Medical Records Trolleys

Features

- Suitable for use with our popular narrow filing pockets (order separately)
- Filing capacity
 - Small - 470mm
 - Medium - 690mm
- Locking lid/s act as a work surface when open & is fitted with either a...
 - CAM Lock - Supplied with two keys
 - Electronic Push Button Lock - Programmable four-digit code
- Maximum load on locking lid/s - 2.0kg
- Document pocket/s fitted to end of trolley
- Optional ring buffers offer protection to both the trolley & fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors
- Overall Dimensions
 - Small - 628 x 539 x 1069mm (width open 1012mm)
 - Medium - 922 x 539 x 1069mm (width open 1424mm)

Options

- CF/F/PK10 - Foolsap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)



MRT/WA/M/EPB



MRT/WA/S/EPB

Item	Description	Weight
MRT/WA/S/EPB	Medical Records Trolley - Small, Electronic Push Button Lock	23.6kg
MRT/WA/M/EPB	Medical Records Trolley - Medium, Electronic Push Button Lock	29.6kg

Medical Records Workstations

Features

- Suitable for use with our filing pockets (order separately)
- Provides 375mm filing capacity per drawer
- Fitted with an electronic push button lock (one lock secures all drawers)
- Double drawer units fitted with an anti-tilt mechanism preventing two drawers from being opened at the same time
- Max load per drawer 16.0kg
- Push handle & document pocket fitted to end of trolley
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking
- Overall Dimensions
 - Single Column - 604 x 538 x 1,028mm
 - Double Column - 1056 x 538 x 1,034mm

Options

- CF/F/PK10 - Foolscape Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)



Item	Description	Weight
MRW/WA/2D/EPB	Medical Records Workstation - Single Column, Two Drawers, Electronic Push Button Lock	40.6kg
MRW/WA/4D/EPB	Medical Records Workstation - Double Column, Four Drawers, Electronic Push Button Lock	72.0kg

Medical Records Filing Trolleys

Features

- Suitable for use with ring binders, case note & lever arch files (max file height 350mm)
- Available in two sizes with
 - Small - 900mm filing capacity
 - Large - 1800mm filing capacity
- Adjustable dividers (small 4 / large 8)
- Doors fold against the sides of the trolley (not flat)
- Large trolleys use one lock to secure both doors
- Electronic Push Button Lock - Programmable four-digit code
- 100mm pressed steel castors
- Overall Dimensions...
 - Small - 546 x 440 x 1,016mm
 - Large - 998 x 440 x 1,016mm



Item	Description	Weight
MRT/FL/S/EPB	Small - Locking Door, Electronic Push Button Lock	26.5kg
MRT/FL/L/EPB	Large - Locking Doors, Electronic Push Button Lock	41.0kg

Portering Chair - Rear Steer, Nesting, Sliding Footrest

Features

- Heavy duty portering chair
- Nests to occupy reduced floor space & encourage tidy storage
- Seamless upholstery using flame retardant antimicrobial vinyl
- Moulded drop down arm rests allows side access for patients & porters
- Sliding footrest aids access as well as supporting feet during transit
- X-ray / notes pocket on rear of seat
- Hook for patients' belongings
- Fittings to accept infusion poles
- 200mm fixed wheels / 150mm total stop braking castors (cushioned)
- Maximum capacity 190kg
- Overall Dimensions - 660 x 840 x 1,040mm (max capacity 190kg)



G/200/RS/VBB

Item	Description	Weight
G/200/RS/VBB	Portering Chair - Rear Steer, Nesting, Sliding Footrest	29.0kg

Portering Chair - Front Steer, Nesting, Sliding Footrest

Features

- Heavy duty portering chair
- Nests to occupy reduced floor space & encourage tidy storage
- Seamless upholstery using flame retardant antimicrobial vinyl
- Moulded drop down arm rests allows side access for patients & porters
- Sliding footrest aids access as well as supporting feet during transit
- X-ray / notes pocket on rear of seat
- Hook for patients' belongings
- Fittings to accept infusion poles
- 125mm swivel castors / 200mm braking fixed wheels (cushioned)
- Maximum capacity 190kg



G/305/FS/VBB

Item	Description	Weight
G/305/FS/VBB	Portering Chair - Front Steer, Nesting, Sliding Footrest	29.0kg

Removable Body Bins - 20 / 50 / 75 Litre

Features

- Premium range of removable body bins, fire retardant to HTM83
- Radiused corners to assist cleaning
- Captive drip tray to collect spills
- Positive bag retention through the use of a drop over clamp
- 'Hands free' design with recessed lid discourages opening by hand & encourage use of the pedal
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning
- Available with 'Colour Coding' to assist refuse identification (HTM07)
- Choice of construction...
 - Mild steel tubular frame & sheet metal body, painted for extra durability
 - 'Rust Free' stainless steel construction, painted for extra durability
- Silent closing versions are fitted with a gas damper to minimise noise when the lid closes
- Overall Dimensions...
 - 20 Litre - 267 x 346 x 552mm
 - 50 Litre - 444 x 397 x 551mm
 - 75 Litre - 444 x 397 x 781mm



Item	Description	Weight
20 Litre		
BR015/WHL	20 Litre - Hands Free, White Lid	8.5kg
BR020/WHL	20 Litre - Hands Free & Silent Closing, White Lid	8.5kg
50 Litre		
BR045/WHL	50 Litre - Hands Free, White Lid	11.5kg
BR050/WHL	50 Litre - Hands Free & Silent Closing, White Lid	11.5kg
75 Litre		
BR075/WHL	75 Litre - Hands Free, White Lid	15.0kg
BR080/WHL	75 Litre - Hands Free & Silent Closing, White Lid	15.0kg

Fixed Body Sackholders - Plastic, 20 Litre

Features

- Meets NHS England 'Managing Healthcare Fire Safety' (HTM-05-01)
- Plastic construction with no metal parts
- Smooth surfaces to assist cleaning
- One-piece plastic lid, available in a range of colours to assist refuse identification (HTM07)
- Soft closing lid
- Bag positively secured using a drop over sack retention ring
- Overall Dimensions - 350 x 220 x 660mm



Item	Description	Weight
5FSH20WH	Fixed Body Sackholder - Plastic, 20 Litre	3.0kg

5FSH20WH

Removable Body Sackholders - Plastic, 42 / 70 Litre

Features

- Meets NHS England 'Managing Healthcare Fire Safety' (HTM-05-03)
- One-piece removable body
- Plastic construction with no metal parts
- Smooth surfaces to assist cleaning
- One-piece plastic lid, available in a range of colours to assist refuse identification (HTM07)
- Soft operating lid on both opening & closing (moving parts enclosed)
- Recessed drip tray to collect unwanted spills
- Bag positively secured using a drop over sack retention ring
- Non-marking rubber feet prevents the bin from sliding
- Wheels fitted to rear of bin assist moving when cleaning
- Overall Dimensions...
- 42 Litre - 460 x 420 x 580mm
- 70 Litre - 460 x 450 x 790mm



Item	Description	Weight
5RSH42WH	Removable Body Sackholder - Plastic, 42 Litre	8.0kg
5RSH70WH	Removable Body Sackholder - Plastic, 70 Litre	9.0kg

5RSH70WH

Mobile Screen - Solid, Three & Four Section, Folding

Features

- Folding compact laminate solid screens
- Available as either three or four section
- Smooth surface assists cleaning
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Dimensions...
 - Overall Screen Height - 1680mm
 - Lowest Screen Height - 180mm
 - Folded - 600 x 435 x 1680mm



Item	Description	Overall Dimensions (w x d x h)	Weight
MS/S3	Mobile Screen - Solid, Three Section, Folding	1802 x 435 x 1680mm	20.8kg
MS/S4	Mobile Screen - Solid, Four Section, Folding	2403 x 435 x 1680mm	27.8kg

Technical Seating - Tech Chairs

Features

- Tech chairs available in two heights...
 - Medium
 - High
- Two lever mechanism
 - Seat height (pneumatic)
 - Back angle, locked or in dynamic free float
- Handwheel back height adjustment
- Fire retardant & antimicrobial vinyl upholstery
- Black polypropylene five-star base
- Models...
 - Medium - Non-braking castors
 - High - Foot ring & glides
- Maximum capacity 150kg



Item	Description	Seat Height	Back Height	Seat Width	Overall Width	Seat Depth	Weight
5TS/TEC/M/VVMA	Tech Chair, Medium	450 - 550mm	330mm	480mm	620mm	430mm	10.0kg
5TS/TEC/H/VVMA	Tech Chair, High	580 - 840mm	330mm	480mm	620mm	430mm	12.0kg

Technical Seating - Tech Stools

Features

- Tech stools available in two heights...
 - Medium
 - High
- Ring lever mechanism height adjustment (pneumatic)
- Fire retardant & antimicrobial vinyl upholstery
- Black polypropylene five-star base
- Models...
 - Medium - Non-braking castors
 - High - Foot ring & glides
- Maximum capacity 150kg



Item	Description	Seat Height	Seat Width	Overall Width	Weight
5TS/TES/M/VVMA	Tech Stool, Medium	450 - 550mm	400mm	620mm	8.0kg
5TS/TES/H/VVMA	Tech Stool, High	510 - 760mm	400mm	620mm	8.0kg

Functional Seating - Abbas

Features

- BS EN 1729-1: Part 1 & 2: 2015 (functional dimensions & safety requirements)
- Suitable for functional seating areas
- Four-leg design
- Moulded polypropylene shell
- Chrome silver finish tubular base
- Stackable 8 high
- Maximum capacity 120kg



5FS/AB/SON

Item	Description	Seat Height	Back Height	Seat Width	Overall Width	Seat Depth	Weight
5FS/AB/SON	Abbas, Four Leg, Plastic Shell	460mm	400mm	435mm	480mm	440mm	5.0kg

Functional Seating - Stroud

Features

- Suitable for functional seating areas, conference rooms & events
- Four-leg design
- Vinyl - Fire retardant & antimicrobial
- Black finish tubular frame
- Stackable 3 high
- Maximum capacity 95kg



5FS/ST/VVMA

Item	Description	Seat Height	Back Height	Seat Width	Overall Width	Seat Depth	Weight
5FS/ST/VVMA	Stroud, Four Leg	500mm	290mm	470mm	530mm	430mm	6.5kg

Patient Seating - Alderbury, Low Back Chair

Features

- BS EN 16139: 2013 Level 2. Furniture. Strength, durability & safety. Requirements for non-domestic seating
- Ergonomic design to ensure correct sit & posture
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Mortice & tenon joint construction, glued & pinned
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Contoured seat & back, seat section fixed
- Hygiene gap prevents the trapping of dirt & bacteria between the seat & back, provides access for cleaning
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 160kg
- Overall Dimensions - 580 x 540 x 890mm



5ND/LC/ALDE/VVDEL



5ND/LC/ALDE/VVDEL

Item	Description	Weight
5ND/LC/ALDE/VVDEL	Alderbury, Low Back Chair, Fixed Seat	8.2kg

Patient Seating - Alderbury, Medium & High Back Chair

Features

- BS EN 16139: 2013 Level 2. Furniture. Strength, durability & safety. Requirements for non-domestic seating
- Ergonomic design to ensure correct sit & posture
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Mortice & tenon joint construction, glued & pinned
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Contoured seat & back
 - Fixed - Seat is fixed to the frame
 - Removable - Seat can be removed to assist cleaning (smooth vinyl upholstered underside) & is reversible to allow the seat section to be repositioned to provide additional clearance at the front of the chair
- Hygiene gap prevents the trapping of dirt & bacteria between the seat & back, provides access for cleaning
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 160kg
- Overall Dimensions
 - Medium Back - 660 x 650 x 1,000mm (max capacity 160kg)
 - High Back - 660 x 650 x 1,195mm (max capacity 160kg)



Item	Description	Weight
Medium Back		
5ND/MAF/ALDE/VVDEL	Alderbury, Medium Back Armchair, Fixed Seat	13.6kg
5ND/MAR/ALDE/VVDEL	Alderbury, Medium Back Armchair, Removable Seat	13.6kg
High Back		
5ND/HAF/ALDE/VVDEL	Alderbury, High Back Armchair, Fixed Seat	14.4kg
5ND/HAR/ALDE/VVDEL	Alderbury, High Back Armchair, Removable Seat	14.4kg


Fixed & Reclining Armchairs - Clifton

Features

- Available as either fixed or reclining...
 - Fixed - Backrest & seat are fixed to the frame
 - Reclining - Uses a manual mechanism that allows the backrest, seat & leg rest to simultaneously tilt (tilt in space). Vinyl links the seat to the footrest (continuous foot seat)
- Contoured seat & back, with optional headrests & wings
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 120kg
- Dimensions...
 - Overall - 630 x 770 x 1140mm
 - Seat - 490 x 500 at Height 460mm
 - Width Between Arms - 520mm
 - Arm Height - 635mm

Options

- Headrests - Adjustable



Headrest



5ND/FA/CLIF/VVDEL



5ND/RA/CLIF/VVDEL

Item	Description	Weight
5ND/FA/CLIF/VVDEL	Clifton, Fixed Armchair	17.0kg
5ND/RA/CLIF/VVDEL	Clifton, Manual Reclining Armchair	25.0kg

Patient Seating - Shapwick, Reclining Armchair

Features

- Available as either manual or electric operation
 - Manual - Tilt in space recliner
 - Electric - Single tilt in space reclining only or single tilt in space reclining with rise function
- Manual chairs use a smooth easy to use push operation
- Electric chairs are fitted with a mains powered actuator (230V ~, 50/60Hz) fitted with a UK 3 pin plug & supplied with a handset
- Upholstered using flame retardant antimicrobial vinyl
- Easiform reflex foam provides comfort when sitting (fixed seat)
- Foam leg rest
- 4 x 50mm swivel braking castors
- Maximum capacity 127kg
- Overall Dimensions - 737 x 902 x 1,130mm (max capacity 127kg)



5RE/RAM/SHAP/VVDEL



5RE/RRAE/SHAP/VVDEL - shown at full rise

Item	Description	Weight
5RE/RAM/SHAP/VVDEL	Shapwick, Reclining Armchair, Manual	41.0kg
5RE/RAE/SHAP/VVDEL	Shapwick, Reclining Armchair, Electric	55.0kg
5RE/RRAE/SHAP/VVDEL	Shapwick, Rise & Recline Armchair, Electric	57.0kg

Patient Seating - Ashington, Waterfall Back, Wide Arm

Features

- Ideal for use in oncology, dialysis or haematology for intravenous cannulation, where a patient may be seated for a prolonged period of time, or alternatively in recovery following minor treatment
- Wide supportive cushioned arm (150mm)
- Available as either manual or electric operation
 - Manual - Tilt in space recliner
 - Electric - Single tilt in space reclining only, or single tilt in space reclining with rise function
- Manual chairs use a smooth easy to use push operation
- Electric chairs are fitted with a mains powered actuator (230V ~, 50/60Hz) fitted with a UK 3 pin plug & supplied with a handset
- Upholstered using flame retardant antimicrobial vinyl
- Easiform reflex foam provides comfort when sitting (fixed seat)
- Foam leg rest
- Fixed deep padded waterfall back
- 2 x 50mm swivel braking castors
- Maximum capacity 127kg
- Overall Dimensions - 765 x 865 x 1,145mm (max capacity 127kg)



5RE/RAE/ASHI/VVDEL



5RE/RAE/ASHI/VVDEL -
shown at full recline

Item	Description	Weight
5RE/RAM/ASHI/VVDEL	Ashington, Reclining Armchair, Waterfall Back, Wide Arm, Manual	43.0kg
5RE/RAE/ASHI/VVDEL	Ashington, Reclining Armchair, Waterfall Back, Wide Arm, Electric	57.0kg
5RE/RRAE/ASHI/VVDEL	Ashington, Rise & Recline, Waterfall Back, Wide Arm, Electric	59.0kg

Patient Seating - Portland, Three Position

Features

- Multi-functional compact chair that provides comfortable seating by day, transforming into a bed by night
- Suitable for use in maternity units, children's wards, relative's rooms, hospices & care homes
- Provides visitors with a comfortable place to sleep during longer visits
- Chair is pulled out in three motions to a bed
 - Chair
 - Lounge Chair
 - Bed
- Upholstered using flame retardant antimicrobial vinyl
- Easiform reflex foam provides comfort when sitting or sleeping
- 50mm swivel braking castors
- Maximum capacity 160kg
- Overall Dimensions...
 - Chair - 870 x 840 x 870mm
 - Bed - 870 x 840 x 2,060mm



5RE/OC/PORT/VVDEL - Chair



5RE/OC/PORT/VVDEL - Lounge Chair



5RE/OC/PORT/VVDEL - Bed

Item	Description	Weight
5RE/OC/PORT/VVDEL	Portland, Overnight Chair, Three Position	61.5kg

Mobile Workstations - Non-Powered

Features

- Models available for use with laptops & vesa display mounts & configurable with a keyboard tray
 - Laptop Mount - Secures the laptop (compatible with laptops up to 482mm in width)
 - Vesa Display Mount - Height adjustable, compatible with 75 x 75mm / 100 x 100mm square hole patterns
 - Keyboard Tray - Retractable tray with wrist support & left / right mouse pad (accepts full size & Medigenic keyboards with room for mouse storage)
- Height adjustable using a gas damper (780 - 1130mm)
- Extruded aluminium column provides a smooth linear height adjustment
- Safety feature prevents trapping of the user beneath the workstation
- Cast aluminium four leg base
- Acrylic work surface
- Configurable with a range of accessories
- 100mm twin-wheel castors (4 x braking)
- Overall Dimensions - 630 x 630 x 780 - 1,130mm



5RC/MW/NP/VM




5RC/MW/NP



5RC/MW/NP/LM

Item	Description	Weight
5RC/MW/NP	Mobile Workstation - Non-Powered	19.6kg
5RC/MW/NP/LM	Mobile Workstation - Non-Powered, Laptop Mount	20.2kg
5RC/MW/NP/VM	Mobile Workstation - Non-Powered, Vesa Display Mount	22.4kg
5RC/MW/NP/VM/KT	Mobile Workstation - Non-Powered, Vesa Display Mount, Keyboard Tray	23.6kg

Area Sales Representatives



Scotland & N.Ireland
Ian Farnfield
01258 451338
scotland@bristolmaid.com



Republic of Ireland & Export
Dave Morton-Jones
+44 (0)1258 484468
export@bristolmaid.com



North
Samantha Lowe
07790 916052
nwest@bristolmaid.com



Midlands
Ian Newbould
07500 039301
midlands@bristolmaid.com



London
Chris Davis
07725 543862
london@bristolmaid.com



South & South West
Jason Duffield
07876 441477
sswest@bristolmaid.com



National Sales Manager
Steve Poller
07711 095899
spoller@bristolmaid.com

Manufacturing Medical Furniture & Equipment Since 1953

With over 65 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.



Hospital Metalcraft Limited
Blandford Heights, Blandford Forum,
Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338
Fax: +44 (0) 1258 455056
sales@bristolmaid.com

www.bristolmaid.com

