



Bristol Maid[™] 
Hospital Metalcraft[™] Limited

Express Range

Manufacturing Medical Furniture & Equipment Since 1953

5 Day Express Range

We understand that there are times when equipment is required at short notice, to support healthcare professionals deliver care.

Our Express offering consists of a range of Essential products, available for delivery within 5-days.

Order before 12pm Thursday for delivery the following week. To ensure that we meet expectations, please ensure that Express is detailed on your purchase order.

Our customer service team are available for you to contact to support you in finding a solution that best suits your requirements.



Bedside Cabinets - Polymer, Easy Clean

Features

- BS 4875-7:2006 - Domestic & contract storage furniture
- Manufactured from recyclable polyethylene
- Open backless design ensures that all areas are accessible, whilst surfaces allow for easy & effective cleaning
- Distinct upper, middle & lower zones
 - Upper - Nurse zone with integral rim to contain any spillages. Ideally positioned for staff to use while standing
 - Middle - Patient zone provides storage area for patient use
 - Lower - Patient zone provides shelf for washbowl, footwear etc
- Drawers can be inserted from either side, allowing the cabinet to be positioned either side of the bed
- Upper & middle drawers can be fitted with an RFID lock, providing secure storage for patient medicines / property*
- 100mm polymer twin-wheel braking castors
- Overall Dimensions - 480 x 665 x 1237mm

*Cabinets with locks are supplied with one patient card - a programming card will be required per ward / directorate as per hospital policy



EBC015



EBC015



EBC030

Item	Description	Weight
EBC015	No Locks	29.0kg
EBC020	Upper Drawer with Lock	29.1kg
EBC025	Middle Drawer with Lock	29.1kg
EBC030	Upper & Middle Drawer with Lock	29.1kg



Bedside Cabinets - Lockable Upper Drawer, Adjustable Shelf

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard construction
- Upper drawer suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with two keys)
- Lower storage offered through a cupboard with double doors & an adjustable shelf
- 50mm twin-wheel polypropylene castors
- Overall Dimensions - 485 x 485 x 905mm



BC1C/BE



BC1C/GW

Item	Description	Weight
BC1C/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf - Beech	34.0kg
BC1C/GW	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf - Grey White	34.0kg



Overbed & Overchair Tables - Polymer, Easy Clean

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- Finish Performance Tests (FIRA Standard 6250 2005)
- Height adjustable using a gas damper (760 - 1070mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular C shaped base suitable for use with beds & chairs
- Recyclable polypropylene one-piece top, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
- Raised edges reduces misplacement of objects & contains spillages
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum load 25kg
- Overall Dimensions - 918 x 440 x 760 - 1070mm



Item	Description	Weight
OCP/SP/S	Overchair Table - Height Adjustable, Polymer, Easy Clean	13.5kg



Patient Seating - Alderbury, Low Back Chair

Features

- BS EN 16139: 2013 Level 2. Furniture. Strength, durability & safety. Requirements for non-domestic seating
- Ergonomic design to ensure correct sit & posture
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Mortice & tenon joint construction, glued & pinned
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Contoured seat & back, seat section fixed
- Hygiene gap prevents the trapping of dirt & bacteria between the seat & back, provides access for cleaning
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 160kg
- Overall Dimensions - 580 x 540 x 890mm



SND/LC/ALDE/VVTUR



SND/LC/ALDE/VVDEL



SND/LC/ALDE/VVLIC

Item	Description	Weight
SND/LC/ALDE/VVDEL	Low Back Chair, Alderbury - Fixed Seat - Delft	8.2kg
SND/LC/ALDE/VVTUR	Low Back Chair, Alderbury - Fixed Seat - Turkis	8.2kg
SND/LC/ALDE/VVLIC	Low Back Chair, Alderbury - Fixed Seat - Lichgrau	8.2kg



Patient Seating - Alderbury, Medium & High Back Armchairs & Clifton, Reclining Armchair

Features

- BS EN 16139: 2013 Level 2. Furniture. Strength, durability & safety. Requirements for non-domestic seating
- Ergonomic design to ensure correct sit & posture
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Mortice & tenon joint construction, glued & pinned
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Contoured seat & back
- Seat can be removed to assist cleaning (smooth vinyl upholstered underside) & is reversible to allow the seat section to be repositioned to provide additional clearance at the front of the chair
- Hygiene gap prevents the trapping of dirt & bacteria between the seat & back, provides access for cleaning
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 160kg
- Overall Dimensions
 - Medium Back - 660 x 650 x 1000mm
 - High Back - 660 x 650 x 1195mm



SND/MAR/ALDE/VVDEL



SND/MAR/ALDE/VVTUR



SND/MAR/ALDE/VVLIC



SND/HAR/ALDE/VVDEL



SND/HAR/ALDE/VVTUR



SND/HAR/ALDE/VVLIC

Item	Description	Weight
Medium Back Armchair		
SND/MAR/ALDE/VVDEL	Medium Back Armchair - Alderbury - Removable Seat - Delft	13.6kg
SND/HAR/ALDE/VVTUR	Medium Back Armchair - Alderbury - Removable Seat - Turkis	13.6kg
SND/HAR/ALDE/VVLIC	Medium Back Armchair - Alderbury - Removable Seat - Lichtgrau	13.6kg
High Back Armchair		
SND/HAR/ALDE/VVDEL	High Back Armchair - Alderbury - Removable Seat - Delft	14.4kg
SND/MAR/ALDE/VVTUR	High Back Armchair - Alderbury - Removable Seat - Turkis	14.4kg
SND/MAR/ALDE/VVLIC	High Back Armchair - Alderbury - Removable Seat - Lichtgrau	14.4kg



Patient Seating - Clifton, Reclining Armchair

Features

- Reclining, uses a manual mechanism that allows the backrest, seat & leg rest to simultaneously tilt (tilt in space).
- Vinyl links the seat to the footrest (continuous foot / seat)
- Contoured seat & bac
- Handgrips assist positioning from standing & seated positions
- Solid beech frame (PEFC accredited)
- Frame finished with anti-bacterial varnish
- Plastic glides fitted to chair legs
- Fire retardant foam (BS 5852: Part 2: 1982)
- Upholstered with fire retardant & antimicrobial vinyl
- Maximum capacity 120kg
- Overall Dimensions - 630 x 770 x 1140mm



SND/RA/CLIF/VVDEL



SND/RA/CLIF/VVDEL

Item	Description	Weight
SND/RA/CLIF/VVDEL	Manual Reclining Armchair - Clifton - Delft	25.0kg



Medical Records Trolley

Features

- Suitable for use with our popular narrow filing pockets (order separately)
- Provides 470mm of filing capacity
- Locking lid/s act as a work surface when open, fitted with an electronic push button lock (programmable four-digit code)
- Maximum load on locking lid/s - 2.0kg
- Document pocket/s fitted to end of trolley
- 100mm pressed steel castors
- Overall Dimensions - 628 x 539 x 1069mm (width open 1012mm)



MRT/WA/S/EPB



Electronic Push Lock

Item	Description	Weight
MRT/WA/S/EPB	Medical Records Trolley - Small - Electronic Push Button Lock	23.6kg



Dispensing Trolley - Standard Capacity, Metal

Features

- Suitable for the storage & dispensing of drugs & medicines
- Lockable hinged lid provides document support
- Fitted with a high security bolt lock (supplied with two keys)
- Hinged writing flap provides a work area at height 907mm (max capacity 2.0kg)
- Lower shelf
- Five tier plastic rack (395mm)
- Two slide out storage / waste bins
- 100mm pressed steel castors
- When not in use, trolley should be secured to the building
- Overall Dimensions - 750 x 459 x 1112mm



MT130 - Shown with Lid Down



MT130

Item	Description	Weight
MT130	Dispensing Trolley - Metal - High Security Bolt Lock, Small	22.0kg



Caretray Trolley - Mild Steel, Standard Level, Single Column

Features

- Standard level, single column easy clean procedure trolley
- Quick & easy disassembly, assists thorough & deep cleaning
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Carerails fitted to either side support a wide range of accessories
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking
- Overall Dimensions - 550 x 550 x 993mm



CTM1/10/3S2D

Item	Description	Weight
CTM1/10/3S2D	Caretray Trolley - Mild Steel - Standard Level - Single Column - 3 x 100mm, 2 x 150mm Trays	27.5kg



Mobile Infusion Stand - Polyurethane, Easy Clean

Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Five leg-base with low centre of gravity to assist stability
- 25mm diameter 304 grade stainless steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (1260 - 2100mm)
- Fitted with two pigtail hooks
- Maximum recommended load...
 - Hooks - 4kg per stand plus
 - Fixed Upright - 4kg per stand
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)
- Overall Dimensions - 620 x 620 x 1260 - 2100mm

CE



Item	Description	Weight
IS/P/2H/SP	Mobile Infusion Stand - Polyurethane - Easy Clean - Spearmint Indicator Cap	27.5kg



Dressing / Instrument Trolley - Removable Shelves, Stainless Steel

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Flat 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)
- Overall dimensions - 470 x 470 x 890mm



DTSR/450

Item	Description	Weight
DTSR/450	Dressing / Instrument Trolley - Removable Shelves - Stainless Steel, 450mm Deep - Small	11.5kg



Dressing / Instrument Trolleys - Fixed Shelves, Sides Up, Stainless Steel

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with three sides up & one down
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)
- Overall Dimensions - 470 x 470 x 890mm



DTSF/450

Item	Description	Weight
DTSF/450	Dressing / Instrument Trolley - Fixed Shelves - Stainless Steel, 450mm Deep - Small	11.5kg



Mobile Screen - Solid, Four Section, Folding

Features

- Folding compact laminate four section solid screen
- Smooth surface assists cleaning
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Overall Dimensions - 2403 x 435 x 1680mm (folded - 600 x 435 x 1680mm)



MS/S4

Item	Description	Overall Dimensions (w x d x h)	Weight
MS/S4	Mobile Screen - Solid - Four Section - Folding	2403 x 435 x 1680mm	27.8kg



Mobile Screen - Solid, Six & Eight Section, Folding

Features

- Folding compact solid screens
- Available as either six or eight section
- Aluminium frame, featuring smooth easy to clean panels
- Smooth folding action, with a no gap design to ensure patient privacy
- Smooth surfaces assist cleaning
- Screens fold away into the base for space saving
- 75mm polypropylene / thermoplastic rubber twin-wheel braking non-marking castors
- Overall dimensions
 - Six Section - 1800 x 560 x 1650mm
 - Eight Section - 2400 x 560 x 1650mm



Space saving fold away



5MS/S6



5MS/S8

Item	Description	Weight
5MS/S6	Mobile Screen - Solid - Six Section - Folding	29.6kg
5MS/S8	Mobile Screen - Solid - Eight Section - Folding	34.6kg



Controlled Drug Cabinets

Features

- Exceeds the statutory requirement for the storage of controlled drugs "The Misuse of Drugs (Safe Custody) Regulations 1973"
- BS 3621 anti-pick & drill, key retaining six pin cylinder lock (supplied with two keys & identification card)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs per profile
- Compatible with CLIQ[®], integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Can be supplied with a micro-switch to allow connection to remote lighting / nurse call system by others (CD905), or supplied with a 12v DC LED lighting / warning system with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz -60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer casing adds 105mm to the overall height
- 1.5mm mild steel, seamless welded construction
- Mounting holes provided in back (fixings not included)
- Adjustable & removable shelves
- Security can be enhanced by concealing inside one of our 'Drug & Medicine Cabinets'
- Modular design allows for easy interchange with HTM 63 storage systems



CD010



CD020

Item	Overall Dimensions	Shelves	Weight
CD010	335 x 270 x 300mm	1	9.0kg
CD020	500 x 300 x 550mm	2	20.0kg



Drug & Medicine Cabinets - Shelves & Door Shelves

Features

- Independently tested to BS 2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Adjustable & removable shelves (190mm deep) & door shelves (75mm deep)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ[®], integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- 12v DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- 0.9mm mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Modular design allows for easy interchange with HTM 63 storage systems
- Compatible with our range of CD cabinets for the storage of Controlled Drugs



PC536



PC636



PC1039

Item	Overall Dimensions	Shelves / Door Shelves	Compatible CD Cabinets	Weight
PC536	500 x 300 x 600mm	3 / 3	CD005, CD010	29.9kg
PC636	600 x 300 x 600mm	3 / 3	CD005, CD010	33.9kg
PC1039	1000 x 300 x 900mm	8 / 8	CD005, CD010, CD015	53.9kg



Examination / Treatment Couch - Two Section, Variable Height

Features

- BS 2838-2: 1991 Examination & general treatment couches, build, performance & safety specifications
- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
- Electric height adjustment from 490 - 950mm
- Adjustable angle backrest from -25 to +90 degrees
- Anti-trap gas struts fitted with release levers used on back & footrest sections
- Retractable castors fitted to both ends to assist with movement & positioning
- One adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- 230V ~, 50/60Hz, fitted with a UK 3 pin plug & supplied with a hand switch
- Seamless upholstery using flame retardant anti-microbial vinyl
- Maximum capacity 225kg
- Overall Dimensions - 630 x 1790 x 490 - 950mm



EC1210/VBB

Item	Description	Weight
EC1210/VBB	Examination / Treatment Couch - Two Section - Variable Height	68.8kg





Manufacturing Medical Furniture & Equipment Since 1953

With over 70 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.



Hospital Metalcraft Limited
Blandford Heights, Blandford Forum,
Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338
Fax: +44 (0) 1258 455056
sales@bristolmaid.com

www.bristolmaid.com

MKT-160424-276-1