




Bristol Maid™
Hospital Metalcraft™ Limited



Theatre Equipment & Storage Solutions for the Medical World

Medical Furniture & Equipment 2023

Founded in 1953, Bristol Maid has been manufacturing and supplying medical furniture & equipment for over 65 years. From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money. We take pride in working in close partnership with our customers to deliver effective solutions based on innovative design and technology that will meet the demands of today while anticipating the solutions for tomorrow.

Our highly-trained staff are experienced in every aspect of customer support, from simple product selection to bespoke technical solutions, from on-site audits to complex project management arrangements, according to our customers' needs. Bristol Maid's commitment to quality is based on years of experience working with healthcare professionals in an exacting and regulated environment, and is supported by an ISO 9001:2015 quality management system that is registered with a UKAS accredited certification body.

If you require further assistance, please do not hesitate to contact our Customer Service team who are here to help; or alternatively can arrange for your Regional Sales Representative to visit and help find a solution that best suits your requirements.



+44 (0)1258 484455



Monday to Friday - 8:30am - 5:00pm



**Blandford Heights, Blandford Forum
Dorset, DT11 7TG, UK**



www.bristolmaid.com



sales@bristolmaid.com

Contents

Caretray Trolleys

Stainless Steel, Single & Double Column	2
Mild Steel, Single & Double Column	3

Scancell® Carts

ScanCell® Carts - Roller Shutters	4
-----------------------------------	---

Dispensers & Holders

Apron Dispensers	6
Glove / Mask Box Holders	6

Dressing / Instrument Trolleys

Removable Shelves, Stainless Steel, 450mm Deep	7
Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep	7
Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep	8
Fixed Shelves, Sides Down, Stainless Steel, 600mm Deep	8

Infusion / Pump Stands & Accessories

Mobile Pump Stand - Polyurethane, Easy Clean	9
Mobile Infusion Stand - Polyurethane, Easy Clean	10

Linen Trolleys & Bags

Soiled Linen Trolleys - Stainless Steel, Cantilever Frame	11
Soiled Linen Bags	11

Sackholders & Waste Bins

Removable Body Bins - 20 / 50 / 75 Litre	12
Fixed Body Sackholders - Plastic, 20 Litre	13
Removable Body Sackholders - Plastic, 42 & 70 Litre	13

Technical Seating

Saddle Stool, Vinyl	14
Saddle Stool, Polyurethane	14
Perch Stool, Polyurethane	15
Tech Stools, Polyurethane	15
Tech Chairs, Cleanroom	16
Tech Stools, Cleanroom	17

Shelving & Racking Solutions



Polymer Racking - MetroMax I®	18
Epoxy / Polymer Racking - MetroMax Q®	19
Zinc Chrome Racking - Olympic®	20
High Density Storage - Top-Track® & qwikTRAK®	21
HTM71 Racking	22
Sterile Container Storage - Static	25
Sterile Container Storage - Mobile	26
Suture Storage Trolleys	37

Theatre Equipment

Bowl Stands - Fixed Height	28
Bowl Stands - Variable Height	28
Bowl Stands - Variable Height, Polyurethane, Easy Clean	29
Bowl Stand - Kickabout	30
Bucket Stands - Kickabout, 15 - Litre Bucket	30
Instrument / Mayo Tables - Cantilever, Variable Height	31
Operating Platforms	31

Mobile Workstations

Non-Powered	32
-------------	----



Caretray Trolleys - Stainless Steel, Single & Double Column

Features

- Quick & easy disassembly, assists thorough & deep cleaning
- Seamlessly welded, one-piece 304 grade stainless steel frame
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building, smooth surfaces assist cleaning
- 100mm pressed steel castors, 2 off braking

Dimensions (w x d x h)

- Overall Dimensions...
 - Low level
 - Single Column - 550 x 550 x 807mm
 - Double Column - 1005 x 550 x 807mm
 - Standard level
 - Single Column - 550 x 550 x 993mm
 - Double Column - 1005 x 550 x 993mm
- Plastic Top
 - Single Column - 455 x 455 (internal) at height 782mm
 - Double Column - 915 x 455 (internal) at height 782mm
- Trays
 - Shallow Tray - 355 x 405 x 100mm (internal)
 - Deep Tray - 355 x 405 x 150mm (internal)



CTS2/08/4S3D



CTS1/08/3S1D



CTS1/10/3S2D

Item	Description	Weight
CTS1/08/3S1D	Stainless Steel, Low Level, Single Column, 3 x 100mm, 1 x 150mm Trays	22.3kg
CTS2/08/4S3D	Stainless Steel, Low Level, Double Column, 4 x 100mm Trays, 3 x 150mm Trays	36.9kg
CTS1/10/3S2D	Stainless Steel, Standard Level, Single Column, 3 x 100mm, 2 x 150mm Trays	29.0kg
CTS2/10/6S4D	Stainless Steel, Standard Level, Double Column, 6 x 100mm Trays, 4 x 150mm Trays	47.3kg

Caretray Trolleys - Mild Steel, Single & Double Column

Features

- Quick & easy disassembly, assists thorough & deep cleaning
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking

Dimensions (w x d x h)

- Overall Dimensions...
 - Low level
 - Single Column - 550 x 550 x 807mm
 - Double Column - 1005 x 550 x 807mm
 - Standard level
 - Single Column - 550 x 550 x 993mm
 - Double Column - 1005 x 550 x 993mm
- Plastic Top
 - Single Column - 455 x 455 (internal) at height 782mm
 - Double Column - 915 x 455 (internal) at height 782mm
- Trays
 - Shallow Tray - 355 x 405 x 100mm (internal)
 - Deep Tray - 355 x 405 x 150mm (internal)



CTM1/08/3S1D



CTM2/10/6S4D



CTM1/10/3S2D

Item	Description	Weight
CTM1/08/3S1D	Mild Steel, Low Level, Single Column, 3 x 100mm, 1 x 150mm Trays	22.0kg
CTM2/08/4S3D	Mild Steel, Low Level, Double Column, 4 x 100mm Trays, 3 x 150mm Trays	36.4kg
CTM1/10/3S2D	Mild Steel, Standard Level, Single Column, 3 x 100mm, 2 x 150mm Trays	28.6kg
CTM2/10/6S4D	Mild Steel, Standard Level, Double Column, 6 x 100mm Trays, 4 x 150mm Trays	46.7kg

ScanCell® Carts - Roller Shutters

Features

- Mobile storage carts fitted with roller shutters for use with 600 x 400mm trays & baskets
- Available as single, double & treble columns in a range of heights
- Lightweight easyclean design
- Injection moulded ABS top / chassis with aluminium corner profiles, laminate sides & back, polypropylene roller shutter
- Fitted with angled / horizontal side panels to suit 400 or 600mm insertions
 - Type A - 600mm Insertions
 - Type B - 400mm Insertions
- 125mm polymer castors, 2 off braking

Standard Colours

- Body - Grey










Options

- 4UR1A - Utility Rail, Type A (Cart Heights 905mm, 1055mm, 1205mm)
- 4UR1B - Utility Rail, Type B (Cart Heights 905mm, 1055mm, 1205mm)
- 4PR1A - Push Rail, Type A (Cart Heights 1503mm, 1803mm)
- 4PR1B - Push Rail, Type B (Cart Heights 1503mm, 1803mm)












4B1RS10





Type A - 600mm Insertion

					
706mm Cart Depth	905mm High	1055mm High	1205mm High	1503mm High	1803mm High
462mm Wide 	4A1RS09	4A1RS10	4A1RS12	4A1RS15	4A1RS18
924mm Wide 	4A2RS09	4A2RS10	4A2RS12	4A2RS15	4A2RS18
1386mm Wide 	4A3RS09	4A3RS10	4A3RS12	4A3RS15	4A3RS18





Type B - 400mm Insertion

					
494mm Cart Depth	905mm High	1055mm High	1205mm High	1503mm High	1803mm High
662mm Wide 	4B1RS09	4B1RS10	4B1RS12	4B1RS15	4B1RS18
1324mm Wide 	4B2RS09	4B2RS10	4B2RS12	4B2RS15	4B2RS18
1986mm Wide 	4B3RS09	4B3RS10	4B3RS12	4B3RS15	4B3RS18

Type A - 600mm Insertion

					
	706mm Cart Depth	905mm High	1055mm High	1205mm High	1503mm High
	462mm Wide	4A1DR09	4A1DR10	4A1DR12	4A1DR15
					4A1DR18
	924mm Wide	4A2DR09	4A2DR10	4A2DR12	4A2DR15
					4A2DR18
	1386mm Wide	4A3DR09	4A3DR10	4A3DR12	4A3DR15
					4A3DR18

Type B - 400mm Insertion

					
	494mm Cart Depth	905mm High	1055mm High	1205mm High	1503mm High
	662mm Wide	4B1DR09	4B1DR10	4B1DR12	4B1DR15
					4B1DR18
	1324mm Wide	4B2DR09	4B2DR10	4B2DR12	4B2DR15
					4B2DR18
	1986mm Wide	4B3DR09	4B3DR10	4B3DR12	4B3DR15
					4B3DR18



4A1RS12
(trays & baskets not included)

Apron Dispensers - Roll

Features

- Apron roll holders, maximum width 415mm
- Holes for wall mounting (fixings not provided)

Dimensions (w x d x h)

- One Roll - 420 x 168 x 268mm
- Three Roll - 420 x 168 x 615mm

Standard Colours

- Paint - White



Item	Description	Weight
DAR/1	One Roll	2.0kg
DAR/3	Three Rolls	8.2kg

Glove / Mask Box Holders One Box

Features

- Accommodates glove & mask boxes up to 150mm in width
- Box presented in portrait orientation
- Available for wall mounting or fitted with a 15mm square hook (fixings not provided)

Dimensions (w x d x h)

- GMBH/WM - 143 x 100 x 152mm
- GMBH/15 - 143 x 122 x 177mm

Standard Colours

- Paint - Grey White



Item	Description	Weight
GMBH/WM	One Box, Wall Mounted	0.5kg
GMBH/15	One Box, 15mm Square Hook	0.6kg

Glove / Mask Box Holders Three Box

Features


- Plastic coated wire frame
- Accommodates glove & mask boxes up to 150mm in width
- Boxes presented in landscape orientation
- Available for wall mounting or fitted with a 15mm square hook (fixings not provided)

Dimensions (w x d x h)

- DG/3 - 290 x 115 x 405mm
- DG/3/15 - 290 x 141 x 405mm

Standard Colours

- Plastic - White



Item	Description	Weight
DG/3	Three Box, Wall Mounting	0.7kg
DG/3/15	Three Box, 15mm Square Hook	0.8kg

Dressing / Instrument Trolleys - Removable Shelves, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Flat or reversible 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Reversible shelves allow the end user to choose between a flat shelf or one with three upturned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)



Flat Shelves	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSR/450	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSR/750	Large	750 x 450mm	770 x 470 x 890mm	18.0kg

Dressing / Instrument Trolleys - Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with three sides up & one down
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)



Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/450	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSF/750	Large	750 x 450mm	770 x 470 x 890mm	18.0kg

Dressing / Instrument Trolleys - Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with down turned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)



DTSF/450/2/SD

Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/450/2/SD	Small	450 x 450mm	470 x 470 x 870mm	12.0kg
DTSF/750/2/SD	Large	750 x 450mm	770 x 470 x 870mm	18.0kg

Dressing / Instrument Trolleys - Fixed Shelves, Sides Down, Stainless Steel, 600mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with down turned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 100mm pressed steel anti-static non-marking castors

* Drawers not suitable for this product



DTSF/66/2/SD

Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/66/2/SD	Small	600 x 600mm	620 x 620 x 870mm	17.5kg
DTSF/96/2/SD	Medium	900 x 600mm	920 x 620 x 870mm	24.0kg

Mobile Pump Stands - Polyurethane, Easy Clean

Features

- Range of stands designed specifically to hold blood warmers, pumps & syringe drivers
- Five leg base with low centre of gravity to assist stability
- 32mm diameter 304 grade stainless steel upright & 25mm diameter pump support bows
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Height adjustable upright using a handwheel (1,300 - 2,000mm)
- Four U shaped hooks
- Maximum recommended load...
 - Hooks - 12kg per stand plus
 - Fixed Upright/s - 22kg per stand
- 75mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)

Dimensions (w x d x h)

- Overall - 620 x 620 x 1,300 - 2,000mm
- Vertical Clamping Area
 - PS/P/SC/4H - 975mm
 - PS/P/HC/4H - 771mm (upright) 2 x 646mm (support bows)

Standard Colours

- Base - Grey
- Upright & Support Bows - Stainless Steel

Vertical Clamping Area

- PS/P/SC/4H - 975mm
- PS/P/HC/4H - 771mm (upright) 2 x 646mm (support bows)



Smooth edges & contours, allows easy & effective cleaning

Item	Description	Weight
PS/P/SC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, Standard Capacity, Four Hook	11.0kg
PS/P/HC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, High Capacity, Four Hook	13.0kg



Mobile Infusion Stands - Polyurethane, Easy Clean



Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Five leg base with low centre of gravity to assist stability
- 25mm diameter 304 grade stainless steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (1,260 - 2,100mm)
- Available with two or four pigtail hooks
- Maximum recommended load...
 - Hooks - 4kg per stand plus
 - Fixed Upright - 4kg per stand
- Optional handle keeps feet clear of the base, assists manoeuvrability & improves patient safety
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)

Dimensions (w x d x h)

- Overall - 620 x 620 x 1,260 - 2,100mm
- Vertical Clamping Area
 - IS/P/2H & IS/P/4H - 970mm
 - IS/P/2H/H & IS/P/4H/H - 840mm

Standard Colours

- Base - Grey
- Upright & Handle - Stainless Steel
- Coloured Indicator Cap - Spearmint

Options

- Coloured Indicator Cap - Blue / Green / Red / Yellow



BL
Blue




GR
Green



RD
Red



YE
Yellow



4 hook pole supplied with models with '4H' product code suffix



Spearmint	Blue	Green	Red	Yellow	Description	Weight
IS/P/2H/SP	IS/P/2H/BL	IS/P/2H/GR	IS/P/2H/RD	IS/P/2H/YE	Two Hook	7.8kg
IS/P/4H/SP	IS/P/4H/BL	IS/P/4H/GR	IS/P/4H/RD	IS/P/4H/YE	Four Hook	7.9kg
IS/P/2H/H/SP	IS/P/2H/H/BL	IS/P/2H/H/GR	IS/P/2H/H/RD	IS/P/2H/H/YE	Two Hook, Handle	8.2kg
IS/P/4H/H/SP	IS/P/4H/H/BL	IS/P/4H/H/GR	IS/P/4H/H/RD	IS/P/4H/H/YE	Four Hook, Handle	8.3kg

Soiled Linen Trolleys - Stainless Steel, Cantilever Frame

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, when depressed prevents the trolley from moving
- 75mm pressed steel castors

*Recommended minimum bag circumference 1360mm, height 750mm

Dimensions (w x d x h)

- Single - 440 x 460 x 820mm
- Double - 835 x 460 x 820mm
- Single, Pedal Operated - 440 x 560 x 830mm
- Double, Pedal Operated - 835 x 560 x 830mm



Item	Description	Weight
WT/6/SS	Stainless Steel Cantilever, Single	6.5kg
WT/6/2/SS	Stainless Steel Cantilever, Double	10.0kg
WT/6/PL/SS	Stainless Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/SS	Stainless Steel Cantilever, Double, Pedal Operated	14.5kg

Soiled Linen Bags

Features

- Washable 7oz polyester soiled linen bag
- Circumference 1360mm, height 750mm, 120 litres
- Fitted with eyelets and draw cord with plastic toggle
- Available in a range of colours to allow compliance with local, national & international guidelines



Item	Description	Weight
R/BAG/WHITE	White Linen Bag	0.3kg
R/BAG/BLUE	Blue Linen Bag	0.3kg
R/BAG/RED	Red Linen Bag	0.3kg
R/BAG/GREEN	Green Linen Bag	0.3kg
R/BAG/YELLOW	Yellow Linen Bag	0.3kg
R/BAG/GREY	Grey Linen Bag	0.3kg
R/BAG/ORANGE	Orange Linen Bag	0.3kg

Removable Body Bins - 20 / 50 / 75 Litre



Features

- Premium range of removable body bins, fire retardant to HTM83
- Radiused corners to assist cleaning
- Captive drip tray to collect spills
- Positive bag retention through the use of a drop over clamp
- 'Hands free' design with recessed lid discourages opening by hand & encourage use of the pedal
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning
- Available with 'Colour Coding' to assist refuse identification (HTM07)
- Choice of construction...
 - Mild steel tubular frame & sheet metal body, painted for extra durability
 - 'Rust Free' stainless steel construction, painted for extra durability
- Silent closing versions are fitted with a gas damper to minimise noise when the lid closes

Dimensions (w x d x h)

- 20 Litre - 267 x 346 x 552mm
- 50 Litre - 444 x 397 x 551mm
- 75 Litre - 444 x 397 x 781mm



BR015/WHL



BR045/WHL

Item	Description	Weight
BR015/WHL	20 Litre - Hands Free	8.5kg
BR020/WHL	20 Litre - Hands Free & Silent Closing	8.5kg
BR045/WHL	50 Litre - Hands Free	11.5kg
BR050/WHL	50 Litre - Hands Free & Silent Closing	11.5kg
BR075/WHL	75 Litre - Hands Free	15.0kg
BR080/WHL	75 Litre - Hands Free & Silent Closing	15.0kg

Alternative lid colours are available. Change suffix 'WHL' on the product code with any of the following i.e. Removable Body Bin - 50ltr, Hands free with a green lid - BR045/**G**NL



Fixed Body Sackholders - Plastic, 20 Litre

Features

- Meets NHS England 'Managing Healthcare Fire Safety' (HTM-05-01)
- Plastic construction with no metal parts
- Smooth surfaces to assist cleaning
- One-piece plastic lid, available in a range of colours to assist refuse identification (HTM07)
- Soft closing lid
- Bag positively secured using a drop over sack retention ring


Dimensions (w x d x h)

- Overall Dimensions - 350 x 220 x 660mm



5FSH20WH

Alternative lid colours available. Change suffix 'WH' on the item no. with any of the following, i.e. Fixed Body Sackholder - Plastic, Silent Closing, 20 Litre with a black lid - 5FSH20BL



Item	Description	Weight
5FSH20WH	Fixed Body Sackholder - Plastic, Silent Closing, 20 Litre	3.0kg

Removable Body Sackholders - Plastic, 42 & 70 Litre

Features

- Meets NHS England 'Managing Healthcare Fire Safety' (HTM-05-03)
- One-piece removable body
- Plastic construction with no metal parts
- Smooth surfaces to assist cleaning
- One-piece plastic lid, available in a range of colours to assist refuse identification (HTM07)
- Soft operating lid on both opening & closing (moving parts enclosed)
- Recessed drip tray to collect unwanted spills
- Bag positively secured using a drop over sack retention ring
- Non-marking rubber feet prevents the bin from sliding
- Wheels fitted to rear of bin assist moving when cleaning

Dimensions (w x d x h)

- 42 Litre - 460 x 420 x 580mm
- 70 Litre - 460 x 450 x 790mm




5RSH42WH



5RSH70WH

Alternative lid colours available. Change suffix 'WH' on the item no. with any of the following, i.e. Fixed Body Sackholder - Plastic, Silent Closing, 42 Litre with a black lid - 5RSH42BL



Item	Description	Weight
5RSH42WH	Removable Body Sackholder - Plastic, Silent Closing, 42 Litre	8.0kg
5RSH70WH	Removable Body Sackholder - Plastic, Silent Closing, 70 Litre	9.0kg

Technical Seating - Saddle Stool, Vinyl

Features

- Ergonomic saddle seat
- Strengthens the spine & improves posture
- Single lever mechanism
 - Seat height (pneumatic)
- Fire retardant & antimicrobial vinyl upholstery
- Black polypropylene five-star base
- Non-braking castors
- Maximum capacity 150kg



5TS/SA/VVMA

Replace suffix on the product code with any of the following to select your colour i.e.
Saddle Stool in Noir Vinyl - 5TS/SA/VVNR

Vinyl - Camira Vita



Item	Description	Seat Height	Weight
5TS/SA	Saddle Stool, Vinyl	550 - 730mm	5.6kg

Technical Seating - Saddle Stool, Polyurethane

Features

- Ergonomic saddle seat
- Strengthens the spine & improves posture
- Single lever mechanism
 - Seat height (pneumatic)
- Soft touch black polyurethane seat
- Black polypropylene five-star base
- Non-braking castors
- Maximum capacity 150kg



Item	Description	Seat Height	Weight
5TS/SA/PU	Saddle Stool, Polyurethane	550 - 730mm	8.0kg

Technical Seating - Perch Stool, Polyurethane

Features

- Single lever mechanism
 - Seat height (pneumatic)
- Soft touch black polyurethane seat
- Black polypropylene five-star base
- Non-braking castors
- Maximum capacity 150kg



Item	Description	Seat Height	Weight
5TS/PE/PU	Perch Stool, Polyurethane	470 - 650mm	8.0kg

Technical Seating - Tech Stools, Polyurethane

Features

- Range of industrial stools available as...
 - Medium
 - High
- Ring lever mechanism height adjustment (pneumatic)
- Soft touch black polyurethane seat
- Black polypropylene five-star base
- Medium stools fitted with non-braking castors
- High stool fitted with foot ring & glides
- Maximum capacity 150kg




5TS/TES/M/PU



5TS/TES/H/PU

Item	Description	Seat Height	Seat Diameter	Weight
5TS/TES/M/PU	Tech Stool, Medium, Polyurethane	440 - 630mm	350mm	8.0kg
5TS/TES/H/PU	Tech Stool, High, Polyurethane	520 - 770mm	350mm	8.0kg

Technical Seating - Tech Chairs, Cleanroom



Features

- Range of ESD (anti-static) tech chairs available in two heights...
 - Medium
 - High
- Two lever mechanism
 - Seat height (pneumatic)
 - Back angle, locked or in dynamic free float
- Handwheel back height adjustment
- Black ESD (anti-static) vinyl
- Aluminium five-star base
- Models...
 - Medium - Non-braking ESD (anti-static) castors
 - High - Foot ring & ESD (anti-static) glides
- HEPA filter
- Maximum capacity 120kg

Options

- 5BLCESD - Brake loaded Castors ESD



5TS/TECC/M



5TS/TECC/H

Item	Description	Seat Height	Back Height	Seat Width	Overall Width	Seat Depth	Weight
5TS/TECC/M	Tech Chair, Cleanroom, Medium	440 - 580mm	460mm	485mm	670mm	460mm	13.0kg
5TS/TECC/H	Tech Chair, Cleanroom, High	570 - 820mm	460mm	485mm	710mm	460mm	14.0kg

Technical Seating - Tech Stools, Cleanroom

Features

- Range of ESD (anti-static) tech stools available in two heights...
 - Medium
 - High
- Ring lever mechanism height adjustment (pneumatic)
- Black ESD (anti-static) vinyl
- Aluminium five-star base
- Models...
 - Medium - Non-braking ESD (anti-static) castors
 - High - Foot ring & ESD (anti-static) glides
- Maximum capacity 120kg

Options

- 5BLCESD - Brake loaded Castors ESD



5TS/TECS/M



5TS/TECS/H


Item	Description	Seat Height	Overall Width/Depth	Weight
5TS/TECS/M	Tech Stool, Cleanroom, Medium	425 - 550mm	670mm	10.0kg
5TS/TECS/H	Tech Stool, Cleanroom, High	540 - 790mm	670mm	11.0kg

Polymer Racking - MetroMax I®



Features

- Corrosion proof polymer shelving & racking system
- Polymer posts
- Polymer shelves with stainless steel corners & a patented no tools assembly, adjustable in 25mm increments
- Removable easy to clean polymer shelf mats (will fit most dishwashers) available as...
 - Grid Shelves - Open grid design allowing for the free circulation of air, improved visibility & light penetration
 - Solid Shelves - Solid design offering a tear free surface, ideal for the storage of sterilised DIN/ISO trays within theatres
- Microban® product protection inhibits growth of bacteria & aids infection control
- Available as stationary or mobile units...
 - Stationary - Fitted with adjustable feet to allow levelling on uneven floors
 - Mobile - Fitted with 125mm swivel / braking castors
- Rack / unit capacity...
 - Stationary - 907kg
 - Mobile - 339kg
- Optional label holders, shelf dividers & ledges
- Lifetime anti-corrosion warranty
- Supplied for self-assembly



Solid Shelves

Stationary Units

4 Shelves - 1,590mm High			5 Shelves - 1,895mm High	
Shelf Size (w x d)	Grid Shelves	Solid Shelves	Grid Shelves	Solid Shelves
914 x 610mm	8MX536SG	8MX536SS	85MX536SG	85MX536SS
1066 x 610mm	8MX546SG	8MX546SS	85MX546SG	85MX546SS
1219 x 610mm	8MX556SG	8MX556SS	85MX556SG	85MX556SS
1524 x 610mm	8MX566SG	8MX566SS	85MX566SG	85MX566SS

Mobile Units

4 Shelves - 1,590mm High			5 Shelves - 1,895mm High	
Shelf Size (w x d)	Grid Shelves	Solid Shelves	Grid Shelves	Solid Shelves
914 x 610mm	8MX536MG	8MX536MS	85MX536MG	85MX536MS
1066 x 610mm	8MX546MG	8MX546MS	85MX546MG	85MX546MS
1219 x 610mm	8MX556MG	8MX556MS	85MX556MG	85MX556MS
1219 x 610mm	8MX566MG	8MX566MS	85MX566MG	85MX566MS



8MX556SG



85MX556SG


Room Design & Installation Service Available
Contact us for more information

Epoxy / Polymer Racking - MetroMax Q®



Features

- Epoxy / polymer shelving & racking system
- Epoxy coated shelves & posts with a patented no tools lever shelf release mechanism, adjustable in 25mm increments
- Removable easy to clean polymer open grid shelf mats (will fit most dishwashers)
- Open grid design allowing for the free circulation of air, improved visibility & light penetration
- Microban® product protection inhibits growth of bacteria & aids infection control
- Available as stationary or mobile units...
 - Stationary - Fitted with adjustable feet to allow levelling on uneven floors
 - Mobile - Fitted with 125mm swivel / braking castors
- Rack / unit capacity...
 - Stationary - 907kg
 - Mobile - 339kg
- Optional label holders, shelf dividers & ledges
- Anti-corrosion warranty
 - Frame & Posts - 15 years
 - Shelf Mats - Lifetime
- Supplied for self-assembly



Open Grid Shelves

Stationary Units

Shelf Size (w x d)	4 Shelves - 1,590mm High	5 Shelves - 1,895mm High
914 x 610mm	8Q536G2	85Q537G2
1066 x 610mm	8Q546G2	85Q547G2
1219 x 610mm	8Q556G2	85Q557G2
1524 x 610mm	8Q566G2	85Q567G2

Mobile Units

Shelf Size (w x d)	4 Shelves - 1,730mm High	5 Shelves - 2,035mm High
914 x 610mm	8Q536G2M	85Q537G2M
1066 x 610mm	8Q546G2M	85Q547G2M
1219 x 610mm	8Q556G2M	85Q557G2M
1524 x 610mm	8Q566G2M	85Q567G2M



85Q566G2

8Q566G2M


Room Design & Installation Service Available
Contact us for more information

Zinc Chrome Racking - Olympic®

OLYMPIC

Features

- Zinc chrome shelving & racking system
- Chromate posts & shelves with a patented no tools tapered split sleeve system that snaps together on each post, adjustable in 25mm increments
- Available as stationary or mobile units...
 - Stationary - Fitted with adjustable feet to allow levelling on uneven floors
 - Mobile - Fitted with 125mm swivel / braking castors
- Rack / unit capacity...
 - Stationary - 907kg
 - Mobile - 339kg
- Optional label holders, shelf dividers & ledges
- 1-year anti-corrosion warranty
- Supplied for self-assembly



Zinc Chrome Shelves

Stationary Units

Shelf Size (w x d)	4 Shelves - 1,590mm High	5 Shelves - 1,895mm High
914 x 610mm	8O536C	85O537C
1066 x 610mm	8O546C	85O547C
1219 x 610mm	8O556C	85O557C
1524 x 610mm	8O966C	85O967C

Mobile Units

Shelf Size (w x d)	4 Shelves - 1,730mm High	5 Shelves - 2,035mm High
914 x 610mm	8O536CM	85O537CM
1066 x 610mm	8O546CM	85O547CM
1219 x 610mm	8O556CM	85O557CM
1524 x 610mm	8O966CM	85O967CM



Room Design & Installation Service Available
Contact us for more information

High Density Storage - Top-Track®

Features

- Increases the storage capacity of a given area by up to 50%
- Maximises all available space
- Can eliminate the need to expand a given area through the use of optimised storage
- Creates moveable aisles
- Eliminates hard to reach or 'dead' spaces
- The guide track is positioned above the shelving system
- Aluminium overhead track system acts as a guide for mobile units
- Floors are easy to clean
- Carts & trolleys can easily be manoeuvred into & out of the active aisle
- Mobile units are designed to accommodate medium-duty applications
- The maximum weight capacity of a Top-Track® mobile unit is 410kg



High Density Storage - qwikTRAK®



Features

- Increases the storage capacity of a given area by up to 50%
- Maximises all available space
- Can eliminate the need to expand a given area through the use of optimised storage
- Creates moveable aisles
- Eliminates hard to reach or 'dead' spaces
- The guide track is positioned below the shelving system, & protects the floor from wear & tear (does not need to be mounted to the floor)
- Compensates for uneven floor surfaces
- Track acts as a guide for mobile units
- Mobile units are designed to accommodate heavy-duty applications
- Allows for double deep configurations, where two systems are joined together for even greater storage capacity
- The maximum weight capacity of a qwikTRAK® mobile unit is 970kg



Room Design & Installation
Service Available
Contact us for more information



**Room Design &
Installation Service
Available**



2HH-7532293
Wall Mounting Bracket



2HH-7532277
10mm Plastic Cover Cap

4HH-HTM71/S1/400
Runners, trays, baskets, dividers & angle
brackets not included (order separately)

Components

- 2HH-7532301-HH - Base Unit, Type A, 600mm Insertion (x 1)
- 2HH-7532311 - Extension Unit, Type A, 600mm Insertion (x 1)
- 2HH-7532356 - Runners, Type A, 600mm Insertion (pair)
- 2HH-7532329 - Angle Adaptor Plate, Type A, 600mm Insertion (pair)
- 2HH-7532304-HH - Base Unit, Type B, 400mm Insertion (x 1)
- 2HH-7532314 - Extension Unit, Type B, 400mm Insertion (x 1)
- 2HH-7532355 - Runners, Type B, 400mm Insertion (pair)
- 2HH-7532328 - Angle Adaptor Plate, Type B, 400mm Insertion (pair)
- 2HH-7532320 - Adjustable Foot Set (x 4)
- 2HH-7532321 - Adjustable Foot Set (x 2)
- 2HH-7532322 - 50mm Pressed Steel Castors (2 x Braking / 2 x Non-Braking)
- 2HH-7532323 - 50mm Pressed Steel Castors (1 x Braking / 1 x Non-Braking)
- 2HH-7532324 - 80mm Pressed Steel Castors (2 x Braking / 2 x Non-Braking)
- 2HH-7532325 - 80mm Pressed Steel Castors (1 x Braking / 1 x Non-Braking)

HTM71 Racking

Features

- Fully configurable freestanding modular racking for use with 600 x 400mm modular trays & baskets
- Available to suit 600 or 400mm insertions
 - Type A - 600mm insertion
 - Type B - 400mm insertion
- Trays & baskets supported on adjustable moulded plastic/glass fibre runners
- Runners can be positioned horizontal or angled (approx. 25 degrees - requires angle adaptor brackets)
- Integral stops on the runners allow trays/baskets to be accessible in two positions
 - Straight (approx. 5 degrees)
 - Angled (approx. 25 degrees)
- Runners offer pass through facility allowing access on either side
- Anodised extruded aluminium uprights & cross members
- Bolted construction using high quality moulded fixings provides rigidity & allows the system to be altered easily
- Available as either static or mobile units
 - Static - Adjustable feet allow levelling on uneven floors
 - Mobile - 50/80mm pressed steel castors
- Optional wall mounting brackets allow static units to be fixed securely to the wall (when units are loaded over 100kg)
- Supplied for self-assembly

Dimensions (w x d x h)

Static

Type A - 600mm Insertion

- Single Bay - 494 x 642 x 1940mm
- Double Bay - 937 x 642 x 1940mm

Type B - 400mm Insertion

- Single Bay - 694 x 442 x 1940mm
- Double Bay - 1337 x 442 x 1940mm

Mobile

Type A - 600mm Insertion

- Single Bay - 494 x 642 x 1996mm
- Double Bay - 937 x 642 x 1996mm

Type B - 400mm Insertion

- Single Bay - 694 x 442 x 1996mm
- Double Bay - 1337 x 442 x 1996mm

Standard Colours

- Uprights & Cross Members - Anodised Aluminium
- Plastic Mouldings - Green/Grey

Options

- 2HH-7532293 - Wall Mounting Bracket
- 2HH-7532277 - 10mm Plastic Cover Cap

Static - Adjustable Feet

Item	Description	Weight
Type A - 600mm Insertion		
4HH-HTM71/S1/600	Static, Single Bay, 600mm Insertion	10.3kg
4HH-HTM71/S2/600	Static, Double Bay, 600mm Insertion	16.1kg
Type B - 400mm Insertion		
4HH-HTM71/S1/400	Static, Single Bay, 400mm Insertion	10.2kg
4HH-HTM71/S2/400	Static, Double Bay, 400mm Insertion	16.3kg



4HH-HTM71/S2/600
Runners, trays, baskets, dividers
not included (order separately)



4HH-HTM71/M52/400
Runners, trays, baskets, dividers
not included (order separately)



4HH-HTM71/M51/600
Runners, trays, baskets, dividers
not included (order separately)

Mobile - 50mm Castors

Item	Description	Weight
Type A - 600mm Insertion		
4HH-HTM71/M51/600	Mobile, Single Bay, 600mm Insertion	11.1kg
4HH-HTM71/M52/600	Mobile, Double Bay, 600mm Insertion	17.3kg
Type B - 400mm Insertion		
4HH-HTM71/M51/400	Mobile, Single Bay, 400mm Insertion	11.0kg
4HH-HTM71/M52/400	Mobile, Double Bay, 400mm Insertion	17.5kg

Trays & Baskets

Type D - Size 300 x 400mm

Item	Description
------	-------------



Tray - ABS, 50mm
Dimensions (w x d x h):
300 x 400 x 50mm
Material: ABS Grey

2HH-7014050



Basket - ABS, 100mm
Dimensions (w x d x h):
300 x 400 x 100mm
Material: ABS Grey

2HH-7014100



Basket - ABS, 200mm
Dimensions (w x d x h):
300 x 400 x 200mm
Material: ABS Grey

2HH-7014200

Type A & B - Size 600 x 400mm

Item	Description
------	-------------



Tray - ABS, 50mm
Dimensions (w x d x h):
600 x 400 x 50mm
Material: ABS Grey

2HH-7011050



Tray - ABS, 100mm
Dimensions (w x d x h):
600 x 400 x 100mm
Material: ABS Grey

2HH-7011100



Basket - ABS, 100mm
Dimensions (w x d x h):
600 x 400 x 100mm
Material: ABS Grey

2HH-7012100



Basket - ABS, 200mm
Dimensions (w x d x h):
600 x 400 x 200mm
Material: ABS Grey

2HH-7012200



Tray/Lid - ABS, 15mm
Dimensions (w x d x h):
600 x 400 x 15mm
Material: Plastic Grey

2HH-K561039D

Accessories

Item	Description
------	-------------



Safety Stop - Long
(Scan Modul Compatible)
Material: Plastic
Compatibility:
All Trays & Baskets

2HH-7910204N



Safety Stop - Short
(H+H System Compatible)
Material: Plastic
Compatibility:
All Trays & Baskets

2HH-7910201N

Sterile Container Storage - Static

Features

- Fully configurable freestanding modular racking suitable for the safe storage of sterile containers
- Compatible with both blue wrap & rigid containers stored on either...
 - Telescopic shelves - Compatible with containers up to max 600 x 300mm (width x depth)
 - Wire grid shelves - Compatible with containers up to max 600 x 250mm (width x depth)
- Anodised extruded aluminium uprights & cross members
- Bolted construction using high quality moulded fixings provided rigidity & allows the system to be altered easily
- Static - Adjustable feet allow levelling on uneven floors
- Optional wall mounting brackets allow static units to be fixed securely to the wall (when units are loaded over 100kg)
- Supplied for self-assembly

Dimensions (w x d x h)

- Single Bay - 394 x 642 x 1940mm
- Double Bay - 737 x 642 x 1940mm

Standard Colours

- Uprights & Cross Members - Anodised Aluminium
- Wire Grids - Polished Stainless Steel
- Telescopic Shelves - Anodised Aluminium
- Plastic Mouldings - Green

Item	Description	Weight
Single Bay		
4HH-SCS/S1/2W5T	Static, Single Bay, 2 x Wire Grid Shelves & 5 x Telescopic Shelves	30.2kg
4HH-SCS/S1/8W	Static, Single Bay, 8 x Wire Grid Shelves	21.4kg
Double Bay		
4HH-SCS/S2/4W10T	Static, Double Bay, 4 x Wire Grid Shelves & 10 x Telescopic Shelves	56.9kg
4HH-SCS/S2/16W	Static, Double Bay, 16 x Wire Grid Shelves	38.0kg



4HH-SCS/S1/8W
Shown with BBraun Aesculap
Sterile Containers (not supplied)



4HH-SCS/S2/16W
Shown with BBraun Aesculap
Sterile Containers (not supplied)

Sterile Container Storage - Mobile

Features

- Fully configurable freestanding modular racking suitable for the safe storage of sterile containers
- Compatible with both blue wrap & rigid containers stored on either...
 - Telescopic shelves - Compatible with containers up to max 600 x 300mm (width x depth)
 - Wire grid shelves - Compatible with containers up to max 600 x 250mm (width x depth)
- Anodised extruded aluminium uprights & cross members
- Bolted construction using high quality moulded fixings provided rigidity & allows the system to be altered easily
- Mobile - 50mm pressed steel castors
- Optional wall mounting brackets allow static units to be fixed securely to the wall (when units are loaded over 100kg)
- Supplied for self-assembly

Dimensions (w x d x h)

- Single Bay - 394 x 642 x 1996mm
- Double Bay - 737 x 642 x 1996mm

Standard Colours

- Uprights & Cross Members - Anodised Aluminium
- Wire Grids - Polished Stainless Steel
- Telescopic Shelves - Anodised Aluminium
- Plastic Mouldings - Green

Item	Description	Weight
Single Bay		
4HH-SCS/M51/2W5T	Mobile, Single Bay, 2 x Wire Grid Shelves & 5 x Telescopic Shelves	31.1kg
4HH-SCS/M51/8W	Mobile, Single Bay, 8 x Wire Grid Shelves	22.3kg
Double Bay		
4HH-SCS/M52/4W10T	Mobile, Double Bay, 4 x Wire Grid Shelves & 10 x Telescopic Shelves	58.2kg
4HH-SCS/M52/16W	Mobile, Double Bay, 16 x Wire Grid Shelves	39.3kg



4HH-SCS/M51/8W
Shown with BBraun Aesculap
Sterile Containers (not supplied)



4HH-SCS/M52/16W
Shown with BBraun Aesculap
Sterile Containers (not supplied)

Suture Storage Trolleys



Features

- Angled shelves present contents for instant identification & easy access
- Allows logical organisation, eliminates confusion, allowing for easier & faster restocking
- Open wire design minimises dust accumulation, allowing for free circulation of air, improved visibility & light penetration
- No tools shelf adjustment in 25mm increments
- Each trolley supplied with 12 x shelf retainers to assist with segregation of contents
- Delivered flat pack for self-assembly
- 125mm pressed steel castors, 2 off braking

Dimensions (w x d x h)

- Small - 610 x 457 x 1778mm
- Medium - 914 x 457 x 1778mm
- Large - 1219 x 457 x 1778mm



8DC56EC

Item	Description	Weight
8DC16EC	Trolley - Suture Storage, 5 x Angled Shelves, Small	50.0kg
8DC36EC	Trolley - Suture Storage, 5 x Angled Shelves, Medium	51.5kg
8DC56EC	Trolley - Suture Storage, 5 x Angled Shelves, Large	52.5kg

Bowl Stands - Fixed Height

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Bowl retaining rings fitted with removable anti-static spiral buffers to support bowls
- Suitable for use with 360mm diameter stainless or polythene bowls (order separately)
- 75mm pressed steel non-marking castors (1 x anti-static)

Dimensions (w x d x h)

- Side By Side - 750 x 445 x 860mm
- Tiered - 445 x 445 x 860mm

Options / Accessories

- 2MECO079 - 360mm Diameter, 7 Litre Stainless Steel Bowl
- 2PLCO054 - 360mm Diameter, 7 Litre Polythene Bowl



Item	Description	Weight
SBS/2	Bowl Stand - Fixed Height, Double Bowl, Side by Side	6.0kg
SBST/2	Bowl Stand - Fixed Height, Double Bowl, Tiered	5.0kg

Bowl Stands - Variable Height

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Height adjustable upright using a handwheel (753 - 1,100mm)
- Bowl retaining ring fitted with removable anti-static spiral buffers to support bowls
- Suitable for use with 360mm diameter stainless or polythene bowls (order separately)
- 50mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)

Dimensions (w x d x h)

- Single - 650 x 650 x 753 - 1,100mm
- Double - 746 x 650 x 753 - 1,100mm

Options / Accessories

- 2MECO079 - 360mm Diameter, 7 Litre Stainless Steel Bowl
- 2PLCO054 - 360mm Diameter, 7 Litre Polythene Bowl



2MECO079
7 Litre Stainless Steel Bowl



2PLCO054
7 Litre Polythene Bowl



SBSA/1

Item	Description	Weight
SBSA/1	Bowl Stand - Variable Height, Single Bowl	4.8kg
SBSA/2	Bowl Stand - Variable Height, Double Bowl	5.6kg

Bowl Stands - Variable Height, Polyurethane, Easy Clean

Features

- Five leg-base with low centre of gravity to assist stability
- 25mm diameter scratch resistant stainless-steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the twin-wheel castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (820 - 1125mm)
- Bowl retaining rings fitted with removable anti-static spiral buffers to support bowls
- Suitable for use with 360mm diameter stainless or polythene bowls (order separately)
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)

Dimensions (w x d x h)

- Single - 620 x 620 x 820 - 1,125mm
- Double - 746 x 620 x 820 - 1,125mm

Options / Accessories

- 2MECO079 - 360mm Diameter, 7 Litre Stainless Steel Bowl
- 2PLCO054 - 360mm Diameter, 7 Litre Polythene Bowl
- Coloured Indicator Cap - Blue / Green / Red / Yellow



BL
Blue



GR
Green



RD
Red



YE
Yellow



BO/P/VD/SP

Item	Description	Weight
BO/P/VS/SP	Bowl Stand - Variable Height, Polyurethane, Easy Clean, Single Bowl	9.0kg
BO/P/VD/SP	Bowl Stand - Variable Height, Polyurethane, Easy Clean, Double Bowl	9.8kg

Bowl Stand - Kickabout

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Bowl retaining ring fitted with removable anti-static spiral buffers to support bowls
- Supplied with a 7 litre, 360mm diameter stainless steel bowl
- 75mm pressed steel non-marking castors (1 x anti-static, 2 x non-anti-static)

Dimensions (w x d x h)

- Overall Dimensions - 365 x 365 x 235mm

Options / Accessories

- 2MECO079 - 360mm Diameter, 7 Litre Stainless Steel Bowl
- 2PLCO054 - 360mm Diameter, 7 Litre Polythene Bowl



Item	Description	Weight
SBSL/1	Bowl Stand - Kickabout	3.2kg

Bucket Stands - Kickabout, 15 - Litre Bucket

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Bucket retaining ring fitted with removable anti-static spiral buffers to support the bucket
- Model available fitted with a handle
- Supplied with a 15-litre graduated stainless steel bucket
- 75mm pressed steel non-marking castors (1 x anti-static, 2 x non-anti-static)

Dimensions (w x d x h)

- No Handle - 460 x 460 x 470mm
- With Handle - 460 x 460 x 470mm

Options / Accessories

- 2MECO081 - 15-litre graduated stainless steel bucket



SBKSLH/1

Item	Description	Weight
SBKSL/1	Bucket Stand - 15 Litre Bucket	5.0kg
SBKSLH/1	Bucket Stand - 15 Litre Bucket, Handle	5.5kg

Instrument / Mayo Tables - Cantilever, Variable Height

Features

- Seamlessly welded frame from 304 grade stainless steel for strength & ease of cleaning
- Available with two castors & skid feet or four castors
- Height adjustable upright using a handwheel...
 - Two Castors & Skid Feet - 893 - 1,480mm
 - Four Castors - 858 - 1,450mm
- Supplied with a removable stainless steel tray, 512 x 387 x 20mm (w x d x h)
- 50mm polypropylene / thermoplastic rubber twin-wheel anti-static castors

Dimensions (w x d x h)

- Two Castors & Skid Feet - 641 x 450 x 893 - 1,480mm
- Four Castors - 651 x 471 x 858 - 1,450mm



Item	Description	Weight
SS/22/1	Instrument / Mayo Table - Cantilever, Variable Height, Two Castors & Skid Feet	5.4kg
SS/22/2	Instrument / Mayo Table - Cantilever, Variable Height, Four Castors	5.8kg

Operating Platforms

Features

- Seamlessly welded frame from 304 grade stainless steel for strength & ease of cleaning
- Aluminium embossed non-slip tread
- Non-slip, anti-static rubber feet
- Max capacity 190kg

Dimensions (w x d x h)

- Small - 400 x 300mm
- Large - 600 x 300mm



Aluminium embossed non-slip tread



OP/432

Item	Description	Weight
Small		
OP/431	Operating Platform - Small, 150mm High	4.2kg
OP/432	Operating Platform - Small, 200mm High	4.4kg
Large		
OP/631	Operating Platform - Large, 150mm High	6.0kg
OP/632	Operating Platform - Large, 200mm High	6.4kg

Mobile Workstations - Non-Powered

Features

- Models available for use with laptops & vesa display mounts & configurable with a keyboard tray
 - Laptop Mount - Secures the laptop (compatible with laptops up to 482mm in width)
 - Vesa Display Mount - Height adjustable, compatible with 75 x 75mm / 100 x 100mm square hole patterns
 - Keyboard Tray - Retractable tray with wrist support & left / right mouse pad (accepts full size & Medigenic keyboards with room for mouse storage)
- Height adjustable using a gas damper (780 - 1130mm)
- Extruded aluminium column provides a smooth linear height adjustment
- Safety feature prevents trapping of the user beneath the workstation
- Cast aluminium four leg base
- Acrylic work surface
- Configurable with a range of accessories
- 100mm twin-wheel castors (4 x braking)

Dimensions (w x d x h)

- Overall - 630 x 630 x 780 - 1130mm
- Work Surface - 500 x 465mm
- Keyboard Tray - 500 x 255mm
- Laptop Mount - Accepts laptops up to 482mm

Standard Colours

- Base - White
- Work Surface - Blue
- Upright & Sheet - White

Options / Accessories

- 5RC/SB - Storage Basket
- 5RC/DRK - Side Din Rail Kit
- 5RC/PSH - Power Supply Unit Holder
- GMBH/15 - Glove / Mask Box Holder
- CT/ALC - Alcohol Gel Holder
- SBH/15 - Sharps Box Holder



5RC/MW/NP



5RC/MW/NP/VM

Item	Description	Weight
5RC/MW/NP	Mobile Workstation - Non-Powered	19.6kg
5RC/MW/NP/LM	Mobile Workstation - Non-Powered, Laptop Mount	20.2kg
5RC/MW/NP/VM	Mobile Workstation - Non-Powered, Vesa Display Mount	22.4kg
5RC/MW/NP/VM/KT	Mobile Workstation - Non-Powered, Vesa Display Mount, Keyboard Tray	23.6kg

Area Sales Representatives



Scotland & N.Ireland
Ian Farnfield
01258 451338
scotland@bristolmaid.com



Republic of Ireland & Export
Dave Morton-Jones
+44 (0)1258 484468
export@bristolmaid.com



North
Steve Poller
07790 916052
nwest@bristolmaid.com




Midlands
Ian Newbould
07500 039301
midlands@bristolmaid.com



London
Chris Davis
07725 543862
london@bristolmaid.com



South & South West
Jason Dutfeld
07876 441477
sswest@bristolmaid.com




Manufacturing Medical Furniture & Equipment Since 1953

With over 65 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.



Hospital Metalcraft Limited
Blandford Heights, Blandford Forum,
Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338
Fax: +44 (0) 1258 455056
sales@bristolmaid.com

www.bristolmaid.com